



# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

# STATE ONLY OPERATING PERMIT

Issue Date: November 16, 2020 Effective Date: November 16, 2020

Expiration Date: November 16, 2025

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 49-00052

Federal Tax Id - Plant Code: 75-2491201-5

### Permit Contact Person

Name: CHRISTOPHER BARKER

Title: QFS MGR Phone: (570) 863 - 2534

[Signature] \_\_\_\_\_\_
MUHAMMAD Q. ZAMAN, ENVIRONMENTAL PROGRAM MANAGER, NORTHCENTRAL REGION



### **SECTION A. Table of Contents**

# Section A. Facility/Source Identification

**Table of Contents** Site Inventory List

# Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 **Operating Permit Modifications**
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- Sampling, Testing and Monitoring Procedures. #019
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

### Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

### Section E. Source Group Restrictions

E-I: Restrictions





# **SECTION A. Table of Contents**

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

# **Section F.** Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

# Section G. Emission Restriction Summary

### Section H. Miscellaneous









# SECTION A. Site Inventory List

Source ID Source Name		Capacity/Throughput		Fuel/Material
031	YORK SHIPLEY BOILER	5.200	MMBTU/HR	
032	AIR CONDITIONING UNITS & SPACE HEATERS	0.200	MMBTU/HR	
033	FOUR (4) AIR MAKE-UP UNITS	12.600	MMBTU/HR	
P101	TUNNEL OVEN			
P102	BREAD & ROLL PREBAKING PROCESSES			
P104	BAKING OVEN	4.600	MMBTU/HR	
C101	CATALYTIC OXIDER			
C102	BIN VENT FILTER			
C104	CATALYTIC OXIDIZER			
FM01	NATURAL GAS LINE			
S031	BOILER STACK			
S032	HEATERS STACK			
S033	AIR MAKE-UP STACKS			
S101	OXIDER STACK			
S104	CATALYTIC OXIDIZER STACK			
Z102	PREBAKING EMISSIONS			













#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

**Operating Permit Duration.** 

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)&(c)]

Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application and an additional annual administrative fee as specified in 25 Pa. Code § 127.703(b) and (c). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and shall be for the amount specified in the following schedule specified in 25 Pa. Code § 127.703(b) and (c).
  - (1) Three hundred dollars for applications filed during the 2000-2004 calendar years.
  - (2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay fees according to the following schedule specified in 25 Pa. Code § 127.703(b):
  - (1) Three hundred dollars for applications filed during the 2000-2004 calendar years.
  - (2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.

This fee schedule shall apply to the processing of an application for an operating permit as well as the extension,





modification, revision, renewal, and re-issuance of each operating permit or part thereof.

- (b) The permittee shall pay an annual operating permit administrative fee according to the fee schedule established in 25 Pa. Code § 127.703(c).
  - (1) Two hundred fifty dollars for applications filed during the 1995-1999 calendar years.
  - (2) Three hundred dollars for applications filed during the 2000-2004 calendar years.
  - (3) Three hundred seventy-five dollars for applications filed during the years beginning in 2005.
- (c) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund".

#### #005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

**Transfer of Operating Permits.** 

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this

### #006 [25 Pa. Code § 127.441 and 35 P.S. § 4008] Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
  - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#### #007 [25 Pa. Code §§ 127.441 & 127.444]

Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes







a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#### #009 [25 Pa. Code §§ 127.442(a) & 127.461]

**Duty to Provide Information.** 

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#### #010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#### #011 [25 Pa. Code §§ 127.450 & 127.462]

**Operating Permit Modifications** 

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and



49-00052



# **SECTION B.** General State Only Requirements

significant operating permit modifications, under this permit, as outlined below:

- (b) Administrative Amendments. The permittee shall make administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall make minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Permit modifications which do not qualify as minor permit modifications under 25 Pa. Code § 127.541 will be treated as a significant operating permit revision subject to the public notification procedures in §§ 127.424 and 127.425.

#### #012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#### #013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
  - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:





- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
  - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
  - (4) Space heaters which heat by direct heat transfer.
  - (5) Laboratory equipment used exclusively for chemical or physical analysis.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

# #014 [25 Pa. Code § 127.3]

### Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)







- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#### #015 [25 Pa. Code § 127.11]

49-00052

### Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#### #016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#### #017 [25 Pa. Code § 121.9]

### Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#### #018 [25 Pa. Code §§ 127.402(d) & 127.442]

# Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager PA Department of Environmental Protection (At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such



records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

### #019 [25 Pa. Code §§ 127.441(c) & 135.5]

### Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

### #020 [25 Pa. Code §§ 127.441(c) and 135.5]

### Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
  - (1) The date, place (as defined in the permit) and time of sampling or measurements.
  - (2) The dates the analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of the analyses.
  - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

# #021 [25 Pa. Code § 127.441(a)]

### **Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

### #022 [25 Pa. Code § 127.447]

# **Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





#023 [25 Pa. Code §135.3]

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

**Report Format** 

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





# SECTION C. Site Level Requirements

### I. RESTRICTIONS.

### **Emission Restriction(s).**

### # 001 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

No person may permit the emission into the outdoor atmosphere of fugitive air contaminants from a source other than the following:

- (1) Construction or demolition of buildings or structures,
- (2) Grading, paving and maintenance of roads and streets,
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets,
- (4) Clearing of land,
- (5) Stockpiling of materials,
- (6) Open burning operations.
- (7) Sources and classes of sources other than those identified above, for which the permittee has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
- (a) The emissions are of minor significance with respect to causing air pollution,
- (b) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

### # 002 [25 Pa. Code §123.2]

### Fugitive particulate matter

No person may permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in Condition #001(1)-(7) above, if the emissions are visible at the point the emissions pass outside the person's property.

### # 003 [25 Pa. Code §123.41]

### Limitations

No person may permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour,
- (2) Equal to or greater than 60% at any time.

# # 004 [25 Pa. Code §123.42]

### **Exceptions**

The emission limitations of 25 Pa. Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions,
- (3) The emission results from sources specified in 25 Pa. Code Section 123.1(a)(1)-(9).

### II. TESTING REQUIREMENTS.

### # 005 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (a) Pursuant to 25 Pa. Code § 139.3, at least 90 calendar days prior to commencing a EPA reference method testing program, a test protocol shall be submitted to the Department for review and approval. One hardcopy and one electronic copy shall be sent to the Northcentral Regional Office Air Quality Program Manager and one hardcopy and one electronic copy shall be sent to the PSIMS Administrator in Central Office. The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.
- (b) Pursuant to 25 Pa. Code § 139.3, at least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the Northcentral Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.
- (c) If applicable, pursuant to 40 CFR § 60.8(a), 40 CFR § 61.13(f) and 40 CFR § 63.7(g), complete test reports shall be submitted to the Department no later than 60 calendar days after completion of the on-site testing portion of an EPA reference method test program.



# **SECTION C.** Site Level Requirements

49-00052

- (d) Pursuant to 25 Pa. Code § 139.53(b) a complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or noncompliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:
- 1. A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
- 2. Permit number(s) and condition(s) which are the basis for the evaluation.
- 3. Summary of results with respect to each applicable permit condition.
- 4. Statement of compliance or non-compliance with each applicable permit condition.
- (e) Pursuant to 25 Pa. Code § 139.3, all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.
- (f) All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.
- (g) Pursuant to 25 Pa. Code § § 139.53(a)(1) and 139.53(a)(3), one electronic copy and one hard copy of all submittals, besides notifications, shall be sent to the Northcentral Regional Office Air Quality Program Manager, with deadlines verified by postmark. In addition, one electronic copy and one hard copy shall be sent to the PSIMS Administrator in Central Office. Mail and email addresses are provided on the PA DEP website.
- (h) The permittee shall insure all federal reporting requirements contained in the applicable subpart of 40 CFR are followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between state and the federal, the most stringent provision, term, condition, method or rule shall be used by default.

# # 006 [25 Pa. Code §139.1]

# Sampling facilities.

Upon the request of the Department, the permittee shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such source. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

# # 007 [25 Pa. Code §139.11]

# General requirements.

- (a) As specified in 25 Pa. Code Section 139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.
- (b) As specified in 25 Pa. Code Section 139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum, all of the following:
- (1) A thorough source description, including a description of any air cleaning devices and the flue,
- (2) Process conditions, for example, the charging rate of raw material or rate of production of final product, boiler pressure, oven temperature, and other conditions, which may effect emissions from the process,
- (3) The location of sampling ports,
- (4) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage of CO, CO2, O2 and N2), static and barometric pressures,
- (5) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met,
- (6) Laboratory procedures and results,
- (7) Calculated results.

# III. MONITORING REQUIREMENTS.

### # 008 [25 Pa. Code §123.43]

# **Measuring techniques**

Visible emissions may be measured using either of the following:



# **SECTION C.** Site Level Requirements

- (1) A device approved by the Department and maintained to provide accurate opacity measurements,
- (2) Observers, trained and qualified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

### # 009 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (a) The permittee shall conduct a weekly inspection of the facility during daylight hours while the facility is operating to detect visible emissions, visible fugitive emissions and malodors. Weekly inspections are necessary to determine:
- (1) The presence of visible emissions,
- (2) The presence of visible fugitive emissions,
- (3) The presence of malodors beyond the boundaries of the facility.
- (b) All detected visible emissions, visible fugitive emissions or malodors that have the potential to exceed applicable limits shall be reported to the manager of the facility.

### IV. RECORDKEEPING REQUIREMENTS.

### # 010 [25 Pa. Code §127.441]

# Operating permit terms and conditions.

- (a) The permittee shall maintain a logbook of the facility's weekly inspections. The logbook shall include the name of the company representative performing the inspection, the date and time of inspections, any instances of exceedances of visible emissions limitations, visible fugitive emissions limitations and malodorous air emissions limitations, and the name of the manager informed if a potential exceedance is observed. The permittee shall also record any and all corrective action(s) taken to abate each recorded deviation to prevent future occurrences.
- (b) These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

### V. REPORTING REQUIREMENTS.

# # 011 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Upon request by the Department, the permittee shall submit all requested reports in accordance with the Department's suggested format.

### # 012 [25 Pa. Code §127.442]

### Reporting requirements.

- (a) The permittee shall report malfunctions, emergencies or incidents of excess emissions to the Department. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. An emergency is any situation arising from sudden and reasonably unforeseeable events beyond the control of the owner or operator of a facility which requires immediate corrective action to restore normal operation and which causes the emission source to exceed emissions, due to unavoidable increases in emissions attributable to the situation. An emergency shall not include situations caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.

  (b) When the malfunction, emergency or incident of excess emissions poses an imminent danger to the public health, safety, welfare, or environment, it shall be reported to the Department and the County Emergency Management Agency by telephone within one (1) hour after the discovery of the malfunction, emergency or incident of excess emissions. The owner or operator shall submit a written or emailed report of instances of such malfunctions, emergencies or incidents of excess emissions to the Department within three (3) business days of the telephone report.
- (c) The report shall describe the following:
- 1. name, permit or authorization number, and location of the facility,
- 2. nature and cause of the malfunction, emergency or incident,
- 3. date and time when the malfunction, emergency or incident was first observed,
- 4. expected duration of excess emissions,
- 5. estimated rate of emissions,
- 6. corrective actions or preventative measures taken.
- (d) Any malfunction, emergency or incident of excess emissions that is not subject to the notice requirements of paragraph
- (b) of this condition shall be reported to the Department by telephone within 24 hours (or by 4:00 PM of the next business





#### SECTION C. **Site Level Requirements**

day, whichever is later) of discovery and in writing or by e-mail within five (5) business days of discovery. The report shall contain the same information required by paragraph (c), and any permit specific malfunction reporting requirements.

- (e) During an emergency an owner or operator may continue to operate the source at their discretion provided they submit justification for continued operation of a source during the emergency and follow all the notification and reporting requirements in accordance with paragraphs (b)-(d), as applicable, including any permit specific malfunction reporting requirements.
- (f) Reports regarding malfunctions, emergencies or incidents of excess emissions shall be submitted to the appropriate DEP Regional Office Air Program Manager.
- (g) Any emissions resulted from malfunction or emergency are to be reported in the annual emissions inventory report, if the annual emissions inventory report is required by permit or authorization.

### WORK PRACTICE REQUIREMENTS.

#### # 013 [25 Pa. Code §123.1]

# Prohibition of certain fugitive emissions

For any source specified in 25 Pa. Code Section 123.1 subsection(s) (a)(1)-(7) or (a)(9), the permittee shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land,
- (2) Application of asphalt, oil, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
- (3) Paving and maintenance of roadways,
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

#### VII. ADDITIONAL REQUIREMENTS.

#### # 014 [25 Pa. Code §121.7]

### Prohibition of air pollution.

No person may permit air pollution as that term is defined in the act (The Air Pollution Control Act (35 P.S. §§ 4001-4015)).

#### # 015 [25 Pa. Code §123.31]

# Limitations

No person may permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

#### [25 Pa. Code §129.14] # 016

# **Open burning operations**

No person may permit the open burning of material at the facility unless in accordance with 25 Pa. Code Section 129.14.

#### VIII. **COMPLIANCE CERTIFICATION.**

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

### COMPLIANCE SCHEDULE.


No compliance milestones exist.





Source ID: 031 Source Name: YORK SHIPLEY BOILER

> Source Capacity/Throughput: 5.200 MMBTU/HR



### RESTRICTIONS.

### **Emission Restriction(s).**

# 001 [25 Pa. Code §123.11]

**Combustion units** 

Source ID 031 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

# 002 [25 Pa. Code §123.22]

**Combustion units** 

No person may permit the emission of sulfur oxides (SOx), expressed as SO2 into the outdoor atmosphere from Source ID 031 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

# Fuel Restriction(s).

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for Source ID 031.

### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### **WORK PRACTICE REQUIREMENTS.** VI.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





# VII. ADDITIONAL REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.


Source ID 031 is a 5.23 MMBtu/hr, natural gas fired, York Shipley Boiler, Model SPLV-125-N/2





Source ID: 032 Source Name: AIR CONDITIONING UNITS & SPACE HEATERS

> Source Capacity/Throughput: 0.200 MMBTU/HR



### RESTRICTIONS.

### **Emission Restriction(s).**

# 001 [25 Pa. Code §123.22]

**Combustion units** 

No person may permit the emission of sulfur oxides (SOx), expressed as SO2 into the outdoor atmosphere from each unit of Source ID 032 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

# Fuel Restriction(s).

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for each unit of Source ID 032

### **TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







### VII. ADDITIONAL REQUIREMENTS.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID 032 consists of four (4) space heaters and two (2) Air Conditioning/Space Heaters.


- Three (3) Heaters, Modine, Model PV75SE0130, 0.075 MMBtu/hr each
- One (1) Heater, Modine, Model PV100SE0130, 0.10 MMBtu/hr each
- One (1) Air Conditioner/Heater, Carrier, Model 48TJD008-521GA, 0.125 MMBtu/hr Lunch Room
- One (1) Air Conditioner/Heater, Carrier, Model 48GX024040301, 0.040 MMBtu/hr Office





Source ID: 033 Source Name: FOUR (4) AIR MAKE-UP UNITS

> Source Capacity/Throughput: 12.600 MMBTU/HR



49-00052

### RESTRICTIONS.

### **Emission Restriction(s).**

# 001 [25 Pa. Code §123.11]

### **Combustion units**

No person may permit the emission of particulate matter from each air conditioning unit of Source ID 033 into the outdoor atmosphere in excess of 0.40 pounds per million Btu of heat input.

# 002 [25 Pa. Code §123.22]

**Combustion units** 

No person may permit the emission of sulfur oxides (SOx), expressed as SO2 into the outdoor atmosphere from each air conditioning unit of Source ID 033 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

# Fuel Restriction(s).

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for each unit of Source ID 033.

### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID 033 consists of four (4) natural gas fired air make-up units which are as follows:


- Three (3) Air Makeup Units, Green Heck, Model TSU225H50, 2.983 MMBtu/hr each, rated heat input
- One (1) Air Makeup Unit, Green Heck, Model TSU230H50, 3.646 MMBtu/hr rated heat input





Source ID: P101 Source Name: TUNNEL OVEN

Source Capacity/Throughput:



### I. RESTRICTIONS.

# **Emission Restriction(s).**

# 001 [25 Pa. Code §123.13]

### **Processes**

No person may permit the emission into the outdoor atmosphere of particulate matter, from Source ID P101, in a manner such that the concentration of particulate matter in the effluent gas exceeds 0.04 grains per dry standard cubic foot.

# 002 [25 Pa. Code §123.21]

### **General**

No person may permit the emission of sulfur oxides expressed as SO2, into the outdoor atmosphere from Source ID P101 in a manner such that the concentration of the sulfur oxides in the effluent gas exceeds 500 parts per million, by volume, dry basis.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The emission of the following air contaminants from the exhaust of ID C101 associated with Source ID P101 shall not exceed the following limitations:

- (a) Particulate Matter (PMPM10) 0.21 tons in any 12 consecutive month period.
- (b) Sulfur Oxides (SOx), expressed as SO2 0.02 tons in any 12 consecutive month period.
- (c) Carbon Monoxide (CO) 2.32 tons in any 12 consecutive month period.
- (d) Nitrogen Oxides (NOx), expressed as NO2 2.76 tons in any 12 consecutive month period.
- (e) Volatile Organic Compounds (VOCs) 7.71 tons in any 12 consecutive month period

# Fuel Restriction(s).

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for Source ID P101 and ID C101.

### II. TESTING REQUIREMENTS.

# # 005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The company shall perform volatile organic compound stack testing upon the oven identified in this section should the Department ever determine that such testing is needed for determining compliance with any condition contained herein.

- (a) If deemed necessary, the permittee shall perform a volatile organic compound stack test on ID C101 associated with Source ID P101 to verify compliance with the 95% VOC destruction efficiency requirement.
- (b) Simultaneous testing of the inlet and outlet of ID C101 (two (2) sampling trains running simultaneously),
- (c) All testing is too be performed with an inlet temperature range of 600 to 650 degrees Fahrenheit for ID C101.
- (d) The permittee shall continuously monitor the inlet and outlet temperature of ID C101 during the duration of the stack test.
- (e) All testing is to be done using EPA reference method test procedures acceptable to the Department. All testing is to be performed while the respective source is operating at its normal production rate.





#### MONITORING REQUIREMENTS. III.

# 006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

ID C101 shall be equipped with instrumentation to monitor and record the inlet and outlet temperatures of the catalyst bed on a continuous basis (including startup and shutdown) via a charter recorder or similar device.

#### IV. RECORDKEEPING REQUIREMENTS.

[25 Pa. Code §127.441] # 007

Operating permit terms and conditions.

- (a) The permittee shall keep records for Source ID P101 of the following information:
- (1) The identity and quantity of baking product produced on a monthly basis.
- (2) The initial yeast content and total yeast action time (fermentation time + floor time + intermediate proof time + final proof time) for each product produced on a monthly basis.
- (3) The spike yeast content and spiking time (floor time + intermediate proof time + final proof time) for each product produced on a monthly basis.
- (4) The amount of natural gas burned in Source ID P101 and ID C101 on a monthly basis.
- (5) All yeast contents are to be recorded to the nearest tenth of 1 percent.
- (6) All yeast action times and spiking times are to be recorded to the nearest tenth of an hour.
- (b) These records shall be kept for a minimum of 5 years and made available to the Department upon request.

# 008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall keep records of the emission of the following air contaminants on a monthly basis from the exhaust of ID C101 associated with Source ID P101, and supporting calculations used to verify compliance with the following emissions limitations of each respective air contaminant in any 12 consecutive month period:
- (1) Particulate Matter (including PM10),
- (2) Sulfur Oxides, expressed as SO2,
- (3) Carbon Monoxide,
- (4) Nitrogen Oxides, expressed as NO2,
- (5) Volatile Organic Compounds (VOCs).
- (b) The inlet and outlet temperature readings of ID C101 shall be recorded continuously while ID C101 is operating (including start-up and shutdown), via a charter recorder or similar device.
- (c) These records shall be kept for a minimum of five (5) years and made available to the Department upon request.

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

# 009 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall not operate Source ID P101, at any time, without the simultaneous operation of ID C101.

#010 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

- (a) ID C101 shall maintain a catalyst inlet temperature of at least 600 degrees Fahrenheit at any time ID C101 is being used to control air contaminant emissions from Source ID P101.
- (b) Should the catalyst inlet temperature ever drop below 600 degrees Fahrenheit while the oxidizer is controlling air





contaminant emissions from Source ID P101 an automatic alarm shall sound to notify the operator of the non complying temperature. Also, should the catalyst inlet temperature ever drop below 600 degrees Fahrenheit, the permittee shall take immediate steps to bring the oxidizer inlet temperature back to 600 degrees Fahrenheit.

- (c) ID C101 shall be equipped with alarms that alert the operator when any of the following conditions occur:
- (1) high oxidizer temperature
- (2) automatic-initiated high temperature shutdown
- (3) high gas pressure
- (4) low gas pressure
- (5) low process fan pressure
- (6) low combustion fan pressure
- (7) low catalyst inlet and outlet temperatures
- (8) flameout, detected by a UV scanner.

### VII. ADDITIONAL REQUIREMENTS.

#### # 011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The volatile organic compound (VOC) emissions from Source ID P101 shall be controlled by ID C101 on a continuous basis while source ID P101 is in operation.

#### # 012 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) Source ID P101 is a bread-baking, tunnel oven, Baker Perkins Model BP 960, natural-gas fired, 5.495 MMBtu/hr rated heat input.
- (b) ID C101 is a catalytic oxider, VMB Systems, Inc. Model M4X, natural-gas fired, 1.0 MMBtu/hr rated heat input.

#### # 013 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The volatile organic compound (VOC) destruction efficiency of ID C101 shall not be less than 95%.

DEP Auth ID: 1318251






#### **Source Level Requirements** SECTION D.

Source ID: P102 Source Name: BREAD & ROLL PREBAKING PROCESSES

Source Capacity/Throughput:



### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### **TESTING REQUIREMENTS.** Ш.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

[25 Pa. Code §127.441] # 001

Operating permit terms and conditions.

The permittee shall conduct daily visual inspections of all the bin vent filters of ID C102 to detect visible emissions from the exhaust of each bin vent filter of ID C102.

#### RECORDKEEPING REQUIREMENTS. IV.

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall record the daily visual inspections of each bin vent filter of ID C102 in a log book. The logbook shall include the name of the company representative performing the inspection, the date and time of inspections, and any instances of visible emissions. The permittee shall also record any and all corrective action(s) taken to prevent visible emissions.
- (b) These records shall be kept for a minimum of five (5) years and shall be made available to the Department upon request.

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### WORK PRACTICE REQUIREMENTS. VI.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall replace each filter bag of each bin vent filter of ID C102 with a clean filter bag on a monthly basis.
- (b) The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for each of the bin vent filters (ID
- C102) associated with Source ID P102, in order to be able to immediately replace any bags requiring replacement.

# VII. ADDITIONAL REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) Source ID P102 represents the Bread and Roll Prebaking Process at the facility which includes the following:
- (1) Four (4) flour storage silos, two (2) 100,000 pound capacity and two (2) 150,000 pound capacity. Each silo shall be independently controlled by an integral filter of ID C102.
- (2) One (1) Slurry Tank, 1,500 gallon capacity





- (3) One (1) Liquid-yeast Tank, 1,500 gallon capacity
- (4) One (1) Sponge Holding Tank, 3,000 gallon capacity
- (5) Four (4) Mixers, 2,000 pound capacity
- (6) Four (4) Holding Hoppers
- (7) Four (4) Ferment Tanks, 1,500 gallons each
- (8) Two (2) Cream Yeast Tanks, 3,000 gallons each.
- (b) ID C102 is a Reimelt bin vent filter. The filter of ID C102 shall vent internally.








Source ID: P104 Source Name: BAKING OVEN

> Source Capacity/Throughput: 4.600 MMBTU/HR



49-00052

### RESTRICTIONS.

### **Emission Restriction(s).**

# 001 [25 Pa. Code §123.21]

### **General**

No person may permit the emission of sulfur oxides expressed as SO2, into the outdoor atmosphere from Source ID P104 in a manner such that the concentration of the sulfur oxides in the effluent gas exceeds 500 parts per million, by volume, dry basis.

#### # 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the emission of the following air contaminants from the exhaust of ID C104 associated with Source ID P104 shall not exceed the following limitations:

- (a) Volatile Organic Compounds (VOCs) 1.71 lb/hr and 2.27 tons in any 12 consecutive month period
- (b) Nitrogen Oxides (NOx, expressed as NO2) 0.85 lb/hr
- (c) Sulfur Oxides (SOx, expressed as SO2) 0.0046 lb/hr
- (d) Carbon Monoxide (CO) 0.46 lb/hr

### [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Compliance with the requirement specified in this condition assures compliance with the provision in 25 Pa. Code Section 123.13]

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the particulate matter emissions shall not exceed 0.005 grains per dry standard cubic foot from the exhaust of ID C104 associated with Source ID P104.

#### # 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Compliance with the requirement specified in this condition assures compliance with the provision in 25 Pa. Code Section 123.41]

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the permittee shall not emit into the outdoor atmosphere of visible air contaminants in such a manner that the opacity from ID C104 associated with Source ID P104 is equal to or greater than 10% at any time.

### Fuel Restriction(s).

#### # 005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the permittee shall only use natural gas as fuel for Source ID P104 and ID C104.





#### II. **TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### MONITORING REQUIREMENTS. Ш

#### # 006 [25 Pa. Code §127.441]

# Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the permittee shall install, operate, calibrate, and maintain instrumentation for the continuous measurement of the inlet and outlet gas stream temperatures of the catalyst bed of ID C104 to assure a minimum inlet temperature of 650°F is achieved during normal operation. ID C104 shall be equipped with instrumentation that alerts the operator when any of the following conditions occur:

- (a) Low inlet temperature and high outlet temperature of the catalytic bed
- (b) Low and high gas pressure
- (c) Low process fan pressure
- (d) Low combustion fan pressure
- (e) Flameout, detected by a UV scanner.

### [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, ID C104 shall be equipped with instrumentation to monitor the pressure drop across the catalytic bed on a continuous basis. Additionally, the permittee shall inspect and record the pressure drop across the catalytic oxidizer bed of ID C104, at least once per week, to determine if the catalyst is plugged, blocked or damaged and to ensure that ID C104 is operating as designed.

# IV. RECORDKEEPING REQUIREMENTS.

#### # 008 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (a) The permittee shall keep records of the following information for Source ID P104:
- (1) Stack test reports
- (2) The identity and quantity of baking product produced on a monthly basis.
- (3) The emission of volatile organic compounds (VOC) on a monthly basis from the exhaust of ID C104 associated with Source ID P104 and the supporting calculations used to verify compliance with the VOC emission limitation of 1.71 lb/hr and 2.27 tons in any 12 consecutive month period.
- (4) The supporting calculations used to verify compliance with the particulate matter (PWPM10), sulfur oxides (SOx), carbon monoxide (CO), nitrogen oxides (NOx) and volatile organic compounds (VOC) emission limitations from the exhaust of ID C104 associated with Source ID P104.
- (5) The inlet and outlet temperature readings of ID C104 shall be recorded continuously while ID C104 is operating (including start-up and shutdown), via a charter recorder or similar device. The dates and times of all data that is generated by the inlet and outlet temperature monitor recording system associated with ID C104
- (6) The pressure drop across the catalytic bed of ID C104, at lease once per week.
- (b) These records shall be kept for a minimum of 5 years and made available to the Department upon request.

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

### # 009 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the permittee shall not operate Source ID P104 without the simultaneous operation of ID C104 at any time.

### # 010 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, Source ID P104 is a natural-gas fired baking oven, 4.6 MMBtu/hr rated heat input, manufactured by Stewart Systems, Inc., model 040198-D700. The air contaminant emissions from Source ID P104 shall be controlled by a natural-gas fired, catalytic oxidizer, 1.0 MMBtu/hr rated heat input, manufactured by CSM Worldwide, Inc. model 30A (ID C104).

### # 011 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the permittee shall implement a catalyst management plan, that at a minimum, shall include testing of the catalyst material and a determination of the oxidizer's capabilities to comply with the operating permit requirements. The work shall be performed by a qualified company. As part of the catalyst management plan, the permittee shall test or sample, on an annual basis, the catalyst face of the oxidizer and compare the volatile organic compound (VOC) destruction efficiency potential of the used catalyst to the potential of new or clean catalyst. Based on the analysis performed as above, the permittee shall clean the catalyst, replace the entire catalyst or, if recommended by the manufacturer, continue to utilize the same catalyst to meet the VOC destruction efficiency requirements of ID C104. A copy of the results of the analysis and the recommendations shall be forwarded to the Department.

### # 012 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the volatile organic compound (VOC) destruction efficiency achieved by the catalytic oxidizer shall be at a minimum of 95%. However, the catalytic oxidizer shall be designed to achieve VOC destruction efficiency greater than 98%.

# # 013 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the inlet temperature of the catalytic bed of ID C104 shall not drop below 650°F at any time.







# **SECTION E.** Source Group Restrictions.

No Source Groups exist for this permit.







# **SECTION F.** Alternative Operation Requirements.

No Alternative Operations exist for this permit.

DEP Auth ID: 1318251

Page 33





# **SECTION G.** Emission Restriction Summary.

No emission restrictions listed in this section of the permit.





# SECTION H. Miscellaneous.

The following air contaminant sources are considered to be of minor significance to the Department and have been determined to be exempt from permit requirements. However, this determination does not exempt the sources from compliance with all applicable air quality regulations specified in 25 Pa. Code Chapters 121-145:

Page 35

(1) Nine (9) Ink Jet Printers

DEP Auth ID: 1318251





\*\*\*\*\* End of Report \*\*\*\*\*