

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

## STATE ONLY NATURAL MINOR OPERATING PERMIT

Issue Date: July 9, 2018 Effective Date: August 3, 2021
Revision Date: August 3, 2021 Expiration Date: June 30, 2023

Revision Type: Amendment

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

## State Only Permit No: 37-00318

Natural Minor

Federal Tax Id - Plant Code: 84-3243300-1

### **Owner Information**

Name: AMG TITANIUM ALLOYS & COATINGS LLC

Mailing Address: 207 FRENZ DR

NEW CASTLE, PA 16101

#### Plant Information

Plant: AMG TITANIUM ALLOYS & COATINGS LLC/LAWRENCE

Location: 37 Lawrence County 37910 Neshannock Township

SIC Code: 3399 Manufacturing - Primary Metal Products, Nec

## Responsible Official

Name: ROYDEN GROVE
Title: PLANT MGR

Phone: (724) 614 - 5182 Email: Royden.Grove@amg-tac.com

## Permit Contact Person

Name: MICHAEL PONZIANI

Title: ENV

Phone: (724) 698 - 4423 Email: mike.ponziani@amg-tac.com

[Signature] \_\_\_\_\_

ERIC A. GUSTAFSON, NORTHWEST REGION AIR PROGRAM MANAGER





## **SECTION A. Table of Contents**

## Section A. Facility/Source Identification

Table of Contents Site Inventory List

## Section B. General State Only Requirements

#001	Definitions.
------	--------------

- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

## Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

## Section E. Source Group Restrictions

E-I: Restrictions





## **SECTION A. Table of Contents**

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

## Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

## Section G. Emission Restriction Summary


## Section H. Miscellaneous





## SECTION A. Site Inventory List

Source I	D Source Name	Capacity/	Throughput	Fuel/Material
101	THERMITE REDUCTION PROCESS	500.000	Lbs/HR	MASTER ALLOYS
102	EMERGENCY GENERATOR	6.000	Gal/HR	LOW SULFUR DIESEL
104	MILLING OPERATION	13.000	Lbs/HR	PRECIOUS METALS
105	PARTS WASHERS	0.010	Gal/HR	SOLVENT
106	NON VANADIUM SIZING	100.000	Lbs/HR	PRECIOUS METALS
107	AEROSPACE WHEELABRATOR	690.000	Lbs/HR	
110	SPECIALTY BINARY ROOM	2,057.000	Lbs/HR	
C101A	THERMITE REDUCTION PROCESS BAGHOUSE			
C104	MILLING DUST COLLECTOR			
C106	NON VANADIUM SIZING BAGHOUSE DC-2			
C107	DC-5 BAGHOUSE			
C110	FARR GS6			
S101	THERMITE REDUCTION PROCESS STACK			
S102	EMERGENCY GENERATOR STACK			
S104	MILLING DUST COLLECTOR STACK			
S106	NON VANADIUM SIZING STACK			
S107	DC-5 EXHAUST			
S110	FARR GS6 BAGHOUSE EXHAUST			
Z105	PARTS WASHER FUGITIVE EMISSIONS			









#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

**Operating Permit Duration.** 

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

#### Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
  - (1) For a synthetic minor facility, a fee equal to:
    - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
    - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
    - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.







- (2) For a facility that is not a synthetic minor, a fee equal to:
  - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
  - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
  - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

## #005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

## **Transfer of Operating Permits.**

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

## #006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

### Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
  - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

## #007 [25 Pa. Code §§ 127.441 & 127.444]

### Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:





## CE )

## **SECTION B.** General State Only Requirements

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

**Duty to Provide Information.** 

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

## **Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:



- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

## #012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

## #013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
  - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:





- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
  - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
  - (4) Space heaters which heat by direct heat transfer.
  - (5) Laboratory equipment used exclusively for chemical or physical analysis.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

## #014 [25 Pa. Code § 127.3]

#### Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#### #015 [25 Pa. Code § 127.11]

### Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#### #016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#### #017 [25 Pa. Code § 121.9]

## Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#### #018 [25 Pa. Code §§ 127.402(d) & 127.442]

## Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager PA Department of Environmental Protection (At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such







records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

## #019 [25 Pa. Code §§ 127.441(c) & 135.5]

### Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

## #020 [25 Pa. Code §§ 127.441(c) and 135.5]

### Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
  - (1) The date, place (as defined in the permit) and time of sampling or measurements.
  - (2) The dates the analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of the analyses.
  - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

## #021 [25 Pa. Code § 127.441(a)]

**Property Rights.** 

This permit does not convey any property rights of any sort, or any exclusive privileges.

## #022 [25 Pa. Code § 127.447]

## **Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





## #023 [25 Pa. Code §135.3]

37-00318

## Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

## #024 [25 Pa. Code §135.4]

### **Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.







## **SECTION C.** Site Level Requirements

### I. RESTRICTIONS.

## **Emission Restriction(s).**

## # 001 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

No person may permit the emission into the outdoor atmosphere of fugitive air contaminant from a source other than the following:

- (1) Construction or demolition of buildings or structures.
- (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
  - (4) Clearing of land.
  - (5) Stockpiling of materials.
  - (6) Open burning operations.
  - (7) Not applicable.
  - (8) Not applicable.
- (9) Sources and classes of sources other than those identified in paragraphs (1)-(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
  - (i) the emissions are of minor significance with respect to causing air pollution; and
- (ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

## # 002 [25 Pa. Code §123.2]

### **Fugitive particulate matter**

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in §123.1 (Restrictions) (relating to prohibition of certain fugitive emissions) if such emissions are visible at the point the emissions pass outside the person's property.

## # 003 [25 Pa. Code §123.31]

#### Limitations

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

### # 004 [25 Pa. Code §123.41]

#### Limitations

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

## # 005 [25 Pa. Code §123.42]

### **Exceptions**

The limitations of §123.41 (relating to limitations) shall not apply to a visible emission in any of the following instances:

(1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.



## 37-00318



## **SECTION C.** Site Level Requirements

- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (3) When the emission results from sources specified in §123.1 (Restrictions)(1) -- (9) (relating to prohibition of certain fugitive emissions).
  - (4) Not applicable.

#### II. TESTING REQUIREMENTS.

### # 006 [25 Pa. Code §127.12b]

### Plan approval terms and conditions.

The Department shall reserve the right to require exhaust stack testing of any source(s) as deemed necessary to verify source emissions for purposes of determining malfunctions and/or compliance with any applicable requirements.

### III. MONITORING REQUIREMENTS.

## # 007 [25 Pa. Code §123.43]

### Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

## IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## VI. WORK PRACTICE REQUIREMENTS.

### # 008 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

A person responsible for any source specified in §123.1 (Restrictions) shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads, or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
  - (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

## # 009 [25 Pa. Code §129.14]

### Open burning operations

(a) Air basin. Not applicable.







## **SECTION C.** Site Level Requirements

- (b) Outside of air basins. No person may permit the open burning of material in an area outside of air basins in a manner that:
- (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the person on whose land the open burning is being conducted.
- (2) Malodorous air contaminants from the open burning are detectable outside the property of the person on whose land the open burning is being conducted.
  - (3) The emissions interfere with the reasonable enjoyment of life or property.
  - (4) The emissions cause damage to vegetation or property.
  - (5) The emissions are or may be deleterious to human or animal health.
  - (c) Exceptions: The requirements of subsections (a) and (b) do not apply where the open burning operations result from:
- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
  - (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
  - (3) A fire set for the prevention and control of disease or pests, when approved by the Department.
  - (4) Not applicable.
  - (5) Not applicable.
  - (6) A fire set solely for recreational or ceremonial purposes.
  - (7) A fire set solely for cooking food.
  - (d) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:
    - (1) As used in this subsection the following terms shall have the following meanings:

Air curtain destructor -- A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes -- Trees, shrubs, and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

- (2) Subsection (a) notwithstanding, clearing and grubbing wastes may be burned in a basin subject to the following requirements:
  - (i) Air curtain destructors shall be used when burning clearing and grubbing wastes.
- (ii) Each proposed use of air curtain destructors shall be reviewed and approved by the Department in writing with respect to equipment arrangement, design and existing environmental conditions prior to commencement of burning. Proposals approved under this subparagraph need not obtain plan approval or operating permits under Chapter 127 (relating to construction modification, reactivation and operation of sources).
- (iii) Approval for use of an air curtain destructor at one site may be granted for a specified period not to exceed 3 months, but may be extended for additional limited periods upon further approval by the Department.
  - (iv) The Department reserves the right to rescind approval granted if a determination by the Department indicates that







#### SECTION C. **Site Level Requirements**

an air pollution problem exists.

- (3) Subsection (b) notwithstanding clearing and grubbing wastes may be burned outside of an air basin, subject to the following limitations:
- (i) Upon receipt of a complaint or determination by the Department that an air pollution problem exists, the Department may order that the open burning cease or comply with subsection (b) of this section.
- (ii) Authorization for open burning under this paragraph does not apply to clearing and grubbing wastes transported from an air basin for disposal outside of an air basin.
- (4) During an air pollution episode, open burning is limited by Chapter 137 (relating to air pollution episodes) and shall cease as specified in such chapter.

This permit does not constitute authorization to burn solid waste pursuant to Section 610(3) of the Solid Waste Management Act, 35 P.S. Section 6018.610(3), or any other provision of the Solid Waste Management Act.]

### ADDITIONAL REQUIREMENTS.

# 010 [25 Pa. Code §121.7]

Prohibition of air pollution.

No person may permit air pollution as that term is defined in the act.

#### VIII. **COMPLIANCE CERTIFICATION.**

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

### IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.







Source ID: 101 Source Name: THERMITE REDUCTION PROCESS

Source Capacity/Throughput: 500.000 Lbs/HR MASTER ALLOYS



#### I. RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

[Plan Approval 37-318B]

Particulate matter emissions from the source shall not exceed 0.02 grains per dry standard cubic foot (0.02 gr/dscf), of effluent air.

# 002 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

[Plan Approval 37-318B]

- (a) A magnehelic gauge or equivalent shall be permanently installed and maintained at a convenient location, and operated at all times to measure the pressure drop across the control device. The gauge employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (±2%) of full scale reading.
- (b) The permittee shall operate the control device at all times when the source is in operation.
- (c) The company shall maintain a minimum of 90 spare baghouse filters onsite at all times.
- (d) The permittee shall install, maintain, and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

## II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### III. MONITORING REQUIREMENTS.

# 003 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

[Plan Approval 37-318B]

- (a) The permittee shall monitor the pressure drop across the control device at least once daily, each day that the source and control device are in operation.
- (b) A minimum of once per week, during daylight hours, when the source(s) and control device are in operation, the permittee shall monitor the stack exhausting from control device C101A for the presence of visible emissions.

## IV. RECORDKEEPING REQUIREMENTS.

# 004 [25 Pa. Code §127.12b]

Plan approval terms and conditions.







[Plan Approval 37-318B]

- (a) The permittee shall maintain a record of all preventative maintenance inspections of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, any actions taken to correct the problems or defects, and any routine maintenance performed.
- (b) The permittee shall maintain daily records of the pressure drop across the control device.
- (c) The permittee shall maintain records of visible emissions observation. These records shall identify: the date; presence or absence of visible emissions; and corrective actions taken.
- (d) All required records shall be maintained for a minimum of five (5) years, and shall be made available to Department personnel upon request.

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VI. WORK PRACTICE REQUIREMENTS.

# 005 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

[Plan Approval 37-318B]

The approved pressure drop range for this control device is 0.5 to 6.0 inches of water guage

- a) Within 24-hours of discovery of a pressure differential reading across the control device outside of the pressure differential range the permittee shall perform a maintenance inspection on the control device and take corrective action.
- b) Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum of 5 years.
- c) In the event of more than one documented excursions outside the approved pressure differential range in any calendar quarter the permittee shall submit a corrective measure plan to the Department within 60-days of the end of the calendar quarter. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the pressure differential range, or other appropriate action as approved by the Department on a case-by-case basis.
- d) Upon approval of the corrective measure plan by the Department the permittee shall implement the corrective measures in the timeframe approved by the Department.

# 006 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

[Plan Approval 37-318B]

If visible emissions are observed at any time from the stack exhausting from control device C101A, the permittee shall take immediate corrective action to identify and attempt to eliminate the source of visible emissions.

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Source ID: 102 Source Name: EMERGENCY GENERATOR

> Source Capacity/Throughput: 6.000 Gal/HR LOW SULFUR DIESEL

**PROC STAC** S102 102

#### RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The NOx emissions from all exempt engines at the source shall be less than 100 #/hr, 1,000 #/day, 2.75 tons during the ozone season (May 1 through September 30 of each year), and 6.6 TPY(based on a 12-month rolling total).

## **Operation Hours Restriction(s).**

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The hours of operation of the 250 kW emergency generator shall not exceed 500 hours in a 12 month rolling period.

#### ш TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### IV. RECORDKEEPING REQUIREMENTS.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- a) The Facility shall maintain sufficient records to determine compliance with the restriction on hours of operation including the times the source is operated (hours, date, and duration of each time the engine is operated and the reason the source was operated).
- b) The Facility shall keep a record of the date of the electrical interruption, the cause of the electrical interruption, and the duration of the electrical interruption.


# 004 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6655]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

What records must I keep?

- (a) If you must comply with the emission and operating limitations, you must keep the records described in paragraphs (a)(1) through (a)(5), (b)(1) through (b)(3) and (c) of this section.
- (1) Not Applicable
- (2) Records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment.







(3) Not Applicable

37-00318

- (4) Records of all required maintenance performed on the air pollution control and monitoring equipment.
- (5) Records of actions taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation.
- (b) (d) Not Applicable
- (e) You must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that you operated and maintained the stationary RICE and after-treatment control device (if any) according to your own maintenance plan if you own or operate any of the following stationary RICE;
- (1) Not Applicable
- (2) An existing stationary emergency RICE.
- (3) An existing stationary RICE located at an area source of HAP emissions subject to management practices as shown in Table 2d to this subpart.
- (f) If you own or operate any of the stationary RICE in paragraphs (f)(1) through (2) of this section, you must keep records of the hours of operation of the engine that is recorded through the non-resettable hour meter. The owner or operator must document how many hours are spent for emergency operation, including what classified the operation as emergency and how many hours are spent for non-emergency operation. If the engine is used for the purposes specified in § 63.6640(f)(2)(ii) or (iii) or § 63.6640(f)(4)(ii), the owner or operator must keep records of the notification of the emergency situation, and the date, start time, and end time of engine operation for these purposes.
- (1) Not Applicable.
- (2) An existing emergency stationary RICE located at an area source of HAP emissions that does not meet the standards applicable to non-emergency engines.

## # 005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6660]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

In what form and how long must I keep my records?

- (a) Your records must be in a form suitable and readily available for expeditious review according to §63.10(b)(1).
- (b) As specified in §63.10(b)(1), you must keep each record for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.
- (c) You must keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record, according to §63.10(b)(1).

## V. REPORTING REQUIREMENTS.

### # 006 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6650]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What reports must I submit and when?

- (a) -(g) Not Applicable.
- (h) If you own or operate an emergency stationary RICE with a site rating of more than 100 brake HP that operates or is contractually obligated to be available for more than 15 hours per calendar year for the purposes specified in § 63.6640(f)(2)(ii) and (iii) or that operates for the purpose specified in § 63.6640(f)(4)(ii), you must submit an annual report



37-00318



## **SECTION D.** Source Level Requirements

according to the requirements in paragraphs (h)(1) through (3) of this section.

- (1) The report must contain the following information:
  - (i) Company name and address where the engine is located.
  - (ii) Date of the report and beginning and ending dates of the reporting period.
  - (iii) Engine site rating and model year.
  - (iv) Latitude and longitude of the engine in decimal degrees reported to the fifth decimal place.
- (v) Hours operated for the purposes specified in § 63.6640(f)(2)(ii) and (iii), including the date, start time, and end time for engine operation for the purposes specified in § 63.6640(f)(2)(ii) and (iii).
- (vi) Number of hours the engine is contractually obligated to be available for the purposes specified in § 63.6640(f)(2)(ii) and (iii).
- (vii) Hours spent for operation for the purpose specified in § 63.6640(f)(4)(ii), including the date, start time, and end time for engine operation for the purposes specified in § 63.6640(f)(4)(ii). The report must also identify the entity that dispatched the engine and the situation that necessitated the dispatch of the engine.
- (viii) If there were no deviations from the fuel requirements in § 63.6604 that apply to the engine (if any), a statement that there were no deviations from the fuel requirements during the reporting period.
- (ix) If there were deviations from the fuel requirements in § 63.6604 that apply to the engine (if any), information on the number, duration, and cause of deviations, and the corrective action taken.
- (2) The first annual report must cover the calendar year 2015 and must be submitted no later than March 31, 2016. Subsequent annual reports for each calendar year must be submitted no later than March 31 of the following calendar year.
- (3) The annual report must be submitted electronically using the subpart specific reporting form in the Compliance and Emissions Data Reporting Interface (CEDRI) that is accessed through EPA's Central Data Exchange (CDX) ( www.epa.gov/cdx). However, if the reporting form specific to this subpart is not available in CEDRI at the time that the report is due, the written report must be submitted to the Administrator at the appropriate address listed in § 63.13.

### VI. WORK PRACTICE REQUIREMENTS.

### # 007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The emergency generator shall only be used during electrical failures or to perform preventative maintenance. The emergency generator shall not be used to supplement the primary power supply to the facility.

## # 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6603]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What emission limitations, operating limitations, and other requirements must I meet if I own or operate an existing stationary RICE located at an area source of HAP emissions?

(a) If you own or operate an existing stationary RICE located at an area source of HAP emissions, you must comply with the requirements in Table 2d to this subpart and the operating limitations in Table 2b to this subpart that apply to you.

[Excerpt from Table 2d - Item 4]

Emergency stationary CI RICE shall:

- a. Change oil and filter every 500 hours of operation or annually, whichever comes first;
- b. Inspect air cleaner every 1,000 hours of operation or annually, whichever comes first; and replace as necessary; and





c. Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary.

Footnotes to Table 5 -

- 1. Sources have the option to utilize an oil analysis program as described in §63.6625(i) in order to extend the specified oil change requirement in Table 2d of this subpart.
- 2.If an emergency engine is operating during an emergency and it is not possible to shut down the engine in order to perform the management practice requirements on the schedule required in Table 2d of this subpart, or if performing the management practice on the required schedule would otherwise pose an unacceptable risk under federal, state, or local law, the management practice can be delayed until the emergency is over or the unacceptable risk under federal, state, or local law has abated. The management practice should be performed as soon as practicable after the emergency has ended or the unacceptable risk under federal, state, or local law has abated. Sources must report any failure to perform the management practice on the schedule required and the federal, state or local law under which the risk was deemed unacceptable.
- (b) (f) Not Applicable.

#### # 009 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6605]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

What are my general requirements for complying with this subpart?

- (a) You must be in compliance with the emission limitations, operating limitations, and other requirements in this subpart that apply to you at all times.
- (b) At all times you must operate and maintain any affected source, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require you to make any further efforts to reduce emissions if levels required by this standard have been achieved. Determination of whether such operation and maintenance procedures are being used will be based on information available to the Administrator which may include, but is not limited to, monitoring results, review of operation and maintenance procedures, review of operation and maintenance records, and inspection of the source.

## [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

What are my monitoring, installation, operation, and maintenance requirements?

- (a) (d) Not applicable
- (e) If you own or operate any of the following stationary RICE, you must operate and maintain the stationary RICE and aftertreatment control device (if any) according to the manufacturer's emission-related written instructions or develop your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions:
- (1-2) Not applicable
- (3) An existing emergency or black start stationary RICE located at an area source of HAP emissions;
- (4-10) Not applicable.
- (f) If you own or operate an existing emergency stationary RICE with a site rating of less than or equal to 500 brake HP located at a major source of HAP emissions or an existing emergency stationary RICE located at an area source of HAP emissions, you must install a non-resettable hour meter if one is not already installed.
- (g) Not applicable.
- (h) If you operate a new, reconstructed, or existing stationary engine, you must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not

37-00318



## **SECTION D.** Source Level Requirements

to exceed 30 minutes, after which time the emission standards applicable to all times other than startup in Tables 1a, 2a, 2c, and 2d to this subpart apply.

(i) If you own or operate a stationary CI engine that is subject to the work, operation or management practices in items 1 or 2 of Table 2c to this subpart or in items 1 or 4 of Table 2d to this subpart, you have the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Table s 2c and 2d to this subpart. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator must change the oil within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine.

## (j) Not applicable.

## # 011 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?

(a) You must demonstrate continuous compliance with each emission limitation, operating limitation, and other requirements in Tables 1a and 1b, Tables 2a and 2b, Table 2c, and Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.

[Excerpt from Table 6 - Item 9]

- 9. Existing Emergency RICE an an Area Source of HAPs complying with the work or management practices must demonstrate continous compliance by:
- i. Operating and maintaining the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions; or
- ii. Develop and follow your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions.
- (b) (e) Not Applicable.
- (f) If you own or operate an emergency stationary RICE, you must operate the emergency stationary RICE according to the requirements in paragraphs (f)(1) through (4) of this section. In order for the engine to be considered an emergency stationary RICE under this subpart, any operation other than emergency operation, maintenance and testing, emergency demand response, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (4) of this section, is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (4) of this section, the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.
  - (1) There is no time limit on the use of emergency stationary RICE in emergency situations.
- (2) You may operate your emergency stationary RICE for any combination of the purposes specified in paragraphs (f)(2)(i) through (iii) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraphs (f)(3) and (4) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).







- (i) Emergency stationary RICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency RICE beyond 100 hours per calendar year.
  - (ii) (iii) [Vacated]
- (3) Emergency stationary RICE located at major sources of HAP may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing and emergency demand response provided in paragraph (f)(2) of this section. The 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to supply power to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
- (4) Emergency stationary RICE located at area sources of HAP may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing and emergency demand response provided in paragraph (f)(2) of this section. Except as provided in paragraphs (f)(4)(i) and (ii) of this section, the 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
  - (i) No longer applicable.
- (ii) The 50 hours per year for non-emergency situations can be used to supply power as part of a financial arrangement with another entity if all of the following conditions are met:
  - (A) The engine is dispatched by the local balancing authority or local transmission and distribution system operator.
- (B) The dispatch is intended to mitigate local transmission and/or distribution limitations so as to avert potential voltage collapse or line overloads that could lead to the interruption of power supply in a local area or region.
- (C) The dispatch follows reliability, emergency operation or similar protocols that follow specific NERC, regional, state, public utility commission or local standards or guidelines.
  - (D) The power is provided only to the facility itself or to support the local transmission and distribution system.
- (E) The owner or operator identifies and records the entity that dispatches the engine and the specific NERC, regional, state, public utility commission or local standards or guidelines that are being followed for dispatching the engine. The local balancing authority or local transmission and distribution system operator may keep these records on behalf of the engine owner or operator.

### VII. ADDITIONAL REQUIREMENTS.

#### # 012 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6595]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

When do I have to comply with this subpart?

(a) Affected sources. (1) If you have an existing stationary CI RICE located at an area source of HAP emissions, you must comply with the applicable emission limitations, operating limitations, and other requirements no later than May 3, 2013.

## [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6665]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal **Combustion Engines** 

What parts of the General Provisions apply to me?







Table 8 to this subpart shows which parts of the General Provisions in §§63.1 through 63.15 apply to you.

# 014 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6675]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What definitions apply to this subpart?

Terms used in this subpart are defined in the Clean Air Act (CAA); in 40 CFR 63.2, the General Provisions of this part; and in this section the definitions can be found in 40 CFR Section 63.6675.








Source ID: 104 Source Name: MILLING OPERATION

> Source Capacity/Throughput: 13.000 Lbs/HR PRECIOUS METALS



#### RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Particulate emissions from this source shall not exceed 0.56 TPY (based on the emissions provided with the Request for Determination approved on 9/17/2007 for this source).

#### **TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### RECORDKEEPING REQUIREMENTS. IV.

[25 Pa. Code §127.441] # 002

Operating permit terms and conditions.

The permittee shall maintain records of pressure drop readings, opacity checks, and baghouse maintenance. The records shall be maintained onsite for a minimum of five years and shall be made available to the Department upon request.

#### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VI. WORK PRACTICE REQUIREMENTS.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) Compliance with the particulate matter emission limit shall be shown by operation of the source and control device in accordance with manufacturer's specifications, periodic opacity checks at the stack outlet, checks of the magnehelic gauge, and operation of the source and control device in a manner consistent with good air pollution control practices.
- (b) A magnehelic gauge (or equivalent), shall be installed for monitoring pressure drop across the baghouse. The gauge shall be located in an easily accessible location, and shall be maintained in good working condition at all times. Pressure drop shall be maintained in the range determined acceptable by the manufacturer or based on operating experience. Pressure drop shall be monitored, at a minimum, bi-weekly when the source is operating.

[Bi-weekly for this condition shall be interpreted as a twice a week occurrence.]

(c) The company shall maintain at least 20 percent of the total number of filters for the control device onsite at all times, or







shall have immediate access to spare cartridges in the event of cartridge failure. The sources shall not be operated when the baghouse is not operating.

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Source ID: 105 Source Name: PARTS WASHERS

> Source Capacity/Throughput: 0.010 Gal/HR SOLVENT



#### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### WORK PRACTICE REQUIREMENTS. VI.

#### # 001 [25 Pa. Code §129.63]

### **Degreasing operations**

- (a) Cold cleaning machines. Except for those subject to the Federal National emissions standards for hazardous air pollutants (NESHAP) for halogenated solvent cleaners under 40 CFR Part 63 (relating to National emission standards for hazardous air pollutants for source categories), this subsection applies to cold cleaning machines that use 2 gallons or more of solvents containing greater than 5% VOC content by weight for the cleaning of metal parts.
  - (1) Immersion cold cleaning machines shall have a freeboard ratio of 0.50 or greater.
  - (2) Immersion cold cleaning machines and remote reservoir cold cleaning machines shall:
- (i) Have a permanent, conspicuous label summarizing the operating requirements in paragraph (3). In addition, the label shall include the following discretionary good operating practices:
- (A) Cleaned parts should be drained at least 15 seconds or until dripping ceases, whichever is longer. Parts having cavities or blind holes shall be tipped or rotated while the part is draining. During the draining, tipping or rotating, the parts should be positioned so that solvent drains directly back to the cold cleaning machine.
- (B) When a pump-agitated solvent bath is used, the agitator should be operated to produce a rolling motion of the solvent with no observable splashing of the solvent against the tank walls or the parts being cleaned.





- (C) Work area fans should be located and positioned so that they do not blow across the opening of the degreaser unit.
- (ii) Be equipped with a cover that shall be closed at all times except during cleaning of parts or the addition or removal of solvent. For remote reservoir cold cleaning machines which drain directly into the solvent storage reservoir, a perforated drain with a diameter of not more than 6 inches shall constitute an acceptable cover.
  - (3) Cold cleaning machines shall be operated in accordance with the following procedures:
- (i) Waste solvent shall be collected and stored in closed containers. The closed containers may contain a device that allows pressure relief, but does not allow liquid solvent to drain from the container.
- (ii) Flushing of parts using a flexible hose or other flushing device shall be performed only within the cold cleaning machine. The solvent spray shall be a solid fluid stream, not an atomized or shower spray.
- (iii) Sponges, fabric, wood, leather, paper products and other absorbent materials may not be cleaned in the cold cleaning machine.
  - (iv) Air agitated solvent baths may not be used.
  - (v) Spills during solvent transfer and use of the cold cleaning machine shall be cleaned up immediately.
- (4) After December 22, 2002, a person may not use, sell or offer for sale for use in a cold cleaning machine any solvent with a vapor pressure of 1.0 millimeter of mercury (mm Hg) or greater and containing greater than 5% VOC by weight, measured at 20°C (68°F) containing VOCs.
- (5) On and after December 22, 2002, a person who sells or offers for sale any solvent containing VOCs for use in a cold cleaning machine shall provide, to the purchaser, the following written information:
  - (i) The name and address of the solvent supplier.
  - (ii) The type of solvent including the product or vendor identification number.
- (iii) The vapor pressure of the solvent measured in mm hg at 20°C (68°F).
- (6) A person who operates a cold cleaning machine shall maintain for at least 2 years and shall provide to the Department, on request, the information specified in paragraph (5). An invoice, bill of sale, certificate that corresponds to a number of sales, Material Safety Data Sheet (MSDS), or other appropriate documentation acceptable to the Department may be used to comply with this section.
  - (7) Paragraph (4) does not apply:
  - (i) To cold cleaning machines used in extreme cleaning service.
- (ii) If the owner or operator of the cold cleaning machine demonstrates, and the Department approves in writing, that compliance with paragraph (4) will result in unsafe operating conditions.
  - (iii) To immersion cold cleaning machines with a freeboard ratio equal to or greater than 0.75.
- (b) (e) Not Applicable

#### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).








Source ID: 106 Source Name: NON VANADIUM SIZING

Source Capacity/Throughput: 100.000 Lbs/HR PRECIOUS METALS



#### I. RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Particulate emissions from this source shall not exceed 1.2 TPY (based on the emissions provided with the Request for Determination approved on 3/10/2008 for this source).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## IV. RECORDKEEPING REQUIREMENTS.

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain records of pressure drop readings, opacity checks, and baghouse maintenance. The records shall be maintained onsite for a minimum of five years and shall be made available to the Department upon request.

#### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

# 003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) Compliance with the particulate matter emission limit shall be shown by operation of the source and control device in accordance with manufacturer's specifications, periodic opacity checks at the stack outlet, checks of the magnehelic gauge, and operation of the source and control device in a manner consistent with good air pollution control practices.
- (b) A magnehelic gauge (or equivalent), shall be installed for monitoring pressure drop across the baghouse. The gauge shall be located in an easily accessible location, and shall be maintained in good working condition at all times. Pressure drop shall be maintained in the range determined acceptable by the manufacturer or based on operating experience. Pressure drop shall be monitored, at a minimum, bi-weekly when the source is operating.

[Bi-weekly for this condition shall be interpreted as a twice a week occurrence.]

(c) The company shall maintain at least 20 percent of the total number of filters for the control device onsite at all times, or







shall have immediate access to spare cartridges in the event of cartridge failure. The sources shall not be operated when the baghouse is not operating.

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).








Source ID: 107 Source Name: AEROSPACE WHEELABRATOR

> Source Capacity/Throughput: 690.000 Lbs/HR



#### RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authorized under RFD #3410]

Particulate emissions from this source shall not exceed 0.04 gr/dscf, 0.69 lbs/hr and 3.0 TPY (based on the exhaust flow rate of 2,000 scfm).

### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### RECORDKEEPING REQUIREMENTS. IV.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VI. WORK PRACTICE REQUIREMENTS.

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authorized under RFD #3410]

- (a) The facility shall perform monthly inspections of the dust collector and maintain records of these inspections for five (5) vears.
- (b) The facility shall operate and maintain the dust collector in accordance with good air pollution control practices and manufacturer's specifications and good engineering practices.





## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







Source ID: 110 Source Name: SPECIALTY BINARY ROOM

> Source Capacity/Throughput: 2,057.000 Lbs/HR



#### RESTRICTIONS.

## **Emission Restriction(s).**

# 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authorized under RFD #3467]

Particulate emissions from this source shall not exceed 0.04 gr/dscf.

### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### RECORDKEEPING REQUIREMENTS. IV.

# 002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authorized under RFD #3467]

- (a) The facility shall record the hours of processing operation and the weight of the material collected in all filtering stages of the filtering system.
- (b) The facility shall keep records of preventative maintenance inspections. These records will be kept on-site for five (5) years and be made available to the Department upon request

## REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### VI WORK PRACTICE REQUIREMENTS.

[25 Pa. Code §127.441]

Operating permit terms and conditions.

[Authorized under RFD #3467]

- (a) The facility shall operate and maintain the dust collector in accordance with good air pollution control practices and manufacturer's specifications and good engineering practices.
- (b) The facility shall perform monthly preventative maintenance inspections on this dust collector. These inspections will include the name of the person performing the inspection, the date, any problems discovered, any corrective actions taken







and the pressure drop across the dust collector.

(c) The facility shall operate this dust collector during all times that sources controlled by it are in operation.

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







SECTION E. Source Group Restrictions.







## **SECTION F.** Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.







## **SECTION G.** Emission Restriction Summary.

Source Description

Courso la	Codice Bosonphier	
101	THERMITE REDUCTION PROCESS	
<b>Emission Limit</b>		Pollutant
0.020	gr/DRY FT3	TSP

## 102 EMERGENCY GENERATOR

<b>Emission Limit</b>			Pollutant	
2.750	Tons/Yr	during the ozone season	NOX	
6.600	Tons/Yr	based on a 12-month rolling total	NOX	
100.000	Lbs/Hr		NOX	
1,000.000	Lbs/Day		NOX	
-				

## 104 MILLING OPERATION

<b>Emission Limit</b>			Pollutant	
0.560	Tons/Yr	based on a 12-month rolling total	TSP	

## 106 NON VANADIUM SIZING

<b>Emission Limit</b>			Pollutant	
1.200	Tons/Yr	based on a 12-month rolling total	TSP	

## 107 AEROSPACE WHEELABRATOR

0.040 gr/DRYFT3         TSP           0.690 Lbs/Hr         TSP	<b>Emission Limit</b>		Pollutant
0.690 Lbs/Hr TSP	0.040	gr/DRY FT3	TSP
	0.690	Lbs/Hr	TSP
3.000 Tons/Yr TSP	3.000	Tons/Yr	TSP

## 110 SPECIALTY BINARY ROOM

Emission Limit	Pollutant
0.040 gr/DRY FT3	TSP

## **Site Emission Restriction Summary**

Emission Limit	Pollutant
----------------	-----------





## SECTION H. Miscellaneous.

- (a) Source 101, Thermite Reduction Process, is comprised of the following equipment:
  - (1) Aluminum Vanadium Thermite Bunker custom built.
  - (2) Non-Vanadium Thermite Bunker custom built.
- (b) Source 102, Emergency Generator this facility has one emergency generator at the 207 Frenz Drive location.
- (c) Source 103, Acid Wash Process was removed from the facility prior to the 2013 renewal permit.
- (d) Source 104, Milling Operation this source is located at the 207 Frenz Drive location.
- (e) Source 105, Parts Washers there is one parts washer at the 551 Northgate Circle location and one parts washer at the 207 Frenz Drive location.
- (f) Source 106, Non Vanadium Sizing this source consists of the following sources controlled by baghouse DC-2:
  - (1) Non-Vanadium Sizing Room #1 Mid-western manufactured screener (24" diameter).
  - (2) Non-Vanadium Sizing Room #2 ISA mill.
  - (3) Non-Vanadium Sizing Room #3 Jaw Crusher manufactured by Bico Braun (5 x 7).
  - (4) Non-Vanadium Sizing Room #4
  - (5) Non-Vanadium Inspection Booth (black light)
  - (6) Vacuum Induction Melting Furnace
- (g) The two shot blasters have been determined to be of minor significance because these sources have no applicable requirements. The particulate matter emissions from the two shot blasters are controlled by dust collectors and exhausted inside the plant.
- (h) [Reserved]
- (i) The Vanadium Raw Material Handling Vibratory Feeders (3) manufactured by FMC with three pick-up points is controlled by a Torit Downflow dust collector that vents inside the building.
- (j) The Vanadium Thermite Teardown Booth emissions are controlled by a Torit dust collector (DC-10) that was exempted from plan approval by the Department on January 11, 2008.
- (k) Vanadium Building Crusher Room ISA uses three different crushers and an inspection line for the processing of the Vanadium. These sources are ducted to a dust collector (DC-4) that was exempted from plan approval based on pre-control emissions less than the particulate emission standards in 25 Pa. Code Section 123. The facility will install HEPA filters on the ductwork and vent the emissions back into the building. The sources controlled by DC-4 include the following:
  - (1) Vanadium Thermite Jaw Crusher (6 x 8)
  - (2) Vanadium Sizing Jaw Crusher manufactured by American Pulverizer (10 x 16).
  - (3) Vanadium Sizing Jaw Crusher manufactured by American Pulverizer (10 x 6).
  - (4) Vanadium Inspection Line Luminex manufactured x-ray line with four pick-up points.
- (I) Non Vanadium Raw Material Room ISA processes the raw materials in this room including weighing the material prior to the processing in the Non-V thermite bunker. The emissions from this source are controlled by a dust collector (DC-9) that exhausts inside of the building and was therefore exempt from plan approval.
- (m) The facility received an approval for exemption from plan approval and operating permit for the following sources that are







## SECTION H. Miscellaneous.

controlled by baghouses and vent indoors, there are no additional requirements for these sources:

- (1) Aerospace Warehouse 20,000 cfm dust collector for nuisance dust exempted 10-27-2004.
- (2) [Reserved]
- (3) New MI Space DC-11-85V 5,000 cfm dust collector to remove airborne dust from sizing 15Al-85V exempted 1-9-2008.
- (4) Non V Area DC-9-RM Non V 2,500 cfm dust collector to remove airborne dust from raw material weighing process exempted 1-11-2008.
- (5) Aero Non V DC-12-Tear Down Non V 6,000 cfm dust collector to remove airborne dust from the Non V teardown area exempted 1-11-2008.
- (6) Aero Slag DC-10-Aero Slag 24, 000 cfm torit model DFO 3-36 to remove airborne dust from the air in the slag crushing area. This unit replaced the previous dust collector (1 above). The current baghouse was exempted on 1-11-2008.
  - (7) Torit Downflow controls raw material on the Vanadium Side and vents inside the building.
- (8) Crushing Room -Frenz Drive location shot blaster the dust generated from the shot blaster during normal cleaning operations is ducted to the dust collector that vents inside the plant.
- (9) Mold Charges from Crucibles The mold charges from the crucibles were exempted by an RFD approved on April 22, 2011. The emissions exhaust through two roof vents at the rate of less than 1.5 TPY of PM-10 per vent.
- (n) This permit was administratively amended on January 12, 2012 to incorporate the change of ownership, change of taxid, change of responsible official, and change of permit contact.
- (o) This permit was renewed on March 26, 2013 with an effective date of April 1, 2013.
- (p) This permit was renewed on July 9, 2018.
- (q) This permit was amended on February 25, 2020 to incorporate the change of ownership.
- (r) This permit was amended on August 3, 2021 to remove sources that transferred ownership to AMG Chrome.





\*\*\*\*\* End of Report \*\*\*\*\*\*