

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

## STATE ONLY OPERATING PERMIT

Issue Date: July 16, 2018 Effective Date: February 24, 2021
Revision Date: February 24, 2021 Expiration Date: July 15, 2023

Revision Type: Amendment

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

## State Only Permit No: 39-00005

Synthetic Minor

Federal Tax Id - Plant Code: 46-4386937-1

### **Owner Information**

Name: VORTEQ COIL FINISHERS LLC

Mailing Address: 2233 26TH ST SW

ALLENTOWN, PA 18103-6601

## Plant Information

Plant: VORTEQ COIL FINISHERS LLC/ALLENTOWN

Location: 39 Lehigh County 39001 Allentown City

SIC Code: 3479 Manufacturing - Metal Coating And Allied Services

## Responsible Official

Name: CHRIS CAMPBELL Title: OPERATIONS MGR Phone: (610) 797 - 5200

### **Permit Contact Person**

Name: CHRIS CAMPBELL Title: OPERATIONS MGR Phone: (610) 797 - 5200

[Signature]	

MARK J. WEJKSZNER, NORTHEAST REGION AIR PROGRAM MANAGER





## **SECTION A. Table of Contents**

## Section A. Facility/Source Identification

Table of Contents Site Inventory List

## Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

## Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

## Section E. Source Group Restrictions

E-I: Restrictions





## **SECTION A. Table of Contents**

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

## Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements


## Section G. Emission Restriction Summary

## Section H. Miscellaneous



## SECTION A. Site Inventory List

Source	ID Source Name	Capacity/Throughput	Fuel/Material
101A	PAINT BAKING OVEN	132.000 Gal/HR	
		15.000 MCF/HR	Natural Gas
102	COATER		
103	COATER ROOM CLEAN-UP		
104	WASTE SOLVENT RECLAIM		
C04	REGENERATIVE THERMAL OXIDIZER		
FM001	NATURAL GAS		
S 02	COATER ROOM CLEAN UP STACK		
S 03	THERMAL OXIDIZER STACK		
Z01	FUGITIVE SOLVENT EVAPORAT		









#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

**Operating Permit Duration.** 

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

#### Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
  - (1) For a synthetic minor facility, a fee equal to:
    - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
    - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
    - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.







- (2) For a facility that is not a synthetic minor, a fee equal to:
  - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
  - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
  - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

## #005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

## **Transfer of Operating Permits.**

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

## #006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

### Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
  - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

## #007 [25 Pa. Code §§ 127.441 & 127.444]

## Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:







- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

**Duty to Provide Information.** 

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

## **Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:







- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

## #012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

## #013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
  - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:







- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
  - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
  - (4) Space heaters which heat by direct heat transfer.
  - (5) Laboratory equipment used exclusively for chemical or physical analysis.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

## #014 [25 Pa. Code § 127.3]

#### Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#### #015 [25 Pa. Code § 127.11]

### Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#### #016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#### #017 [25 Pa. Code § 121.9]

## Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#### #018 [25 Pa. Code §§ 127.402(d) & 127.442]

## Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager PA Department of Environmental Protection (At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such







records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

## #019 [25 Pa. Code §§ 127.441(c) & 135.5]

## Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

## #020 [25 Pa. Code §§ 127.441(c) and 135.5]

### Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
  - (1) The date, place (as defined in the permit) and time of sampling or measurements.
  - (2) The dates the analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of the analyses.
  - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

## #021 [25 Pa. Code § 127.441(a)]

**Property Rights.** 

This permit does not convey any property rights of any sort, or any exclusive privileges.

## #022 [25 Pa. Code § 127.447]

## **Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.







#023 [25 Pa. Code §135.3]

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

**Report Format** 

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





#### SECTION C. **Site Level Requirements**

### I. RESTRICTIONS.

## **Emission Restriction(s).**

#### # 001 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

No person may permit the emission into the outdoor atmosphere of a fugitive air contaminant from a source other than the following:

- (1) Construction or demolition of buildings or structures.
- (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
  - (4) Clearing of land.
  - (5) Stockpiling of materials.
  - (6) Open burning operations.
- (7) Sources and classes of sources other than those identified in paragraphs (1)-(6), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
  - (i) the emissions are of minor significance with respect to causing air pollution; and
- (ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

#### # 002 [25 Pa. Code §123.2]

### **Fugitive particulate matter**

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in Site Level Condition #001 if such emissions are visible at the point the emissions pass outside the person's property.

#### # 003 [25 Pa. Code §123.31]

## Limitations

MALODOROUS AIR CONTAMINANT LIMITATIONS:

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

#### # 004 [25 Pa. Code §123.41]

## Limitations

**OPACITY LIMITATIONS:** 

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.







## SECTION C. Site Level Requirements

## # 005 [25 Pa. Code §123.42]

#### **Exceptions**

The limitations of Site Level Condition #004 shall not apply to a visible emission in any of the following instances:

- (1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
  - (3) When the emission results from sources specified in Site Level Condition #001.

## # 006 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The Volatile Organic Compound (VOC) emissions from the facility shall never exceed the following;

- (a) 30.2 pounds per hour.
- (b) 45.7 tons per year calculated on a monthly basis (12 month rolling sum) including cleanup solvent and hazardous air pollutants (HAPs).
- (c) Hazardous Air Pollutants (HAPs) shall not exceed the following limitation on a 12 month rolling sum.
  - i. 10 tons per year of a single HAP and
  - ii. 25 tons per year of multiple HAPs.

### II. TESTING REQUIREMENTS.

## # 007 [25 Pa. Code §127.441]

#### Operating permit terms and conditions.

If, at any time, the Department has cause to believe that air contaminant emissions from the sources covered by this operating permit are in excess of the limitations specified in, or established pursuant to, any applicable regulation contained in 25 Pa. Code, Subpart C, Article III, the company shall conduct tests deemed necessary by the Department. The company shall perform such testing in accordance with applicable provisions of 25 Pa. Code Chapter 139 (relating to sampling and testing) and in accordance with any restrictions or limitations established by the Department at the time the company is notified, in writing, of the testing requirement.

## # 008 [25 Pa. Code §139.1]

## Sampling facilities.

Upon the request of the Department, the person responsible for a source shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on the source. The Department will set forth, in the request, the time period within which the facilities shall be provided, as well as the specifications for the facilities.

### # 009 [25 Pa. Code §139.11]

### General requirements.

The following provisions are applicable to source tests for determining emissions from stationary sources:

- (1) Performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.
- (2) The Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum, all of the following:
  - (i) A thorough source description, including a description of air cleaning devices and the flue.
- (ii) Process conditions, for example, the charging rate of raw material or rate of production of final product, boiler pressure, oven temperature and other conditions which may affect emissions from the process.
  - (iii) The location of the sampling ports.
- (iv) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage of CO, CO2, O2 and N2), static and barometric pressures.
  - (v) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that







#### SECTION C. **Site Level Requirements**

isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.

- (vi) Laboratory procedures and results.
- (vii) Calculated results.

### MONITORING REQUIREMENTS.

#### # 010 [25 Pa. Code §123.43]

### Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

#### # 011 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

- (a) The permittee shall conduct daily inspections of the facility perimeter, during daylight hours when the plant is in operation, to detect visible, fugitive, and malodor emissions as follows:
- (1) Visible emissions in excess of the limits stated in SECTION C, Site Level Requirement, Condition #004.
- (2) Visible emissions may be measured according to the methods specified in SECTION C, Site Level Requirement, Condition #010, or alternatively, plant personnel who observe any visible emissions (i.e. emissions in excess of 0% opacity) will report the incident of visible emissions to the Department within four (4) hours of each incident and make arrangements for a certified observer to verify the opacity of the emissions.
- (3) The presence of fugitive emissions visible beyond the boundaries of the facility, as stated in SECTION C, Site Level Requirement, Condition #002.
- (4) The presence of malodor emissions beyond the boundaries of the facility, as stated in SECTION C, Site Level Requirement, Condition #003.

## IV. RECORDKEEPING REQUIREMENTS.

#### # 012 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

The permittee shall maintain records in accordance with recordkeeping requirements of Pa. Code, Section 129.95, except that these records shall be retained in accordance with General Requirement #024.

The permittee shall maintain records to demonstrate compliance as described in this permit.

These records shall include, but not limited to, all Cleaning solvents used at the facility as well as calculations on the entire facility cleaning solvent VOC emissions (updated monthly); all air pollution control systems performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which is subject to this operating permit.

#### # 013 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

(a) The permittee shall keep a logbook of daily facility inspections performed. The logbook shall include the name of the company representative performing the inspection, the date and time of inspections, any instances of exceedances of visible emissions limitations, visible fugitive emissions limitations and malodorous air emissions limitations, and the name of the manager informed if a potential exceedance is observed. The permittee shall also record any and all corrective action(s) taken to abate each recorded deviation to prevent future occurrences.







#### SECTION C. **Site Level Requirements**

(b) These records shall be kept for a five (5) year period and shall be made available to the Department upon request.

#### REPORTING REQUIREMENTS.

## [25 Pa. Code §127.441]

### Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

The permitee shall report on a quarterly basis the amount of cleaning solvents used at the facility. This report will be in a format to demonstrate compliance as described in this permit. The report is due within one month of the end of each quarter. (April, July, October, January).

#### # 015 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

The company, within one (1) hour of occurrence, shall notify the Department at (610)-861-2070 of any malfunction, recordkeeping and reporting errors, or other possible non-compliance issues, which result in, or may possibly be resulting in, the emission of air contaminants in excess of the limitations specified in, or established pursuant to, any applicable rule or regulations contained in Article III of the Rules and Regulations of the Department of Environmental Protection. A written report shall be submitted to the Department within five working days following the incident describing the malfunction, recordkeeping and reporting error or other non-compliance issue and the corrective actions being taken. The Department may take enforcement action for any violations of the applicable standards.

#### # 016 [25 Pa. Code §135.3] Reporting

- (a) A person who owns or operates a source to which this chapter applies, and who has previously been advised by the Department to submit a source report, shall submit by March 1 of each year a source report for the preceding calendar year. The report shall include information for all previously reported sources, new sources which were first operated during the preceding calendar year and sources modified during the same period which were not previously reported.
- (b) A person who receives initial notification by the Department that a source report is necessary shall submit an initial source report with 60 days after receiving the notification or by March 1 of the year following the year for which the report is required, whichever is later.
- (c) A source owner or operator may request an extension of time from the Department for the filing of a source report, and the Department may grant the extension for reasonable cause.

#### # 017 [25 Pa. Code §135.4]

#### Report format

Source reports shall contain sufficient information to enable the Department to complete its emission inventory. Source reports shall be made by the source owner or operator in a format specified by the Department.

#### WORK PRACTICE REQUIREMENTS. VI.

#### # 018 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

The permittee shall take all reasonable actions to prevent particulate matter emitted from any source specified in Site Level Condition #001. These actions shall include, but not limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads, or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
  - (3) Paving and maintenance of roadways.







## **SECTION C.** Site Level Requirements

(4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

### VII. ADDITIONAL REQUIREMENTS.

## # 019 [25 Pa. Code §121.7]

Prohibition of air pollution.

No person may permit air pollution as that term is defined in the Air Pollution Control Act (35 P.S. Section 4003).

### # 020 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The company shall not impose conditions upon or otherwise restrict the Department's access to the sources and/or any associated air cleaning device(s) and shall allow the Department to have access at any time to the sources and associated air cleaning device(s) with such measuring and recording equipment, including equipment recording visual observations, as the Department deems necessary and proper for performing its duties and for the effective enforcement of the Air Pollution Control Act.

## # 021 [25 Pa. Code §129.14]

### **Open burning operations**

- (a) No person may permit the open burning of material in an air basin. in a manner that:
  - (b) Exceptions: The requirements of subsections (a) and (b) do not apply where the open burning operations result from:
- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
  - (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
  - (3) A fire set solely for recreational or ceremonial purposes.
  - (4) A fire set solely for cooking food.

### VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

### IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.





## **SECTION D.** Source Level Requirements

Source ID: 101A Source Name: PAINT BAKING OVEN

Source Capacity/Throughput: 132.000 Gal/HR

15.000 MCF/HR Natural Gas

Conditions for this source occur in the following groups: 01



## I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).





## **SECTION D.** Source Level Requirements

Source ID: 102 Source Name: COATER

Source Capacity/Throughput:

Conditions for this source occur in the following groups: 01



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).






## **SECTION D.** Source Level Requirements

Source ID: 103 Source Name: COATER ROOM CLEAN-UP

Source Capacity/Throughput:

Conditions for this source occur in the following groups: 01



#### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

#### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

## VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).








#### SECTION D. **Source Level Requirements**

Source ID: 104 Source Name: WASTE SOLVENT RECLAIM

Source Capacity/Throughput:



### RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### II. **TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

## REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).







#### SECTION E. **Source Group Restrictions.**

Group Name: 01

Group Description: COATING PROCESS

Sources included in this group

ID	Name	
101A PAINT BAKING OVEN		
102	COATER	
103	COATER ROOM CLEAN-UP	
C04	REGENERATIVE THERMAL OXIDIZER	

### RESTRICTIONS.

## **Emission Restriction(s).**

#### # 001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Total particulate emissions including PM10 from the RTO (C04) shall not exceed 0.04 grains per dscf.

# 002 [25 Pa. Code §129.52]

## **Surface coating processes**

- (a) This section applies to a surface coating process category, regardless of the size of the facility, which emits or has emitted VOCs into the outdoor atmosphere in quantities greater than 3 pounds (1.4 kilograms) per hour, 15 pounds (7 kilograms) per day or 2.7 tons (2,455 kilograms) per year during any calendar year since January 1, 1987.
- (b) A person may not cause or permit the emission into the outdoor atmosphere of VOCs from a surface coating process category listed in Table I, unless one of the following limitations is met:
  - (1) The VOC content of each as applied coating is equal to or less than the standard specified in Table I.

[Excerpt from Table 1]

- 2. Coil Coating 4.02 lbs VOC per gal coating solids
- (i) The VOC content of the as applied coating, expressed in units of weight of VOC per volume of coating solids, shall be calculated as follows:

VOC = (Wo)(Dc)/Vn

Where:

VOC = VOC content in lb VOC/gal of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100%-weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvent(s)

Dc = Density of coating, lb/gal, at 25°C

Vn = Volume percent of solids of the as applied coating

(ii) The VOC content of a dip coating, expressed in units of weight of VOC per volume of coating solids, shall be calculated on a 30-day rolling average basis using the following equation:

Where:



## **SECTION E.** Source Group Restrictions.

VOCA = VOC content in lb VOC/gal of coating solids for a dip coating, calculated on a 30-day rolling average basis

Woi = Percent VOC by weight of each as supplied coating (i) added to the dip coating process, expressed as a decimal fraction (that is 55% = 0.55)

Dci = Density of each as supplied coating (i) added to the dip coating process, in pounds per gallon

Qi = Quantity of each as supplied coating (i) added to the dip coating process, in gallons

Vni = Percent solids by volume of each as supplied coating (i) added to the dip coating process, expressed as a decimal fraction

WoJ = Percent VOC by weight of each thinner (J) added to the dip coating process, expressed as a decimal fraction

DdJ = Density of each thinner (J) added to the dip coating process, in pounds per gallon

QJ = Quantity of each thinner (J) added to the dip coating process, in gallons

(iii) The VOC content of the as applied coating, expressed in units of weight of VOC per weight of coating solids, shall be calculated as follows:

VOCB = (Wo)/(Wn)

Where:

VOCB = VOC content in lb VOC/lb of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100%-weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvents

Wn = Weight percent of solids of the as applied coating

(2) The overall weight of VOCs emitted to the atmosphere is reduced through the use of vapor recovery or incineration or another method which is acceptable under § 129.51(a) (relating to general). The overall efficiency of a control system, as determined by the test methods and procedures specified in Chapter 139 shall be no less than the equivalent overall efficiency calculated by the following equation:

 $O = (1 - E/V) \times 100$ 

Where:


V = The VOC content of the as applied coating, in lb VOC/gal of coating solids or lb VOC/lb of coating solids.

E = Table I limit in lb VOC/gal of coating solids or lb VOC/lb of coating solids.

O = Overall control efficiency.

- (c) The solvents methyl chloroform (1,1,1-trichloroethane) and methylene chloride are exempt from control under this section and § 129.67 (relating to graphic arts systems). A surface coating process which seeks to comply with this section through the use of an exempt solvent may not be included in any alternative standards.
- (d) If more than one emission limitation under miscellaneous metal parts and products applies to a specific coating, the







## **SECTION E.** Source Group Restrictions.

least stringent emission limitation applies.

- (e) The VOC standards in Table I do not apply to a coating used exclusively for determining product quality and commercial acceptance, touch-up and repair and other small quantity coatings if the coating meets the following criteria:
- (1) The quantity of coating used does not exceed 50 gallons per year for a single coating and a total of 200 gallons per year for all coatings combined for the facility.
- (2) The owner or operator of the facility requests, in writing, and the Department approves, in writing, the exemption prior to use of the coating.

## **Operation Hours Restriction(s).**

## # 003 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.91]

- (a) The permittee shall operate the regenerative thermal oxidizer at no less than 1550 degrees Fahrenheit. (1550 F is a 30 minute average temperature with readings taken, at a minimum, of every 18 seconds) when applying coatings.
- (b) The permittee must preheat the regenerative thermal oxidizer for one half hour before applying coatings, and must maintain the minimum average temperature in the oxidizer when applying coatings.

## Control Device Efficiency Restriction(s).

## # 004 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Pursuant to the Best Available Control Technology provision of 25 PA Code, Chapter 127, the RTO shall meet the following limitations:

(a) Destruction efficiency --- 98% destruction efficiency for the VOCs (Volatile Organic Compounds) emission in the control device.

## II. TESTING REQUIREMENTS.

## # 005 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

The permttee shall perform calibration checks on the temperature monitoring system on a quarterly basis in accordance with manufacturer specifications.

## # 006 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

[Additional authority for this condition is derived from 25 Pa Code 129.51(c)]

- (a) The permittee shall perform tests for capture efficiency on the coating room exhaust and any other source which makes up the coating line, and shall perform tests for destruction efficiency for VOC's at the regenerative thermal oxidizer prior to the permit expiring or at the request of the Department. (At a minimum the tests shall be performed 180 days prior to the expiration of the permit so that test results are submitted and reviewed by the Department prior to the permit expiring.) The procedures for testing capture efficiency shall be performed in accordance with EPA's revised capture efficiency protocol of January 9, 1994, entitled "Guidance's for determining capture efficiency". The test results shall be used to demonstrate compliance with the requirements of 25 Pa Code Section 129.52.
- (b) The permittee shall submit a test protocol for VOC emission tests to the Regional Air Program Manager for approval at least 90 days prior to the test.
- (c) The permittee shall notify the Department at least two (2) weeks in advance of the date and time of the tests, so that an







#### SECTION E. **Source Group Restrictions.**

observer may be present.

- (d) Two copies of the test report shall be submitted to the Regional Air Program Manager for review within (60) days of the completion of the tests.
- (e) The permittee shall repeat the test for capture efficiency each time the permit tee makes changes to the intake to the regenerative thermal oxidizer or coating line which directly effects the regenerative thermal oxidizer.

#### # 007 [25 Pa. Code §129.52]

### **Surface coating processes**

(a) Sampling and testing shall be done in accordance with the procedures and test methods specified in Chapter 139 (relating to sampling and testing).

#### # 008 [25 Pa. Code §139.14]

#### **Emissions of VOCs.**

The permittee shall comply with one of the following:

- 1. The permittee shall perform annual testing on all coatings in accordance with reference method 24, 40 CFR Part 60, Appendix A, and 25 Pa, Code 139.14(a)(1).
- 2. The permittee shall obtain certifications of reference method 24, 40 CFR 60, Appendix A directly from the coating manufacturers or suppliers of each coating. These certifications shall be obtained each year and each time the manufacturer or supplier changes.

#### # 009 [25 Pa. Code §139.14]

#### **Emissions of VOCs.**

At the request of the Department the permittee shall perform testing of all VOC based coatings in accordance with Reference Method 24, 40 CFR Part 60, Appendix A, and 25 Pa. Code 139.14(a)(1).

### III. MONITORING REQUIREMENTS.

#### #010 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The operating temperature of the RTO unit shall be continuously measured (reading taken, at a minimum, every 18 seconds) and recorded (average temperature recorded every 30 minutes).

#### # 011 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The company shall ensure that the control devices shall be equipped with the applicable monitoring equipment and the monitoring equipment shall be installed, calibrated, operated, and maintained according to the vendor's specifications at all times the control device is in use.

#### # 012 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

- (a) Data Representativeness
- (1) Any temperature-monitoring device employed to measure the oxidizer chamber temperature shall be accurate to within manufacturers specifications.
- (2) Properly operating interlocks will ensure that dampers are correctly positioned. Daily system check and semi-annual visual inspection and verification will adequately identify problems.
- (b) Verification of Operational Status
  - (1) Temperature shall be recorded on a electronic media.
- (c) QA/QC Practices and Criteria
  - (1) Validation of temperature system shall be conducted annually. Acceptance criteria +/- 20F







## **SECTION E.** Source Group Restrictions.

- (2) Facility shall maintain Standard Operating Procedure on-site for verifying accuracy of system. Initial inspection of regenerative units must include annual assessment (inspection or testing) of valves for leakage.
- (d) Data Collection Procedures & Averaging Periods
- (1) The temperature of the Oxidizer shall be sampling at least every 18 seconds and recorded every minute on a chart or electronic media and a average temperature recorded every One-Half Hour.
  - (2) Results of interlock operation verification, inspections and observations shall be recorded.
- (e) Indicator Range and Corrective Action
- (1) The permit tee shall record all excursions and corrective actions taken to an excursion and the time elapsed until the corrective actions have been taken.
- (f) Measurement Approach
  - (1) Continuously record the operating temperature of the oxidizer.
  - (2) Verify operational condition of the control device process interlocks.
- (3) Inspect internal and external structural integrity of the oxidizer to ensure proper operation. Inspect burner operation and tune, as necessary.
  - (4) Conduct emissions test to demonstrate compliance permitted destruction efficiency.

### # 013 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

An excursion is identified as the following:

- 1. The measurement of the 30 minute average temperature is less than the average temperature demonstrated during the most recent compliance demonstration.
- 2. That the process interlocks have been bypassed.
- 3. Any finding that the structural integrity of the oxidizer has been jeopardized and it no longer operates as designed.
- 4. The oxidizer does not meet the permanent destruction efficiency.

## IV. RECORDKEEPING REQUIREMENTS.

### # 014 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

- (a) The permittee shall maintain a file containing all records and other data that are required to be collected pursuant to the various provisions of this operating permit, 25 Pa. Code Section 129.95, such that records provide sufficient data and calculations to clearly demonstrate that the requirements of 25 Pa. Code Section 129.91-4 are met. The file shall include, but not limited to: fuel usage updated monthly, all air pollution control system performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which is subject to this Operating Permit. All measurements, records, and other data required to be maintained by the company shall be retained for the period described in General Title V Requirements.
- (b) The permit tee shall keep on hand chemical composition data for all the coatings used in the coil coating line, and shall record on a daily basis the amount of these coatings and any volatile organic compound (VOC) solvent or paint thinner usage for this process.



## SECTION E. Source Group Restrictions.

## # 015 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The operating temperature of the regenerative thermal oxidizer shall be continuously measured and recorded. The temperature shall be monitored and maintained at the minimum average temperature achieved during the performance test in which compliance with the VOC destruction efficiency requirement is demonstrated. The recording charts shall be made available to the Department personnel upon request.

## # 016 [25 Pa. Code §129.52]

### **Surface coating processes**

- (a) A facility, regardless of the facility's annual emission rate, which contains surface coating processes shall maintain records sufficient to demonstrate compliance with this section. At a minimum, a facility shall maintain daily records of:
  - (1) The following parameters for each coating, thinner and other component as supplied:
  - (i) The coating, thinner or component name and identification number.
  - (ii) The volume used.
  - (iii) The mix ratio.
  - (iv) The density or specific gravity.
  - (v) The weight percent of total volatiles, water, solids and exempt solvents.
  - (vi) The volume percent of solids for Table I surface coating process categories 1-10.
  - (2) The VOC content of each coating, thinner and other component as supplied.
  - (3) The VOC content of each as applied coating.
- (b) The records shall be maintained for 5 years and shall be submitted to the Department on a schedule reasonably prescribed by the Department.

#### V. REPORTING REQUIREMENTS.

## # 017 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

[Authority for this condition is also derived from 25 Pa. Code, Section 129.95]

The permittee shall report on a quarterly basis the total VOC emissions emitted, the total usage of each coating to include weight of VOC/gal., any organic compound (VOC) solvent, fuel usage, and any maintenance/calibration checks performed on all equipment which is subject to this permit. The permittee shall submit the report within one month of the end of each quarter. (April, July, October, January)

### VI. WORK PRACTICE REQUIREMENTS.

### # 018 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The facility shall take the following steps and corrective action in the event of an excursion:

- 1. For each excursion triggered an assessment of the problem, corrective action, and a report shall be completed.
- 2. Any excursion shall require that the process be stopped and not re-started until corrective action has been completed. Additionally start-up procedures shall be complied with once corrective action has been taken.

## # 019 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The company shall ensure that the capture system and control devices are operated at all times the processes are in operation.







#### SECTION E. **Source Group Restrictions.**

#### # 020 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The aforementioned source(s) may only be operated as long as the associated air pollution control devices are operated and maintained in accordance with the specifications set fourth in this permit and any application(s) submitted for said plan approval(s) (as approved by the Department), and in accordance with any conditions set forth herein.

### [25 Pa. Code §127.441]

## Operating permit terms and conditions.

The company shall maintain and operate the air pollution control equipment and sources in accordance with good engineering practice.

#### # 022 [25 Pa. Code §127.441]

## Operating permit terms and conditions.

All clean-up solvent operations must comply with Best Available Technology to minimize VOC emissions. All cleaning operations must store new and used cleaning solvents in closed containers. A record of the quantity of all VOC's used in clean-up operations for the coating line must be calculated on a monthly basis (12 month rolling sum).

## VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





## **SECTION F.** Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.





## **SECTION G.** Emission Restriction Summary.

No emission restrictions listed in this section of the permit.





## SECTION H. Miscellaneous.

- (a) The Department received the operating application for this facility on 2/21/2017. The annual operating permit maintenance fee shall be submitted to the Department in accordance with 25 Pa. Code, Chapter 127, Section 127.703. The annual maintenance fees are due no later than December 31 annually.
- (b) This is a Synthetic Minor Operating Permit.
- (c) The facility has several space heaters used for heating and operational purposes. These heaters are determined insignificant and are not included in the permit. The facility shall maintain a list of the heaters. The list shall contain information that is available to the Department upon request. The information shall include, but not limited to, heater name (manufacturer), heater size, location, and any maintenance performed on the heater. The heaters shall be operated and maintained in accordance to manufacturers specifications.





\*\*\*\*\* End of Report \*\*\*\*\*\*