

# COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

### STATE ONLY NATURAL MINOR OPERATING PERMIT

Issue Date: September 28, 2023 Effective Date: September 28, 2023

Expiration Date: August 31, 2028

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

### State Only Permit No: 03-00202

Natural Minor

Federal Tax Id - Plant Code: 25-0720790-5

**Owner Information** 

Name: PEOPLES NATURAL GAS CO LLC

Mailing Address: 375 N SHORE DR

PITTSBURGH, PA 15212-5866

Plant Information

Plant: PEOPLES NATURAL GAS COLLC/ROARING RUN STA

Location: 03 Armstrong County 03920 Kiskiminetas Township

SIC Code: 4922 Trans. & Utilities - Natural Gas Transmission

Responsible Official

Name: PAUL W BECKER
Title: VP GAS OPERATIONS

Phone: (412) 258 - 4406 Email: Paul.Becker@peoples-gas.com

**Permit Contact Person** 

Name: JONATHAN SNYDER

Title: ENVIRONMENTAL PROCESS MGR

Phone: (724) 444 - 3236 Email: Jonathan.Snyder@peoples-gas.com

[Signature]

ERIC A. GUSTAFSON, NORTHWEST REGION AIR PROGRAMMANAGER



## **SECTION A. Table of Contents**

### Section A. Facility/Source Identification

**Table of Contents** Site Inventory List

### Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- **Operating Permit Modifications** #011
- #012 Severability Clause.
- De Minimis Emission Increases. #013
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- Sampling, Testing and Monitoring Procedures. #019
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

### Section D. Source Level State Only Requirements

- Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

### Section E. Source Group Restrictions

E-I: Restrictions





### **SECTION A. Table of Contents**

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

### **Section F.** Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

### Section G. Emission Restriction Summary

### Section H. Miscellaneous








#### **SECTION A. Site Inventory List**

Source ID	Source Name	Capacity	/Throughput	Fuel/Material
	120 HP ONAN 50.0K-15R31/1562N EMERGENCY GENERATOR 4SRB	1.320	MMBTU/HR	
		1.270	MCF/HR	
104	FUGITIVE EQUIPMENT LEAKS		N/A	Natural Gas
105	670 HP CATERPILLAR G3508 ENGINE (4SLB) SN 9TG00317		N/A	Natural Gas
301	STORAGE TANKS		N/A	Natural Gas
601	VENTING / BLOWDOWNS		N/A	Natural Gas
C105	CATALYST DCL DC64-10/12			
S102	AUXILIARY GENERATOR STACK			
S105	CATERPILLAR 670 HP ENGINE EXHAUST			
Z01	FUGITIVE VOC EMISSIONS			
Z301	STORAGE TANKS FUGITIVE EMISSIONS			
Z601	VENTING/BLOWDOWNS FUGITIVE EMISSIONS			







#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

**Operating Permit Duration.** 

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

### Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
  - (1) For a synthetic minor facility, a fee equal to:
    - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
    - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
    - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.





- (2) For a facility that is not a synthetic minor, a fee equal to:
  - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
  - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
  - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

### #005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

### **Transfer of Operating Permits.**

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

### #006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

### Inspection and Entry.


- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
  - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

### #007 [25 Pa. Code §§ 127.441 & 127.444]

### Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:







- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

**Duty to Provide Information.** 

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

**Operating Permit Modifications** 

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:





- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

### #012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

### #013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
  - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:





- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
  - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
  - (4) Space heaters which heat by direct heat transfer.
  - (5) Laboratory equipment used exclusively for chemical or physical analysis.
  - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

### #014 [25 Pa. Code § 127.3]

### Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

### #015 [25 Pa. Code § 127.11]

### Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

### #016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

### #017 [25 Pa. Code § 121.9]

### Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

### #018 [25 Pa. Code §§ 127.402(d) & 127.442]

### Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such







records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#### #019 [25 Pa. Code §§ 127.441(c) & 135.5]

Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#### #020 [25 Pa. Code §§ 127.441(c) and 135.5]

### Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
  - (1) The date, place (as defined in the permit) and time of sampling or measurements.
  - (2) The dates the analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of the analyses.
  - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#### #021 [25 Pa. Code § 127.441(a)]

**Property Rights.** 

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

**Alternative Operating Scenarios.** 

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





#023 [25 Pa. Code §135.3]

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

**Report Format** 

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





### I. RESTRICTIONS.

### **Emission Restriction(s).**

### # 001 [25 Pa. Code §121.7]

### Prohibition of air pollution.

No person may permit air pollution as that term is defined in the act.

### # 002 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

- (a) No person may permit the emission into the outdoor atmosphere of fugitive air contaminant from a source other than the following:
  - (1) Construction or demolition of buildings or structures.
  - (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
  - (4) Clearing of land.
  - (5) Stockpiling of materials.
  - (6) Open burning operations.
  - (7)-(8) Not applicable.
- (9) Sources and classes of sources other than those identified in paragraphs (1)-(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
  - (i) the emissions are of minor significance with respect to causing air pollution; and
- (ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.
- (b) An application form for requesting a determination under either subsection (a)(9) or 129.15(c) is available from the Department. In reviewing these applications, the Department may require the applicant to supply information including, but not limited to, a description of proposed control measures, characteristics of emissions, quantity of emissions, and ambient air quality data and analysis showing the impact of the source on ambient air quality. The applicant shall be required to demonstrate that the requirements of subsections (a)(9) and (c) and 123.2 (relating to fugitive particulate matter) or of the requirements of 129.15(c) have been satisfied. Upon such demonstration, the Department will issue a determination, in writing, either as an operating permit condition, for those sources subject to permit requirements under the act, or as an order containing appropriate conditions and limitations.
  - (c) See Work Practice Requirements.
  - (d) Not applicable.

### # 003 [25 Pa. Code §123.2]


### Fugitive particulate matter

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in 123.1(a)(1) -- (9) (relating to prohibition of certain fugitive emissions) if such emissions are visible at the point the emissions pass outside the person's property.

### # 004 [25 Pa. Code §123.31]

### Limitations

A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being





operated.

### # 005 [25 Pa. Code §123.41]

### Limitations

Permittee may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

### # 006 [25 Pa. Code §123.42]

### **Exceptions**

The limitations of 123.41 (relating to limitations) shall not apply to a visible emission in any of the following instances:

- (1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (3) When the emission results from sources specified in 123.1(a)(1) -- (9) (relating to prohibition of certain fugitive emissions).
- (4) Not applicable.

### # 007 [25 Pa. Code §129.14]

### Open burning operations

- (a) Not applicable.
- (b) No person may permit the open burning of material in an area outside of air basins in a manner that:
- (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the person on whose land the open burning is being conducted.
- (2) Malodorous air contaminants from the open burning are detectable outside the property of the person on whose land the open burning is being conducted.
- (3) The emissions interfere with the reasonable enjoyment of life or property.
- (4) The emissions cause damage to vegetation or property.
- (5) The emissions are or may be deleterious to human or animal health.
- (c) Exceptions: The requirements of subsections (a) and (b) do not apply where the open burning operations result from:
- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a
  - (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
  - (3) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (4) Not applicable.

public officer.

- (5) Not applicable.
- (6) A fire set solely for recreational or ceremonial purposes.
- (7) A fire set solely for cooking food.
- (d) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:
  - (1) As used in this subsection the following terms shall have the following meanings:





Air curtain destructor -- A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes -- Trees, shrubs, and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

- (2) Not applicable.
- (3) Subsection (b) notwithstanding clearing and grubbing wastes may be burned outside of an air basin, subject to the following limitations:
- (i) Upon receipt of a complaint or determination by the Department that an air pollution problem exists, the Department may order that the open burning cease or comply with subsection (b) of this section.
- (ii) Authorization for open burning under this paragraph does not apply to clearing and grubbing wastes transported from an air basin for disposal outside of an air basin.
- (4) During an air pollution episode, open burning is limited by Chapter 137 (relating to air pollution episodes) and shall cease as specified in such chapter.

[This permit does not constitute authorization to burn solid waste pursuant to Section 610(3) of the Solid Waste Management Act, 35 P.S. Section 6018.610(3), or any other provision of the Solid Waste Management Act.]

### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### III. MONITORING REQUIREMENTS.

### # 008 [25 Pa. Code §123.43]

### Measuring techniques

Visible emissions may be measured using using either of the following:

- (a) A device approved by the Department and maintained to provide accurate opacity measurements.
- (b) Observers, trained and qualified to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

### # 009 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

The Owner/Operator shall conduct a weekly inspection of the facility during daylight hours while the facility is operating or whenever plant personnel are on site, which ever is less frequent. The purpose of the inspection is to detect one of the following:

- (a) The presence of visible emissions. Plant personnel who observe visible emissions may make arrangements for a certified observer to take readings of the visible emissions within 24 hours of discovery.
- (b) The presence of fugitive visible emissions beyond the plant boundaries per 25 Pa Code Section 123.2.
- (c) The presence of malodorous air emissions beyond the plant boundaries per 25 Pa Code Section 123.31.

### # 010 [25 Pa. Code §127.441]

### Operating permit terms and conditions.

Compliance with mass emission limits established in this operating permit may be demonstrated using engineering calculations based on fuel and raw material purchase records, manufacturers specifications, AP-42 emission factors, laboratory analyses, source test results, operating records, material balance methods, and/or other applicable methods with written Departmental approval.





#### IV. RECORDKEEPING REQUIREMENTS.

03-00202

#### # 011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall keep maintain a record of all malodor, visible emission and fugitive emission surveys performed. The records shall include the date, time, name and title of the observer, whether visible emissions, fugitive emissions or malodors were observed and any corrective action. Records shall be kept on-site for a minimum of five years.

#### V. REPORTING REQUIREMENTS.

#### # 012 [25 Pa. Code §127.442]

### Reporting requirements.

Malfunction reporting shall be conducted as follows:

- a. For the purpose of this condition, a malfunction is defined as any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment or source to operate in a normal or usual manner that may result in an increase in the emission of air contaminants. Examples of malfunctions may include, but are not limited to: large dust plumes, heavy smoke, a spill or release that results in a malodor that is detectable outside the property on whose land the source is being operated.
- b. When the malfunction poses an imminent and substantial danger to the public health and safety, potential harm to the environment, the Owner/Operator shall report the incident to the Department within one hour of discovery. The Owner/Operator shall also notify the Department within one hour, when corrective measures have been accomplished.
- c. All other malfunctions shall be reported to the Department no later than the next business day.
- d. Initial reporting of the malfunction shall identify the following items to the extent known:
- i. Name and location of the facility;
- ii. Nature and cause of the malfunction;
- iii. Time when the malfunction or breakdown was first observed;
- iv. Expected duration of increased emissions; and
- v. Estimated rate of emissions.
- e. The Owner/Operator shall also notify the Department immediately, by telephone, when corrective measures, for malfunctions meeting the criteria in (b), have been accomplished.
- f. Malfunctions shall be reported to the Department by OnBase Submittal, unless the Department directs otherwise:

OnBase Submittal

http://www.dep.pa.gov/DataandTools/Pages/Application-Form-Upload.aspx

**PADEP** 

Northwest Regional Office

814-332-6945

g. If requested by the Department, the Owner/Operator shall submit a full written report to the Department, including final determinations of the items identified in d., and the corrective measures taken on the malfunction. The report shall be submitted within 15 days of the Department's request or accomplishing corrective measures, whichever is later.

### VI. WORK PRACTICE REQUIREMENTS.

#### # 013 [25 Pa. Code §123.1]

### Prohibition of certain fugitive emissions

- (c) A person responsible for any source specified in subsections (a)(1) -- (7) or (9) shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:
  - (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures,







construction operations, the grading of roads, or the clearing of land.

- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
  - (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

### IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.



# 03-00202




#### SECTION D. **Source Level Requirements**

Source ID: 102 Source Name: 120 HP ONAN 50.0K-15R31/1562N EMERGENCY GENERATOR 4SRB

> Source Capacity/Throughput: 1.320 MMBTU/HR

1.270 MCF/HR



### RESTRICTIONS.

### Emission Restriction(s).

# 001 [25 Pa. Code §123.13]

### **Processes**

Particulate matter emissions into the outdoor atmosphere from any source at this facility shall not exceed 0.04 grains/dscf as specified in 25 Pa. code 123.13(c)(1)(i).

# 002 [25 Pa. Code §123.21]

### **General**

No person may permit the emission into the outdoor atmosphere of sulfur oxides from a source in a manner that the concentration of the sulfur oxides, expressed as SO2, in the effluent gas exceeds 500 parts per million, by volume, dry basis.

### Operation Hours Restriction(s).

[25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall not operate this source more than 500 hours in any consecutive 12 month period.

### TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

#### MONITORING REQUIREMENTS. III.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### IV. RECORDKEEPING REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep the record of hours of operation on a 12-month rolling basis. The records shall be maintained for a minimum of 5 years and shall be made available to the Department on request.

# 005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain monthly records of natural gas used by the engine. The records shall be maintained for a minimum of 5 years on a rolling 12 month basis and submitted to the Department upon request.

# 006 [25 Pa. Code §127.441]

Operating permit terms and conditions.





The permittee shall install a non-resettable hour meter and maintain a record of emergency and non-emergency hours usage in a log book. These records shall be maintained and shall be made available to the Department upon request.

### # 007 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6655]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What records must I keep?

- (e) You must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that you operated and maintained the stationary RICE and after-treatment control device (if any) according to your own maintenance plan if you own or operate any of the following stationary RICE;
- (1) Not applicable.
- (2) An existing stationary emergency RICE.
- (3) Not applicable.
- (f) If you own or operate any of the stationary RICE in paragraphs (f)(1) through (2) of this section, you must keep records of the hours of operation of the engine that is recorded through the non-resettable hour meter. The owner or operator must document how many hours are spent for emergency operation, including what classified the operation as emergency and how many hours are spent for non-emergency operation.[omitted non-applicable language]
- (1)-(2) Not applicable.

[69 FR 33506, June 15, 2004, as amended at 75 FR 9678, Mar. 3, 2010; 75 FR 51592, Aug. 20, 2010; 78 FR 6706, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

### # 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6603]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

What emission limitations, operating limitations, and other requirements must I meet if I own or operate an existing stationary RICE located at an area source of HAP emissions?


[omitted non-applicable language]

- (a) Not applicable.
- (b) If you own or operate an existing stationary RICE located at an area source of HAP emissions, you must comply with the requirements in Table 2d to this subpart that apply to you.

Table 2d to Subpart ZZZZ of Part 63—Requirements for Existing Stationary RICE Located at Area Sources of HAP Emissions

As stated in §§ 63.6603 and 63.6640, you must comply with the following requirements for existing stationary RICE located at area sources of HAP emissions:

The emergency generator is required to meet the following work practice requirements:



- a. Change oil and filter every 500 hours of operation or annually, whichever comes first;
- b. Inspect spark plugs every 1,000 hours of operation or annually, whichever comes first, and replace as necessary; and c. Inspect all hoses and belts every 500 hours of operation or annually, whichever comes first, and replace as necessary

(c)-(f) Not applicable.

03-00202

[75 FR 9675, Mar. 3, 2010, as amended at 75 FR 51589, Aug. 20, 2010; 76 FR 12866, Mar. 9, 2011; 78 FR 6701, Jan. 30, 2013]

#### # 009 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]

Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal

How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?

- (a) You must demonstrate continuous compliance with each operating limitation, and other requirements Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.[omitted non-applicable language]
- (b)-(e) Not applicable.
- (f) If you own or operate an emergency stationary RICE, you must operate the emergency stationary RICE according to the requirements in paragraphs (f)(1) through (4) of this section. In order for the engine to be considered an emergency stationary RICE under this subpart, any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (f)(1) through (4), is prohibited. If you do not operate the engine according to the requirements in paragraphs (f)(1) through (4), the engine will not be considered an emergency engine under this subpart and must meet all requirements for non-emergency engines.
- (1) There is no time limit on the use of emergency stationary RICE in emergency situations.
- (2) You may operate your emergency stationary RICE for the purpose specified in paragraph (f)(2)(i) of this section for a maximum of 100 hours per calendar year. Any operation for non-emergency situations as allowed by paragraphs (f)(3) and (4) of this section counts as part of the 100 hours per calendar year allowed by this paragraph (f)(2).
- (i) Emergency stationary RICE may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The owner or operator may petition the Administrator for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the owner or operator maintains records indicating that federal, state, or local standards require maintenance and testing of emergency RICE beyond 100 hours per calendar year.
- (ii)-(iii) [Reserved]
- (3) Not applicable.
- (4) Emergency stationary RICE located at area sources of HAP may be operated for up to 50 hours per calendar year in nonemergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year for maintenance and testing provided in paragraph (f)(2) of this section. Except as provided in paragraphs (f)(4)(i) and (ii) of this section, the 50 hours per year for non-emergency situations cannot be used for peak shaving or nonemergency demand response, or to generate income for a facility to an electric grid or otherwise supply power as part of a financial arrangement with another entity.
- (i)-(ii) Not applicable.

[69 FR 33506, June 15, 2004, as amended at 71 FR 20467, Apr. 20, 2006; 73 FR 3606, Jan. 18, 2008; 75 FR 9676, Mar. 3, 2010; 75 FR 51591, Aug. 20, 2010; 78 FR 6704, Jan. 30, 2013; 87 FR 48607, Aug. 10, 2022]



03-00202

Table 6 to Subpart ZZZZ of Part 63—Continuous Compliance With Emission Limitations, and Other Requirements

As stated in § 63.6640, you must continuously comply with the emissions and operating limitations and work or management practices as required by the following:

9. For each existing emergency RICE, you must comply with Work or Management practices.

You must demonstrate continuous compliance by:

- i. Operating and maintaining the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions; or
- ii. Develop and follow your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions.

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





Source ID: 104 Source Name: FUGITIVE EQUIPMENT LEAKS

Source Capacity/Throughput: N/A Natural Gas



### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





Source ID: 105 Source Name: 670 HP CATERPILLAR G3508 ENGINE (4SLB) SN 9TG00317

Source Capacity/Throughput: N/A Natural Gas

 $\begin{array}{c|c} \mathsf{PROC} \\ \mathsf{105} \end{array} \longrightarrow \begin{array}{c|c} \mathsf{CNTL} \\ \mathsf{C105} \end{array} \longrightarrow \begin{array}{c} \mathsf{STAC} \\ \mathsf{S105} \end{array}$ 

### I. RESTRICTIONS.

### **Emission Restriction(s).**

# 001 [25 Pa. Code §123.13]

### **Processes**

Particulate matter emissions into the outdoor atmosphere from any source at this facility shall not exceed 0.04 grains/dscf as specified in 25 Pa. code 123.13(c)(1)(i).

# 002 [25 Pa. Code §123.21]

### **General**

No person may permit the emission into the outdoor atmosphere of sulfur oxides from a source in amanner that the concentration of the sulfur oxides, expressed as SO2, in the effluent gas exceeds 500 parts per million, by volume, dry basis.

# 003 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4233]
Subpart JJJJ - Standards of Performance for Stationary Spark Ignition Internal Combustion Engines
What emission standards must I meet if I am an owner or operator of a stationary SI internal combustion engine?

(a)-(d) Not applicable.

(e) Owners and operators of stationary SI ICE with a maximum engine power greater than or equal to 75 KW (100 HP) [non-applicable language omitted] must comply with the emission standards in Table 1 to this subpart for their stationary SI ICE.

(f)-(h) Not applicable.

[73 FR 3591, Jan. 18, 2008, as amended at 76 FR 37973, June 28, 2011]

Table 1 to Subpart JJJJ of Part 60—NOX, CO, and VOC Emission Standards for Stationary Non-Emergency SI Engines =100 HP (Except Gasoline and Rich Burn LPG), Stationary SI Landfill/Digester Gas Engines, and Stationary Emergency Engines >25 HP

**Emission Standards** 

Pollutant g/hp-hr ppmvd at 15% O2

NOx 1.0 82 CO 2.0 270 VOC 0.7 60

(For purposes of this subpart, when calculating emissions of volatile organic compounds, emissions of formaldehyde should not be included.)

[76 FR 37975, June 28, 2011]


### II. TESTING REQUIREMENTS.

# 004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

1. [25 Pa. Code § 139.53(a)(3)] At least 90 calendar days prior to commencing an emissions testing program, a test







protocol shall be submitted to the Department for review and approval. The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

- 2. [25 Pa. Code § 139.53(a)(3)] At least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the appropriate Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.
- 3. [25 Pa. Code § 139.53(a)(3)] Within 15 calendar days after completion of the on-site testing portion of an emission test program, if a complete test report has not yet been submitted, notification shall be sent to the Department's Division of Source Testing and Monitoring and the appropriate Regional Office indicating the completion date of the on-site testing.
- 4. [40 CFR Part 60.8(a), 40 CFR Part 61.13(f) and 40 CFR Part 63.7(g)] A complete test report shall be submitted to the Department no later than 60 calendar days after completion of the on-site testing portion of an emission test program. For those tests being conducted pursuant to 40 CFR Part 61, a complete test report shall be submitted within 31 days after completion of the test.
- 5. [25 Pa. Code Section 139.53(b)] A complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or non-compliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:
- (a) A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
  - (b) Permit number(s) and condition(s) which are the basis for the evaluation.
  - (c) Summary of results with respect to each applicable permit condition.
  - (d) Statement of compliance or non-compliance with each applicable permit condition.
- 6. [25 Pa. Code § 139.3] All submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.
- 7. All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.
- 8. [25 Pa. Code Section 139.53(a)(1) and 139.53(a)(3)] The Department requires one electronic copy of all source test submissions (protocols and reports) to be sent to both the appropriate Regional Office and the PSIMS Administrator in Central Office (mail and email addresses are provided below). Do not send submissions to anyone else, except the U.S. EPA, unless specifically directed to do so. To minimize the potential for rescheduling of the test, all protocols must be received at least 90 days prior to testing. Test reports must be received no later than 60 days after the completion of testing, unless a more stringent regulatory requirement applies. Any questions or concerns about source testing submissions can be sent to RA-EPstacktesting@pa.gov and the PSIMS Administrator will address them.

Electronic copies of Protocols and Reports shall be emailed to the following:

Central Office

RA-EPstacktesting@pa.gov

Northwest Region

RA-EPNWstacktesting@pa.gov

Notifications and Supplemental Information shall be submitted to the following:

OnBase Submittal

http://www.dep.pa.gov/DataandTools/Pages/Application-Form-Upload.aspx

9. The permittee shall ensure all federal reporting requirements contained in the applicable subpart of 40 CFR are





followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between state and the federal, the most stringent provision, term, condition, method or rule shall be used by default.

- 10. Actions Related to Noncompliance Demonstrated by a Stack Test:
- (a) If the results of a stack test, performed as required by this operating permit, exceed the level specified in any condition of this approval, the Permittee shall take appropriate corrective actions. Within 30 days of the Permittee receiving the stack test results, a written description of the corrective actions shall be submitted to the Department. The Permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. The Department shall notify the Permittee within 30 days, if the corrective actions taken are deficient. Within 30 days of receipt of the notice of deficiency, the Permittee shall submit a description of additional corrective actions to the Department. The Department reserves the authority to use enforcement activities to resolve noncompliant stack tests.
- (b) If the results of the required stack test exceed any limit defined in this operating permit, the test was not performed in accordance with the stack test protocol or the source and/or air cleaning device was not operated in accordance with the operating permit, then another stack test shall be performed to determine compliance. Within 120 days of the Permittee receiving the original stack test results, a retest shall be performed. The Department may extend the retesting deadline if the Permittee demonstrates, to the Department's satisfaction, that retesting within 120 days is not practicable. Failure of the second test to demonstrate compliance with the limits in the operating permit, not performing the test in accordance with the stack test protocol or not operating the source and/or air cleaning device in accordance with the operating permit may be grounds for immediate revocation of the operating permit to operate the affected source.
- # 005 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4244]
  Subpart JJJJ Standards of Performance for Stationary Spark Ignition Internal Combustion Engines
  What test methods and other procedures must I use if I am an owner or operator of a stationary SI internal combustion engine?

Owners and operators of stationary SIICE who conduct performance tests must follow the procedures in paragraphs (a) through (f) of this section.

- (a) Each performance test must be conducted within 10 percent of 100 percent peak (or the highest achievable) load and according to the requirements in § 60.8 and under the specific conditions that are specified by Table 2 to this subpart.
- (b) You may not conduct performance tests during periods of startup, shutdown, or malfunction, as specified in § 60.8(c). If your stationary SI internal combustion engine is non-operational, you do not need to startup the engine solely to conduct a performance test; however, you must conduct the performance test immediately upon startup of the engine.
- (c) You must conduct three separate test runs for each performance test required in this section, as specified in § 60.8(f). Each test run must be conducted within 10 percent of 100 percent peak (or the highest achievable) load and last at least 1 hour.
- (d) To determine compliance with the NOX mass per unit output emission limitation, convert the concentration of NOX in the engine exhaust using Equation 1 of this section:

See 40 CFR §60.4244 for Equation 1

(e) To determine compliance with the CO mass per unit output emission limitation, convert the concentration of CO in the engine exhaust using Equation 2 of this section:

See 40 CFR §60.4244 for Equation 2

(f) For purposes of this subpart, when calculating emissions of VOC, emissions of formaldehyde should not be included. To determine compliance with the VOC mass per unit output emission limitation, convert the concentration of VOC in the engine exhaust using Equation 3 of this section:

See 40 CFR §60.4244 for Equation 3





(g) If the owner/operator chooses to measure VOC emissions using either Method 18 of 40 CFR part 60, appendix A, or Method 320 of 40 CFR part 63, appendix A, then it has the option of correcting the measured VOC emissions to account for the potential differences in measured values between these methods and Method 25A. The results from Method 18 and Method 320 can be corrected for response factor differences using Equations 4 and 5 of this section. The corrected VOC concentration can then be placed on a propane basis using Equation 6 of this section.

See 40 CFR §60.4244 for Equation 4, 5 and 6

See Table 2 to Subpart JJJJ of Part 60—Requirements for Performance Tests

#### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### IV. RECORDKEEPING REQUIREMENTS.

# 006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall keep the record of hours of operation on a 12-month rolling basis.
- (b) The permittee shall maintain monthly records of natural gas used.
- (c) The permittee shall maintian monthly records of NOx emissions.
- (d) All records shall be maintained for a minimum of 5 years and shall be made available to the Department on request.
- [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4245] Subpart JJJJ - Standards of Performance for Stationary Spark Ignition Internal Combustion Engines What are my notification, reporting, and recordkeeping requirements if I am an owner or operator of a stationary SI internal combustion engine?

Owners or operators of stationary SI ICE must meet the following notification, reporting and recordkeeping requirements.

- (a) Owners and operators of all stationary SI ICE must keep records of the information in paragraphs (a)(1) through (4) of this section.
- (1) All notifications submitted to comply with this subpart and all documentation supporting any notification.
- (2) Maintenance conducted on the engine.
- (3) If the stationary SI internal combustion engine is a certified engine, documentation from the manufacturer that the engine is certified to meet the emission standards and information as required in 40 CFR parts 1048, 1054, and 1060, as applicable.
- (4) Not applicable.
- (b)-(c) Not applicable.
- (d) Owners and operators of stationary SI ICE that are subject to performance testing must submit a copy of each performance test as conducted in § 60.4244 within 60 days after the test has been completed. Performance test reports using EPA Method 18, EPA Method 320, or ASTM D6348-03 (incorporated by reference-see 40 CFR 60.17) to measure VOC require reporting of all QAQC data. For Method 18, report results from sections 8.4 and 11.1.1.4; for Method 320, report results from sections 8.6.2, 9.0, and 13.0; and for ASTM D6348-03 report results of all QA/QC procedures in Annexes 1-7.
- (e) Not applicable.





[73 FR 3591, Jan. 18, 2008, as amended at 73 FR 59177, Oct. 8, 2008; 78 FR 6697, Jan. 30, 2013; 81 FR 59809, Aug. 30, 2016; 86 FR 34362, June 29, 2021; 87 FR 48606, Aug. 10, 2022]

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

# 008 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4234]
Subpart JJJJ - Standards of Performance for Stationary Spark Ignition Internal Combustion Engines
How long must I meet the emission standards if I am an owner or operator of a stationary SI internal combustion engine?

Owners and operators of stationary SI ICE must operate and maintain stationary SI ICE that achieve the emission standards as required in § 60.4233 over the entire life of the engine.

# 009 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4243]
Subpart JJJJ - Standards of Performance for Stationary Spark Ignition Internal Combustion Engines
What are my compliance requirements if I am an owner or operator of a stationary SI internal combustion engine?

- (a) Not applicable.
- (1) If you operate and maintain the certified stationary SI internal combustion engine and control device according to the manufacturer's emission-related written instructions, you must keep records of conducted maintenance to demonstrate compliance, but no performance testing is required if you are an owner or operator. You must also meet the requirements as specified in 40 CFR part 1068, subparts A through D, as they apply to you. If you adjust engine settings according to and consistent with the manufacturer's instructions, your stationary SI internal combustion engine will not be considered out of compliance.
- (2) If you do not operate and maintain the certified stationary SI internal combustion engine and control device according to the manufacturer's emission-related written instructions, your engine will be considered a non-certified engine, and you must demonstrate compliance according to (a)(2)(i) through (iii) of this section, as appropriate.
- (i)-(ii) Not applicable.
- (iii) If you are an owner or operator of a stationary SI internal combustion engine greater than 500 HP, you must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition, you must conduct an initial performance test within 1 year of engine startup and conduct subsequent performance testing every 8,760 hours or 3 years, whichever comes first, thereafter to demonstrate compliance.
- (b) [Non-applicable language omitted] you must demonstrate compliance according to one of the methods specified in paragraphs (b)(1) and (2) of this section.
- (1) Purchasing an engine certified according to procedures specified in this subpart, for the same model year and demonstrating compliance according to one of the methods specified in paragraph (a) of this section.
- (2) Purchasing a non-certified engine and demonstrating compliance with the emission standards specified in § 60.4233(d) or (e) and according to the requirements specified in § 60.4244, as applicable, and according to paragraphs (b)(2)(i) and (ii) of this section.
- (i) Not applicable.
- (ii) If you are an owner or operator of a stationary SI internal combustion engine greater than 500 HP, you must keep a



maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition, you must conduct an initial performance test and conduct subsequent performance testing every 8,760 hours or 3 years, whichever comes first, thereafter to demonstrate compliance.

(c)-(f) Not aaplicable.

03-00202

- (g) It is expected that air-to-fuel ratio controllers will be used with the operation of three-way catalysts/non-selective catalytic reduction. The AFR controller must be maintained and operated appropriately in order to ensure proper operation of the engine and control device to minimize emissions at all times.
- (h)-(i) Not applicable.

[73 FR 3591, Jan. 18, 2008, as amended at 76 FR 37974, June 28, 2011; 78 FR 6697, Jan. 30, 2013; 86 FR 34362, June 29, 2021; 87 FR 48606, Aug. 10, 2022]

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).




### **SECTION D.** Source Level Requirements

Source ID: 301 Source Name: STORAGE TANKS

Source Capacity/Throughput: N/A Natural Gas

Conditions for this source occur in the following groups: CHAPTER 129



### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).



### **SECTION D.** Source Level Requirements

Source ID: 601 Source Name: VENTING / BLOWDOWNS

Source Capacity/Throughput: N/A Natural Gas



### I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





### SECTION E. Source Group Restrictions.

Group Name: CHAPTER 129

Group Description: VOC Emissions from Conventional Natural Gas Sources

Sources included in this group

ID Name
301 STORAGE TANKS

### I. RESTRICTIONS.


### **Emission Restriction(s).**

### # 001 [25 Pa. Code §129.133]

### Storage vessels

- (a) Applicability.
- (1) Potential VOC emissions. Except as specified in subsections (c) and (d), this section applies to the owner or operator of a storage vessel subject to § 129.131(a)(1) (relating to general provisions and applicability) that has the potential to emit 2.7 TPY or greater VOC emissions.
  - (2) Calculation of potential VOC emissions.
- (i) The potential VOC emissions in paragraph (1) must be calculated using a generally accepted model or calculation methodology, based on the maximum average daily throughput as defined in § 129.132 (relating to definitions, acronyms and EPA methods) prior to January 31, 2023, for an existing storage vessel.
- (ii) The determination of potential VOC emissions may consider requirements under a legally and practically enforceable limit established in an operating permit or plan approval approved by the Department.
  - (iii) (iv) Not applicable
- (b) Not applicable
- (c) Exceptions.
- (1) The emissions limitations and control requirements in subsection (b) do not apply to the owner or operator of a storage vessel that maintains actual VOC emissions less than 2.7 TPY determined as a 12-month rolling sum. An owner or operator claiming this exception shall perform the compliance demonstration requirements under paragraph (2) and maintain the records under subsection (g), as applicable.
  - (2) The owner or operator of a storage vessel claiming exception under this subsection shall perform the following:
- (i) Beginning on or before January 1, 2023, calculate the actual VOC emissions once per calendar month using a generally accepted model or calculation methodology. The monthly calculations must meet the following:
  - (A) Be separated by at least 15 calendar days but not more than 45 calendar days.
  - (B) Be based on the monthly average throughput for the previous 30 calendar days.
- (ii) Comply with subsection (b) within 1 year of the date of the monthly calculation showing that actual VOC emissions from the storage vessel have increased to 2.7 TPY VOC or greater.
- (d) Exemptions. The emissions limitations and control requirements in subsection (b) do not apply to the owner or operator of a storage vessel that meets one or more of the following:
- (1) Is skid-mounted or permanently attached to something that is mobile for which records are available to document that it has been located at a site for less than 180 consecutive days. An owner or operator claiming this exemption shall maintain the records under subsection (g), as applicable.







### **SECTION E.** Source Group Restrictions.

- (2) Is used in the natural gas distribution segment.
- (3) Is controlled under 40 CFR Part 60, Subpart Kb or 40 CFR Part 63, Subpart G, Subpart CC, Subpart HH or Subpart WW.
- (e) Requirements for a storage vessel removed from service. A storage vessel subject to this section that is removed from service is not an affected source for the period that it is removed from service if the owner or operator performs the following:
- (1) Completely empties and degasses the storage vessel so that the storage vessel no longer contains crude oil, condensate, produced water or intermediate hydrocarbon liquids. A storage vessel where liquid is left on walls, as bottom clingage or in pools due to floor irregularity is considered to be completely empty.
- (2) Submits a notification in the next annual report required under § 129.140(k)(1) (relating to recordkeeping and reporting) identifying each storage vessel removed from service during the reporting period and the date of its removal from service.
- (f) Requirements for a storage vessel returned to service. The owner or operator of a storage vessel identified in subsection (e) that is returned to service shall submit a notification in the next annual report required under § 129.140(k)(1) identifying each storage vessel that has been returned to service during the reporting period and the date of its return to service.
- (g) Recordkeeping and reporting requirements. The owner or operator of a storage vessel subject to this section shall maintain the records under § 129.140(b) and submit the reports under § 129.140(k)(3)(i).

### II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### IV. RECORDKEEPING REQUIREMENTS.

# # 002 [25 Pa. Code §129.140]

### Recordkeeping and reporting

- (a) Recordkeeping. The owner or operator of a source subject to §§ 129.131—129.139 shall maintain the applicable records onsite or at the nearest local field office for 5 years. The records shall be made available to the Department upon request.
- (b) Storage vessels. The records for each storage vessel must include the following, as applicable:
- (1) The identification and location of each storage vessel subject to § 129.133 (relating to storage vessels). The location of the storage vessel shall be in latitude and longitude coordinates in decimal degrees to an accuracy and precision of 5 decimals of a degree using the North American Datum of 1983.
- (2) Each deviation when the storage vessel was not operated in compliance with the requirements specified in § 129.133.
- (3) The identity of each storage vessel removed from service under § 129.133(e) and the date on which it was removed from service.
- (4) The identity of each storage vessel returned to service under § 129.133(f) and the date on which it was returned to service.
  - (5) The identity of each storage vessel and the VOC potential to emit calculation under § 129.133(a)(2).







### SECTION E. Source Group Restrictions.

- (6) The identity of each storage vessel and the actual VOC emission calculation under § 129.133(c)(2)(i) including the following information:
  - (i) The date of each monthly calculation performed under § 129.133(c)(2)(i).
  - (ii) The calculation determining the actual VOC emissions each month.
- (iii) The calculation demonstrating that the actual VOC emissions are less than 2.7 TPY determined as a 12-month rolling sum.
- (7) The records documenting the time the skid-mounted or mobile storage vessel under § 129.133(d)(1) is located on site. If a skid-mounted or mobile storage vessel is removed from a site and either returned or replaced within 30 calendar days to serve the same or similar function, count the entire period since the original storage vessel was removed towards the number of consecutive days.
- (8) The identity of each storage vessel required to reduce VOC emissions under § 129.133(b)(1) and the demonstration under § 129.133(b)(1)(iv).
- (c) -(j) Not applicable.
- (k) Reporting. The owner or operator of a source subject to § 129.131(a) (relating to general provisions and applicability) shall do the following:
- (1) Submit an initial annual report to the Air Program Manager of the appropriate Department Regional Office by December 2, 2023, and annually thereafter on or before June 1.
- (i) The responsible official must sign, date and certify compliance and include the certification in the initial report and each subsequent annual report.
- (ii) The due date of the initial report may be extended with the written approval of the Air Program Manager of the appropriate Department Regional Office.
  - (2) Submit the reports under paragraph (3) in a manner prescribed by the Department.
  - (3) Submit the information specified in subparagraphs (i)—(ix) for each report as applicable:
- (i) Storage vessels. The report for each storage vessel must include the information specified in subsection (b)(1)—(4) for the reporting period, as applicable.
  - (ii) -(ix) Not applicable.

### V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

### VII. ADDITIONAL REQUIREMENTS.

### # 003 [25 Pa. Code §129.131]

### General provisions and applicability

(a) Applicability. Beginning December 2, 2022, this section and §§ 129.132—129.140 (relating to control of VOC emissions from conventional oil and natural gas sources) apply to an owner or operator of one or more of the following conventional oil and natural gas sources of VOC emissions installed at a conventional well site, a gathering and boosting station or a



### **SECTION E.** Source Group Restrictions.

natural gas processing plant in this Commonwealth which were constructed on or before December 2, 2022:

- (1) Storage vessels at:
  - (i)-(iii) Not applicable
  - (iv) The natural gas trasmission and storage segment
- (2) (5) Not applicable.
- (b) Not applicable.





# **SECTION F.** Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.







# **SECTION G.** Emission Restriction Summary.

Source Id	Source Description		
105	670 HP CATERPILLA	AR G3508 ENGINE (4SLB) SN 9TG00317	
<b>Emission Limit</b>			Pollutant
2.000	gr/HP-Hr		CO
270.000	PPMV	dry at 15%O2	CO
1.000	gr/HP-Hr		NOX
82.000	PPMV	dry at 15%O2	NOX
0.040	gr/DRY FT3		PM10
500.000	PPMV	dry basis	SOX
0.700	gr/HP-Hr		VOC
60.000	PPMV	dry at 15%O2	VOC

### **Site Emission Restriction Summary**

Pollutant



### 03-00202



### SECTION H. Miscellaneous.

The following emission sources are considered insignificant activities at this facility:

Four (4) natural gas-fired space heaters One (1) natural gas-fired hot water heater

Source ID 301 Storage Tanks consist of: 2-285 gallon new engine oil tank; 550 gallon waste engine oil tank 3000 gallon produced fluids tank

This permit is for a non-major facility and emissions from this facility shall not exceed the following, on a consecutive 12-month basis:

99.0 tons of PM-10 (PARTICULATE MATTER < 10 MICRONS)
99.0 tons of NOx (NITROGEN OXIDES)

99.0 tons of CO (CARBON MONOXIDE)

99.0 tons of SOx (SULFUR OXIDES)

49.0 tons of VOCs (VOLATILE ORGANIC COMPOUNDS)

9.0 tons of a SINGLE HAP (HAZARDOUS AIR POLLUTANT)

24.0 tons of ALL HAPs COMBINED

These emission limits have not been established to avoid otherwise applicable requirements (synthetic minor).





\*\*\*\*\* End of Report \*\*\*\*\*