

COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

STATE ONLY SYNTHETIC MINOR OPERATING PERMIT

Issue Date: December 21, 2023 Effective Date: December 21, 2023

Expiration Date: November 30, 2028

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 10-00303

Synthetic Minor

Federal Tax Id - Plant Code: 25-1514532-1

Owner Information

Name: CUE INC

Mailing Address: 11 LEONBERG RD

CRANBERRY TOWNSHIP, PA 16066-3601

Plant Information

Plant: CUE INC/CRANBERRYTWP PLT

Location: 10 Butler County 10921 Cranberry Township

SIC Code: 3089 Manufacturing - Plastics Products, Nec

Responsible Official

Name: JOSEPH C SCALETTA

Title: PRES

Phone: (724) 772 - 5225 Email: scaletta@cue-inc.com

Permit Contact Person

Name: JOSEPH C SCALETTA

Title: PRES

Phone: (724) 772 - 5225 Email: scaletta@cue-inc.com

[Signature]

ERIC A. GUSTAFSON, NORTHWEST REGION AIR PROGRAMMANAGER



×

SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

E-I: Restrictions



SECTION A. Table of Contents

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

Section G. Emission Restriction Summary


Section H. Miscellaneous






SECTION A. Site Inventory List


Source	ID Source Name	Capacity	Throughput (Fuel/Material
031	COMBUSTION SOURCES	14.450	MMBTU/HR	
		14.167	MCF/HR	Natural Gas
101	CASTING (11)	7,500.000	Lbs/HR	POLYURETHANE
102	ADHESIVE APPLICATION	58.610	Lbs/HR	ADHESIVE
103	MOLD CLEANING (POLYOL)	0.520	Lbs/HR	POLYOLS
104	SAFETY KLEEN DEGREASER UNIT		N/A	SAFETY KLEEN
C102	DRY AIR PANEL FILTER			
FML01	NATURAL GAS PIPELINE			
S01	STACK-AIR SEALS			
S02	STACK-BURNER EXHAUST			
S03	STACK-SPRAY BOOTH			
S04	STACK FLASH ENCLOSURE			
S05	STACK FOR SPRAY BOOTH (COMBUSTION)			
S09	STACK FOR MOLD CLEANING			
S10	STACK FOR CASTING (13)			
S11	PART CURE OVEN 33 EXHAUST			
S12	PART CURE OVEN 35 EXHAUST			
S13	MAIN OVEN #3 EXHAUST			
S14	RE-HEAT OVEN #4 EXHAUST			
S15	STACK FOR PARTS WASHER			
Z01	FUGITIVES			
Z02	FUGITIVE FOR CASTING			













#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

Operating Permit Duration.

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
 - (1) For a synthetic minor facility, a fee equal to:
 - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
 - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
 - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.





- (2) For a facility that is not a synthetic minor, a fee equal to:
 - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
 - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
 - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

Transfer of Operating Permits.

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
 - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]

Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:





- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

Duty to Provide Information.

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

Operating Permit Modifications

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:





- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
 - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:





- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
 - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
 - (4) Space heaters which heat by direct heat transfer.
 - (5) Laboratory equipment used exclusively for chemical or physical analysis.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]

Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11]

Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]

Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]

Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such





records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]

Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]

Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
 - (1) The date, place (as defined in the permit) and time of sampling or measurements.
 - (2) The dates the analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of the analyses.
 - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]

Property Rights.

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

Alternative Operating Scenarios.

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





#023 [25 Pa. Code §135.3]

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

Report Format

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

- (a) No person may permit the emission into the outdoor atmosphere of a fugitive air contaminant from a source other than the following:
 - (1) Construction or demolition of buildings or structures.
 - (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (4) Clearing of land.
- (5) Stockpiling of materials.
- (6) Open burning operations.
- (7) (8) [Do not apply]
- (9) Sources and classes of sources other than those identified in paragraphs (1)—(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - (i) The emissions are of minor significance with respect to causing air pollution.
- (ii) The emissions are not preventing or interfering with the attainment or maintenance of an ambient air quality standard.
- (b) An application form for requesting a determination under either subsection (a)(9) or § 129.15(c) is available from the Department. In reviewing these applications, the Department may require the applicant to supply information including, but not limited to, a description of proposed control measures, charac-teristics of emissions, quantity of emissions and ambient air quality data and analysis showing the impact of the source on ambient air quality. The applicant is required to demonstrate that the requirements of subsections (a)(9) and (c) and § 123.2 [Condition #002, below] (relating to fugitive particulate matter) or of the requirements of § 129.15(c) have been satisfied. Upon such demonstration, the Department will issue a determination, in writing, either as an operating permit condition, for those sources subject to permit requirements under the act, or as an order containing appropriate conditions and limitations.
- (c) [Printed under Work Practice Requirements in this section of permit.]
- (d) [Does not apply]

002 [25 Pa. Code §123.2]


Fugitive particulate matter

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in § 123.1(a)(1)—(9) [Condition #001, above] (relating to prohibition of certain fugitive emissions) if the emissions are visible at the point the emissions pass outside the person's property.

003 [25 Pa. Code §123.31]

Limitations

- (a) [Printed under Work Practice Standards in this section of permit.]
- (b) A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source, in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.



(c) [Does not apply]

004 [25 Pa. Code §123.41]

Limitations

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than 3 minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

005 [25 Pa. Code §123.42]

Exceptions

The limitations of § 123.41 [Condition #004, above] (relating to limitations) shall not apply to a visible emission in any of the following instances:

- (1) When the presence of uncombined water is the only reason for failure of the emission to meet the limitations.
- (2) When the emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions.
- (3) When the emission results from sources specified in § 123.1 (a)(1)—(9) [Condition #001, above] (relating to prohibition of certain fugitive emissions).
- (4) [Does not apply]

006 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

Facility-wide VOC emissions shall not exceed 47 TPY (Tons Per Year) in any twelve (12)-month rolling period.

[Plan Approval 10-303B, Condition #5 & Plan Approval 10-303A, Condition #7]

TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

007 [25 Pa. Code §123.43]

Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified to measure plume opacity with the naked eye or with the aid of devices approved by the Department.

IV. RECORDKEEPING REQUIREMENTS.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep a monthly record of VOC emissions from the facility. The present month record shall be added with the previous 11-month period to get a 12-month rolling total.





[Compliance with the requirement in this streamlined permit condition assures compliance with the provisions found in Plan Approval #10-303B, condition #6, and Plan Approval #10-303A, condition #11]

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

009 [25 Pa. Code §121.7]

Prohibition of air pollution.

No person may permit air pollution as that term is defined in the act.

010 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

[From 25 Pa. Code 123.1(c):]

- (c) A person responsible for any source specified in subsections (a)(1)—(7) or (9) [Condition #001, above] shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions include, but not be limited to, the following:
- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
 - (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

011 [25 Pa. Code §123.31]

Limitations

[From 25 Pa. Code 123.31(a):]

- (a) Limitations are as follows:
- (1) If control of malodorous air contaminants is required under subsection (b) [Condition #003, above], emissions shall be incinerated at a minimum of 1200°F for at least 0.3 second prior to their emission into the outdoor atmosphere.
- (2) Techniques other than incineration may be used to control malodorous air contaminants if such techniques are equivalent to or better than the required incineration in terms of control of the odor emissions and are approved in writing by the Department.

012 [25 Pa. Code §129.14]

Open burning operations

- (a) [Does not apply]
- (b) Outside of air basins. No person may permit the open burning of material in an area outside of air basins in a manner that:
- (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the person on whose land the open burning is being conducted.





- (2) Malodorous air contaminants from the open burning are detectable outside the property of the person on whose land the open burning is being conducted.
 - (3) The emissions interfere with the reasonable enjoyment of life or property.
 - (4) The emissions cause damage to vegetation or property.
 - (5) The emissions are or may be deleterious to human or animal health.
- (c) Exceptions. The requirements of subsections (a) and (b) do not apply where the open burning operations result from:
- (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
 - (2) Any fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
 - (3) A fire set for the prevention and control of disease or pests, when approved by the Department.
- (4) A fire set in conjunction with the production of agricultural commodities in their unmanufactured state on the premises of the farm operation.
- (5) A fire set for the purpose of burning domestic refuse, when the fire is on the premises of a structure occupied solely as a dwelling by two families or less and when the refuse results from the normal occupancy of the structure.
 - (6) A fire set solely for recreational or ceremonial purposes.
 - (7) A fire set solely for cooking food.
- (d) Clearing and grubbing wastes. The following is applicable to clearing and grubbing wastes:
 - (1) As used in this subsection the following terms shall have the following meanings:

Air curtain destructor—A mechanical device which forcefully projects a curtain of air across a pit in which open burning is being conducted so that combustion efficiency is increased and smoke and other particulate matter are contained.

Clearing and grubbing wastes—Trees, shrubs and other native vegetation which are cleared from land during or prior to the process of construction. The term does not include demolition wastes and dirt laden roots.

- (2) [Does not apply]
- (3) Subsection (b) notwithstanding clearing and grubbing wastes may be burned outside of an air basin, subject to the following limitations:
- (i) Upon receipt of a complaint or determination by the Department that an air pollution problem exists, the Department may order that the open burning cease or comply with subsection (b).
- (ii) Authorization for open burning under this paragraph does not apply to clearing and grubbing wastes transported from an air basin for disposal outside of an air basin.
- (4) During an air pollution episode, open burning is limited by Chapter 137 (relating to air pollution episodes) and shall cease as specified in that chapter.

[This permit does not continue authorization to burn solid waste pursuant to Section 610(3) of Solid Waste Management Act, 35 P.S. Section 6018.610(3), or any other provision of Solid Waste Management Act.]





VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.






Source ID: 031 Source Name: COMBUSTION SOURCES

Source Capacity/Throughput: 14.450 MMBTU/HR

14.167 MCF/HR Natural Gas



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.22]

Combustion units

No person may permit the emission into the outdoor atmosphere of sulfur oxides, expressed as SO2, from a combustion unit in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

Throughput Restriction(s).

002 Elective Restriction

The maximum natural gas throughput for this process shall not exceed 134,853 MCF (thousand cubic feet) per year based on a 12-consecutive month rolling total.

Monthly fuel usage records will be used to determine material usage, in accordance with Section C, Condition #009. Records of monthly throughput for the natural gas shall be maintained for at least five (5) years and shall be made available to the Department upon request. Compliance with this limit will include calculation of the 12-consecutive month rolling totals, within 30 days following the end of each month. Monitoring and recordkeeping compliance with this limit will be reported annually by March 1 in accordance with Section C, Condition #010(c).

This requirement is based on a natural gas HHV of 1,020 Btu/CF and a VOC emission factor of 5.3 lbs/mmBtu.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.


No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





Source ID: 101 Source Name: CASTING (11)

Source Capacity/Throughput: 7,500.000 Lbs/HR POLYURETHANE



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

VOCs from the casting operations shall not exceed 27 TPY in any twelve (12)-month rolling period.

[Plan Approval 10-303B, Condition #5]

Throughput Restriction(s).

002 Elective Restriction

The maximum resin throughput for this process shall not exceed 3,426.4 tons per year based on a 12-consecutive month rolling total.

Monthly resin throughput records will be used to determine material usage, in accordance with Section C, Condition #009. Records of monthly throughput for the resin shall be maintained for at least five (5) years and shall be made available to the Department upon request. Compliance with this limit will include calculation of the 12-consecutive month rolling totals, within 30 days following the end of each month. Monitoring and recordkeeping compliance with this limit will be reported annually by March 1 in accordance with Section C, Condition #010(c).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep a monthly record of VOC emission from the facility. Present month record shall be added with previous 11-month period to get 12-month rolling total.

[Compliance with the requirement in this streamlined permit condition assures compliance with the provisions found in Plan Approval 10-303B, Condition #6]



V. REPORTING REQUIREMENTS.

004 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

The applicant shall submit annual notification letters of the facility's progress in reducing VOC emissions.

[Plan Approval 10-303B, Condition #7]

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).


VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



Source ID: 102 Source Name: ADHESIVE APPLICATION

Source Capacity/Throughput: 58.610 Lbs/HR ADHESIVE



I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

(a) Particulate emissions from the sources shall not exceed 0.02 grain/dscf.

[Compliance with the requirement in this streamlined permit condition assures compliance with the provisions found in 25 Pa. Code § 123.13]

- (b) VOCs from the paint booth shall not exceed 17.7 TPY (Tons per year) in any twelve (12)-month rolling period.
- (c) HAPs (Hazardous Air Pollutants) shall not exceed 3.7 TPY in any twelve (12)-month rolling period.
- (d) The weight of VOC per volume of elastomer adhesive must be equal to or less than 6.0 lbs/gallon unless the owner or operator of the facility requests, in writing, and the Department approves, in writing, the exemption prior to use of the adhesive.
- (e) The weight of VOC per volume of elastomer adhesive thinner must be equal to or less than 7.5 lbs/gallon unless the owner or operator of the facility requests, in writing, and the Department approves, in writing, the exemption prior to use of the adhesive.

[Plan approval 10-303A, Conditions #6, 7, 8, 9 and 10]

[MEK (methyl ethyl ketone) delisted from EPA's HAP list on December 19, 2005, Thus, MEK restriction has been removed from condition (c)]

002 [25 Pa. Code §129.77.]

Control of emissions from the use or application of adhesives, sealants, primers and solvents.

- (a) This section applies to the owner or operator of a facility that uses or applies one or more of the following at the facility on or after January 1, 2012:
 - (1) An adhesive, sealant, adhesive primer or sealant primer subject to the VOC content limits in Table V.
 - (2) [Does not apply]
 - (3) A surface preparation solvent or cleanup solvent.
- (b) On or after January 1, 2012, an owner or operator of a facility may not use or apply at the facility an adhesive, sealant, adhesive primer or sealant primer that exceeds the applicable VOC content limit in Table V or VI, except as provided elsewhere in this section.
- (c) On or after January 1, 2012, an owner or operator of a facility may not use or apply at the facility a surface preparation or cleanup solvent that exceeds the applicable VOC content limit or composite partial vapor pressure requirements of this section, except as provided elsewhere in this section.
- (d) [Does not apply]





- (e) An owner or operator of a facility subject to this section using or applying a surface preparation solvent or cleanup solvent at the facility may not:
- (1) Except as provided in paragraph (2) for single-ply roof membrane, use materials containing VOCs for surface preparation, unless the VOC content of the surface preparation solvent is less than 70 grams per liter of material or 0.6 pound of VOC per gallon of material.
 - (2) [Does not apply]
- (3) Except as provided in subsection (f), use cleanup solvent materials containing VOCs for the removal of adhesives, sealants, adhesive primers or sealant primers from surfaces, other than from the parts of spray application equipment, unless the composite partial vapor pressure of the solvent is less than or equal to 45 mm mercury at 20° C.
- (f) (I) [Printed under Work Practice Requirements in this section of permit.]
- (m) [Does not apply]
- (n) This section does not apply to the use or application of a noncomplying adhesive, sealant, adhesive primer, sealant primer, surface preparation solvent or cleanup solvent if the total volume of noncomplying adhesives, sealants, primers, surface preparation and cleanup solvents used or applied facility-wide does not exceed 55 gallons per calendar year. An owner or operator of a facility claiming exemption under this subsection shall record and maintain operational records sufficient to demonstrate compliance with this exemption, in accordance with subsections (o)—(q).
- (o) (q) Printed under Recordkeeping Requirements in this section of permit.]
- (r) (ff) [Printed under Testing Requirements in this section of permit.]

003 [25 Pa. Code §129.77.]

Control of emissions from the use or application of adhesives, sealants, primers and solvents.

Table V. VOC Content Limits for Adhesives, Sealants, Adhesive Primers and Sealant Primers, As Applied:

For Adhesive application process, Metal to urethane/rubber molding or casting VOC content (pounds VOC per gallon, less water and exempt compounds)* shall not exceed 7.1 pounds per gallon of adhesive less water and exempt compound or 850 grams of VOC per liter of adhesive less water and exempt compounds.*

*The VOC content is determined as the weight of VOC per volume of product, less water and exempt compounds, as specified in subsections (bb) and (cc) or as the weight of VOC per volume of product, as specified in subsection (dd).

Throughput Restriction(s).

004 Elective Restriction

The maximum adhesive mixture throughput for this process shall not exceed 36,926 pounds (18.46 tons) per year based on a 12-consecutive month rolling total.

Monthly adhesive material usage throughput records will be used to determine material usage, in accordance with Section C, Condition #009. Records of monthly throughput for the adhesive mixture shall be maintained for at least five (5) years and shall be made available to the Department upon request. Compliance with this limit will include calculation of the 12-consecutive month rolling totals, within 30 days following the end of each month. Monitoring and recordkeeping compliance with this limit will be reported annually by March 1 in accordance with Section C, Condition #010(c).

This requirement is based on 23,780 pounds of adhesive (Chemlock 213) having a 91% VOC content and 18% HAP content, 12,555 pounds of thinner (Chemlock 248) having a 100% VOC content and 24% HAP content, and 591 pounds of wash thinner (Fine 699 or equivalent) having a 100% VOC content and 30% HAP content. The emission rates are assumed to be 100% for the adhesive and thinner, and 60% for the wash thinner. Records shall be maintained in accordance with Condition #007, below.





II. TESTING REQUIREMENTS.

005 [25 Pa. Code §129.77.]

Control of emissions from the use or application of adhesives, sealants, primers and solvents.

[25 Pa. Code § 129.77(r)-(ff):]

- (r) Except as otherwise provided in this section, the VOC and solids content of nonaerosol adhesives (including one-part moisture cure urethane adhesives and silicone adhesives), sealants, adhesive primers, sealant primers, surface preparation solvents and cleanup solvents shall be determined using one of the following:
- (1) EPA Reference Method 24, Determination of Volatile Matter Content, Water Content, Density, Volume Solids, and Weight Solids of Surface Coatings, found at 40 CFR 60, Subpart D, Appendix A, including updates and revisions.
- (2) SCAQMD Method 304, Determination of Volatile Organic Compounds (VOC) in Various Materials, SCAQMD, 21865 Copley Drive, Diamond Bar, CA 91765 USA, including updates and revisions.
- (s) The weight volatile matter content and weight solids content for one-part or multiple part reactive adhesives, except one-part moisture cure urethane adhesives and silicone adhesives, shall be determined using the EPA Reference Method, Determination of Weight Volatile Matter Content and Weight Solids Content of Reactive Adhesives, found at 40 CFR 63, Subpart PPPP, Appendix A, including updates and revisions.
- (t) The identity and concentration of exempt organic compounds shall be determined using one of the following:
- (1) ASTM D4457, Standard Test Method for Determination of Dichloromethane and 1,1,1-Trichloroethane in Paints and Coatings by Direct Injection into a Gas Chromatograph, ASTM International, 100 Barr Harbor Drive, P. O. Box C700, West Conshohocken, PA 19428-2959 USA including updates and revisions.
- (2) SCAQMD Method 303, Determination of Exempt Compounds, SCAQMD, 21865 Copley Drive, Diamond Bar, CA 91765 USA, including updates and revisions.
- (u) The VOC content of a plastic cement welding adhesive or primer shall be determined using SCAQMD Method 316A, Determination of Volatile Organic Compounds (VOC) in Materials Used for Pipes and Fittings, SCAQMD, 21865 Copley Drive, Diamond Bar, CA 91765 USA, including updates and revisions.
- (v) To determine if a diluent is a reactive diluent, the percentage of the reactive organic compound that becomes an integral part of the finished material shall be determined using SCAQMD Method 316A, Determination of Volatile Organic Compounds (VOC) in Materials Used for Pipes and Fittings, SCAQMD, 21865 Copley Drive, Diamond Bar, CA 91765 USA, including updates and revisions.
- (w) The composite partial vapor pressure of organic compounds in cleaning materials shall be determined by the following procedure:
- (1) Quantifying the amount of each compound in the blend using gas chromatographic analysis, using the following methods:
- (i) ASTM E260, Standard Practice for Packed Column Gas Chromatography, ASTM International, 100 Barr Harbor Drive, P. O. Box C700, West Conshohocken, PA 19428-2959 USA, for organic content, including updates and revisions.
- (ii) ASTM D3792, Standard Test Method for Water Content of Coatings by Direct Injection Into a Gas Chromatograph, ASTM International, 100 Barr Harbor Drive, P. O. Box C700, West Conshohocken, PA 19428-2959 USA, for water content, including updates and revisions.
 - (2) Calculating the composite partial vapor pressure using the following equation:

n SIGMA (Wi)(VPi)/MWi i=1





PPc =

kn

Ww/MWw + SIGMA We/MWe + SIGMA Wi/MWi

e=1i=1

Where:

PPc = VOC composite partial vapor pressure at 20° C, in mm mercury.

Wi = Weight of the "i"th VOC compound, in grams, as determined by ASTM E260.

Ww = Weight of water, in grams, as determined by ASTM D3792.

We = Weight of the "e"th exempt compound, in grams, as determined by ASTM E260.

MWi = Molecular weight of the "i"th VOC compound, in grams per g-mole, as given in chemical reference literature.

MWw = Molecular weight of water, in grams per g-mole (18 grams per g-mole).

MWe = Molecular weight of the "e"th exempt compound, in grams per g-mole, as given in chemical reference literature.

VPi = Vapor pressure of the "i"th VOC compound at 20° C, in mm mercury, as determined by subsection (x).

- (x) The vapor pressure of each single component compound shall be determined from one or more of the following:
- (1) ASTM D2879, Standard Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope, ASTM International, 100 Barr Harbor Drive, P. O. Box C700, West Conshohocken, PA 19428-2959 USA, including updates and revisions.
 - (2) The most recent edition of one or more of the following sources:
 - (i) Vapour Pressures of Pure Substances, Boublik, Elsevier Scientific Publishing Company, New York.
 - (ii) Perry's Chemical Engineers' Handbook, Green and Perry, McGraw-Hill Book Company.
 - (iii) CRC Handbook of Chemistry and Physics, CRC Press.
 - (iv) Lange's Handbook of Chemistry, McGraw-Hill Book Company.
 - (v) Additional sources approved by the SCAQMD or other California air districts.
- (y) [Does not apply]
- (z) The active and passive solvent losses from the use of an enclosed spray gun cleaning system or equivalent cleaning system, as listed in subsection (f)(1), shall be determined using the SCAQMD method, General Test Method for Determining Solvent Losses from Spray Gun Cleaning Systems, dated October 3, 1989, SCAQMD, 21865 Copley Drive, Diamond Bar, CA 91765 USA, including updates and revisions.
- (1) The test solvent for this determination shall be a lacquer thinner with a minimum vapor pressure of 105 mm of mercury at 20° C.
 - (2) The minimum test temperature shall be 15° C.
- (aa) Another test method may be used to determine the VOC or solids content of a product if the request for approval of the test method meets the following requirements:
 - (1) The request is submitted to the Department in writing.
- (2) The request demonstrates that the test method provides results that accurately determine the concentration of VOCs in the product or its emissions.
 - (3) The Department approves the request in writing.





(bb) For adhesive, sealant, adhesive primer or sealant primer products that do not contain reactive diluents, grams of VOC per liter of product thinned to the manufacturer's recommendation, less water and exempt compounds, shall be calculated according to the following equation:

Grams of VOC per liter of product, as applied = Ws - Ww - We

Vm - Vw - Ve

Where:

Ws = weight of volatile compounds, in grams.

Ww = weight of water, in grams.

We = weight of exempt compounds, in grams.

Vm = volume of material, in liters.

Vw = volume of water, in liters.

Ve = volume of exempt compounds, in liters.

(cc) For adhesive, sealant, adhesive primer or sealant primer products that contain reactive diluents, the VOC content of the product is determined after curing. The grams of VOC per liter of product thinned to the manufacturer's recommendation, less water and exempt compounds, shall be calculated according to the following equation:

Grams of VOC per liter of product, as applied = Wrs - Wrw - Wre

Vrm - Vrw - Vre

Where:

Wrs = weight of volatile compounds not consumed during curing, in grams.

Wrw = weight of water not consumed during curing, in grams.

Wre = weight of exempt compounds not consumed during curing, in grams.

Vrm = volume of material not consumed during curing, in liters.

Vrw = volume of water not consumed during curing, in liters.

Vre = volume of exempt compounds not consumed during curing, in liters.

(dd) For low-solids adhesive, sealant, adhesive primer or sealant primer products, grams of VOC per liter of product thinned to the manufacturer's recommendation, including the volume of water and exempt compounds, shall be calculated according to the following equation:

Grams of VOC per liter of product, as applied = Ws - Ww - We Vm

Where:

Ws = weight of volatile compounds, in grams.

Ww = weight of water, in grams.

We = weight of exempt compounds, in grams.

Vm = volume of material, in liters.

(ee) Percent VOC by weight shall be calculated according to the following equation:

% VOC by weight = $[(Wv/W)] \times 100$

Where:

Wv = weight of VOCs, in grams.

W = weight of material, in grams.

(ff) To convert from grams per liter (g/l) to pounds per gallon (lb/gal), multiply the result (VOC content) by 8.345×10^{-3} (lb/gal/g/l).





III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep a monthly record of VOC emission from the facility. Present month record shall be added with previous 11-month period to get 12-month rolling total.

[Compliance with the requirement in this streamlined permit condition assures compliance with the provisions found in Plan Approval 10-303A, Condition #11]

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain a record of all preventive maintenance inspections of the spray booth filter. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problem or defects, any routine maintenance performed.

008 [25 Pa. Code §129.77.]

Control of emissions from the use or application of adhesives, sealants, primers and solvents.

[25 Pa. Code § 129.77(o)-(q):]

- (o) Except as provided in subsection (p), each owner or operator subject to this section shall maintain records demonstrating compliance with this section, including the following information:
- (1) A list of each adhesive, sealant, adhesive primer, sealant primer, surface preparation solvent and cleanup solvent product in use and in storage.
- (2) A data sheet or material list which provides the product name, manufacturer identification and use or material application for each product included on the list required under paragraph (1).
 - (3) The VOC content of each product on the list required under paragraph (1), as supplied.
 - (4) Catalysts, reducers or other components used and the mix ratio.
- (5) The VOC content or vapor pressure of each product on the list required by paragraph (1), as applied, if solvent or other VOC is added to the product before application.
 - (6) The volume purchased or produced of each product on the list required under paragraph (1).
- (7) The monthly volume used or applied as part of a manufacturing process at the facility of each product on the list required under paragraph (1).
- (p) For an adhesive, sealant, adhesive primer and sealant primer product subject to the laboratory testing exemption of subsection (k)(1), the person conducting the testing shall make and maintain records of all products used, including the following information:
 - (1) The product name.
 - (2) The product category of the material or type of application.
 - (3) The VOC content of the material.
- (q) Records made to determine compliance with this section shall be:





- (1) Maintained onsite for 5 years from the date the record is created.
- (2) Made available to the Department upon receipt of a written request.

V. REPORTING REQUIREMENTS.

009 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

The applicant shall submit annual notification letters of the facility's progress in reducing VOC emissions.

[Plan Approval 10-303A, Condition #12]

VI. WORK PRACTICE REQUIREMENTS.

010 [25 Pa. Code §127.12b]

Plan approval terms and conditions.

- (a) The manometer, measuring pressure drop across the dry filters shall be maintained in working, readable condition at all times. The pressure drop across the filters shall be maintained in the appropriate pressure drop range, as dictated by gauge manufacturer and previous gauge operating parameters. Readings will be recorded weekly, and a record of the readings and a maintenance log, which would include when filters are changed, will be kept for five years.
- (b) The facility shall maintain sufficient filters for the paint booth on site, or shall have immediate access to spare filters in the event of failure.
- (c) The source shall not operate when the control device is not operating.

[Plan Approval 10-303A, Conditions #5, 13, and 14]

011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall perform a weekly preventive maintenance inspection of the spray booth filter.
- (b) The permittee shall change the saturated spray booth filter when necessary to ensure proper operation of the filter.
- (c) The permittee shall install a manometer across the dry panel air filter to measure the pressure drop.
- (d) The permittee shall maintain and operate this source and the spray booth filter in accordance with the manufacturer's specifications.

012 [25 Pa. Code §129.77.]

Control of emissions from the use or application of adhesives, sealants, primers and solvents.

[25 Pa. Code § 129.77(f)-(I):]

- (f) Removal of an adhesive, sealant, adhesive primer or sealant primer from the parts of spray application equipment shall be performed by one or more of the following methods:
- (1) Using an enclosed cleaning system, or an equivalent cleaning system as determined by the test method identified in subsection (z).
- (2) Using a solvent with a VOC content less than or equal to 70 grams of VOC per liter of material or 0.6 pound of VOC per gallon of material.
- (3) Soaking parts containing dried adhesive in a solvent if the composite partial vapor pressure of the solvent, excluding water and exempt compounds, is less than or equal to 9.5 mm mercury at 20° C and the parts and solvent are in a closed container that remains closed except when adding parts to or removing parts from the container.





(g) [Does not apply]

- (h) An owner or operator of a facility subject to this section shall store or dispose of all absorbent materials, including cloth or paper, which are moistened with adhesives, sealants, primers, surface preparation solvents or cleanup solvents subject to this section, in nonabsorbent containers at the facility that are kept closed except when placing materials in or removing materials from the container.
- (i) An owner or operator of a facility subject to this section may not solicit, require or specify the use or application of an adhesive, sealant, adhesive primer, sealant primer, surface preparation solvent or cleanup solvent if the use or application would result in a violation of this section, unless the emissions are controlled through the use of add-on air pollution control equipment as specified in subsection (g). The prohibition of this subsection applies to all written or oral contracts created on or after January 1, 2012, under which an adhesive, sealant, adhesive primer, sealant primer, surface preparation solvent or cleanup solvent subject to this section is to be used or applied at a facility in this Commonwealth.
- (j) An owner or operator of a facility subject to this section who uses or applies an adhesive, sealant, adhesive primer or sealant primer subject to this section may not add solvent to the adhesive, sealant, adhesive primer or sealant primer in an amount in excess of the manufacturer's recommendation for application, if this addition causes the adhesive, sealant, adhesive primer or sealant primer to exceed the applicable VOC content limit listed in Table V or VI, unless the emissions are controlled through the use of add-on air pollution control equipment as specified in subsection (g).
- (k) This section does not apply to the use or application of the following compounds or products:
- (1) Adhesives, sealants, adhesive primers or sealant primers being tested or evaluated in a research and development, quality assurance or analytical laboratory, if records are maintained as required in subsections (p) and (q).
- (2) Adhesives, sealants, adhesive primers or sealant primers that are subject to other sections in this chapter or Chapter 130 (relating to standards for products).
- (3) Adhesives and sealants that contain less than 20 grams of VOC per liter of adhesive or sealant, less water and less exempt compounds, as applied.
 - (4) Cyanoacrylate adhesives.
- (5) Adhesives, sealants, adhesive primers or sealant primers that are sold or supplied by the manufacturer or supplier in containers with a net volume of 16 fluid ounces or less, or a net weight of 1 pound or less, except plastic cement welding adhesives and contact adhesives.
- (6) Contact adhesives that are sold or supplied by the manufacturer or supplier in containers with a net volume of 1 gallon or less.
- (I) This section does not apply to the use of adhesives, sealants, adhesive primers, sealant primers, surface preparation solvents or cleanup solvents in the following operations:
 - (1) Tire repair operations, if the label of the adhesive states, "For tire repair only."
- (2) The assembly, repair and manufacture of aerospace components or undersea-based weapons systems.
- (3) The manufacture of medical equipment.
- (4) [Does not apply]


VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



Source ID: 103 Source Name: MOLD CLEANING (POLYOL)

Source Capacity/Throughput: 0.520 Lbs/HR POLYOLS



I. RESTRICTIONS.

Throughput Restriction(s).

001 Elective Restriction

The maximum polyol throughput for this process shall not exceed 11,321 pounds (5.66 tons) per year based on a 12-consecutive month rolling total.

Monthly polyol purchase records less losses (waste disposal including hauled out as waste, spilled on the floor, and flushed down the drain) will be used to determine material usage, in accordance with Section C, Condition #009. Records of monthly throughput for the polyol shall be maintained for at least five (5) years and shall be made available to the Department upon request. Compliance with this limit will include calculation of the 12-consecutive month rolling totals, within 30 days following the end of each month. Monitoring and recordkeeping compliance with this limit will be reported annually by March 1 in accordance with Section C, Condition #010(c).

This requirement is based on a weight-based VOC emission rate of 36% of the polyol used. This emission factor was established by looking at purchases, inventory, and losses by CUE.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep a monthly record of VOC emission from this source.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



Source ID: 104 Source Name: SAFETY KLEEN DEGREASER UNIT

Source Capacity/Throughput: N/A SAFETY KLEEN



I. RESTRICTIONS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep a monthly record of VOC emission from this source.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

002 [25 Pa. Code §129.63]

Degreasing operations

- (a) Cold cleaning machines. Except for those subject to the Federal National emissions standards for hazardous air pollutants (NESHAP) for halogenated solvent cleaners under 40 CFR Part 63 (relating to National emission standards for hazardous air pollutants for source categories), this subsection applies to cold cleaning machines that use 2 gallons or more of solvents containing greater than 5% VOC content by weight for the cleaning of metal parts.
 - (1) Immersion cold cleaning machines shall have a freeboard ratio of 0.50 or greater.
 - (2) Immersion cold cleaning machines and remote reservoir cold cleaning machines shall:
- (i) Have a permanent, conspicuous label summarizing the operating requirements in paragraph (3). In addition, the label shall include the following discretionary good operating practices:
- (A) Cleaned parts should be drained at least 15 seconds or until dripping ceases, whichever is longer. Parts having cavities or blind holes shall be tipped or rotated while the part is draining. During the draining, tipping or rotating, the parts should be positioned so that solvent drains directly back to the cold cleaning machine.
- (B) When a pump-agitated solvent bath is used, the agitator should be operated to produce a rolling motion of the solvent with no observable splashing of the solvent against the tank walls or the parts being cleaned.





- (C) Work area fans should be located and positioned so that they do not blow across the opening of the degreaser unit.
- (ii) Be equipped with a cover that shall be closed at all times except during cleaning of parts or the addition or removal of solvent. For remote reservoir cold cleaning machines which drain directly into the solvent storage reservoir, a perforated drain with a diameter of not more than 6 inches shall constitute an acceptable cover.
 - (3) Cold cleaning machines shall be operated in accordance with the following procedures:
- (i) Waste solvent shall be collected and stored in closed containers. The closed containers may contain a device that allows pressure relief, but does not allow liquid solvent to drain from the container.
- (ii) Flushing of parts using a flexible hose or other flushing device shall be performed only within the cold cleaning machine. The solvent spray shall be a solid fluid stream, not an atomized or shower spray.
- (iii) Sponges, fabric, wood, leather, paper products and other absorbent materials may not be cleaned in the cold cleaning machine.
 - (iv) Air agitated solvent baths may not be used.
 - (v) Spills during solvent transfer and use of the cold cleaning machine shall be cleaned up immediately.
- (4) After December 22, 2002, a person may not use, sell or offer for sale for use in a cold cleaning machine any solvent with a vapor pressure of 1.0 millimeter of mercury (mm Hg) or greater and containing greater than 5% VOC by weight, measured at 20°C (68°F) containing VOCs.
- (5) On and after December 22, 2002, a person who sells or offers for sale any solvent containing VOCs for use in a cold cleaning machine shall provide, to the purchaser, the following written information:
 - (i) The name and address of the solvent supplier.
 - (ii) The type of solvent including the product or vendor identification number.
 - (iii) The vapor pressure of the solvent measured in mm hg at 20°C (68°F).
- (6) A person who operates a cold cleaning machine shall maintain for at least 5 years and shall provide to the Department, on request, the information specified in paragraph (5). An invoice, bill of sale, certificate that corresponds to a number of sales, Material Safety Data Sheet (MSDS), or other appropriate documentation acceptable to the Department may be used to comply with this section.
- (7) Paragraph (4) does not apply:
- (i) To cold cleaning machines used in extreme cleaning service.
- (ii) If the owner or operator of the cold cleaning machine demonstrates, and the Department approves in writing, that compliance with paragraph (4) will result in unsafe operating conditions.
 - (iii) To immersion cold cleaning machines with a freeboard ratio equal to or greater than 0.75.
- (b) (e) [Do not apply]

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).





SECTION E. Source Group Restrictions.



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.





SECTION G. Emission Restriction Summary.

Source Id	Source Description		
031	COMBUSTION SOURCES		
Emission Limi	t		Pollutant
4.000	Lbs/MMBTU	of heat input over any 1-hour period.	SOX
101	CASTING (11)		
Emission Limi	t		Pollutant
27.000	Tons/Yr	Based on 12-month rolling total.	VOC
102	ADHESIVE APPLICATION		
Emission Limi	t		Pollutant
3.700	Tons/Yr	Based on 12-month rolling total	Hazardous Air Pollutants
0.020	gr/DRY FT3		TSP
17.700	Tons/Yr	Based on 12-month rolling total	VOC

Site Emission Restriction Summary

Emission Limit		Pollutant	
47.000 Tons/Yr	Based on 12-month rolling total.	VOC	



SECTION H. Miscellaneous.

- (a) The Capacity/Throughput numbers listed on Page 4 and provided in Section D of this permit for individual sources are for informational purposes only and are not to be considered enforceable limits. Enforceable emission limits are listed in the Restriction section for each source. They are also summarized for informational purposes only in Section G.
- (b) The following sources have no applicable emission limitation, testing, monitoring, reporting, recordkeeping, work practice, or additional requirements:
 - 1) Polyurethane parts cleaner (aqueous).
 - 2) Sandblasters (2) (each with indoor-exhausting baghouses)
 - 3) Hand cleaning of molds using acetone
 - 4) Metal Sanding
 - 5) Flash removal with heated knife
 - 6) Finishing operations; cutting/grinding polyurethane with an indoor-exhausting baghouse
 - 7) Electric Ovens used for mold preheating and part curing.
- 8) Blanket parts washer used for cleaning cast parts. It rinses cast parts off with hot water (electrically heated) and has a 12-in diameter exhaust duct.
 - 9) Electrically heated aqueous cleaning machines (2)
 - 10) Polyurethane blanket grinding (mobile indoor-venting dust collector)
- 11) Ultrasonic cleaner tank installed in 2020 with approximately 88% water and 12% Optima 300 solution (total solution <5% VOC). Tank is electrically heated to 145°F and water vapor is vented through a stack.
- (c) Source ID 101: Updated description of casting machines:
 - 1. [Removed]
 - 2. Hennecke SK-3, installed: 1996
 - 3. APC, installed: 1989, replaced controls 2009 (planned replacement with Baule MBM-4C in Q1 2024)
 - 4. APC, install date pre-2000, replaced controls 2016
 - 5. [Removed]
 - 6. Baule MBM-2C, installed: 2000
 - 7. Baule MBM UM2C, installed: Mar. 1997
 - 8. Baule MBM, UM6C, installed: Jun. 1997
 - 9. Baule MBM-3C, installed: 2002
- 10. State Mix Model 5M321, installed Oct. 2012
- 11. Baule MBM-3C, installed: 2005
- 12. Baule MBM-2C, installed: 2005
- 13. Baule A3M, installed: 2016
- (d) Source ID 031: Combustion unit comprised of the following sources (total heat input: 14.45 mmBtu/hr):
 - 1) Five Makeup Air Units made by Reznor, Model # RFD-3-260, each heat input 2.0 mmBtu/hr. 2 units installed in 1992, 2 units in 1994, and 1 unit in 1999.
- 2) Metal Washer/Spraybooth Line, made by General Fabrication, model # 1270, heat input, 1.46 mmBtu/hr. Installed in 1995/new burner 2023.
 - 3) Parts Washer, LVO Mfg model FL36, 0.090 mmBtu/hr, installed 11/25/2019.
 - 4) Hot Water Heater for domestic water, made by state industries, 100 gallons capacity, model # SBT100199NET1, heat input 0.20 MMBTU/Hr. Installed in 1994.
 - 5) Polyurethane part cure oven #33, made by JPW Design and Manufacturing, model # ST8720TULG 480V 800BTU PT, heat input 0.8 mmBtu/hr. Installed in 2013.
 - 6) Polyurethane part cure oven #35, made by JPW Design and Manufacturing, model # ST12721TUL 480V 800BTU PT, heat input 0.8 mmBtu/hr. Installed in 2015.
 - 7) Main oven #3, 500 cfm exhaust, heat input 0.7 mmBtu/hr, installed July 2018.
 - 8) Re-heat oven #4, 250 cfm exhaust, heat input 0.4 mmBtu/hr, installed July 2018.
- (e) This permit was renewed on 05/13/2013.
- (f) This permit was renewed on 05/15/2018.
- (g) This permit was renewed on December 21, 2023 with an effective date of December 21, 2023.





***** End of Report *****