



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION AIR QUALITY PROGRAM

STATE ONLY NATURAL MINOR OPERATING PERMIT

Issue Date: May 26, 2023 Effective Date: May 26, 2023

Expiration Date: May 26, 2028

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 11-00524

Natural Minor

Federal Tax Id - Plant Code: 25-1618979-1

	Owner Information
Name: JWF IND INC	
Mailing Address: 84 IRON ST	
JOHNSTOWN, PA 15906-26	18
	Plant Information
Plant: JWF IND INC/ENVIRONMENTAL TANI	K & CONTAINER
Location: 11 Cambria County	11962 West Taylor Township
SIC Code: 3443 Manufacturing - Fabricated Plate	e Work (Boiler Shops)
	Responsible Official
Name: WILLIAM TEETER	
Title: GENERAL MANAGER	
Phone: (814) 539 - 6922	Email:
	Permit Contact Person
Name: JUSTON DUBNANSKY	
Title: OCC SFTY & HEALTH SPCLST	
Phone: (724) 875 - 4791	Email: jdubnansky@jwfi.com
[Signature]	
MARK R. GOROG, P.E., ENVIRONMENTAL PROG	
WARTER CONTROL IN CONTROL INCOLUCIA IN CONTROL INCOLUCIA IN CONTROL IN CONTRO	- TO THE TOTAL OF THE O





SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

E-I: Restrictions



SECTION A. Table of Contents

E-II: Testing Requirements
E-III: Monitoring Requirements
E-IV: Recordkeeping Requirements
E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

F-I: Restrictions

F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous








SECTION A. Site Inventory List

Source	D Source Name	Capacity/Throughput	Fuel/Material
102	PAINT BOOTH	N/A	
C102	DRYFILTERS		
S102	PAINT BOOTH STACK		







#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

Operating Permit Duration.

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]

Permit Renewal.

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
 - (1) For a synthetic minor facility, a fee equal to:
 - (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
 - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
 - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.







- (2) For a facility that is not a synthetic minor, a fee equal to:
 - (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
 - (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
 - (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.
- (b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

Transfer of Operating Permits.

- (a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.
- (b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.
- (c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

Inspection and Entry.

- (a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:
- (1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;
 - (2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;
- (3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;
- (4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.
- (b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.
- (c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]

Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:





- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application
- (b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.
- (c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

Duty to Provide Information.

- (a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.
- (b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]

Operating Permit Modifications

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:



- (b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.
- (c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.
- (d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.
- (e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]

11-00524

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

- (a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:
 - (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
- (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
- (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
- (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
- (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
- (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

11-00524



SECTION B. General State Only Requirements

- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
 - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
 - (4) Space heaters which heat by direct heat transfer.
 - (5) Laboratory equipment used exclusively for chemical or physical analysis.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]

Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)





- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11]

Reactivation

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]

Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]

Reporting Requirements.

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager PA Department of Environmental Protection (At the address given in the permit transmittal letter, or otherwise notified)

- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such



records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]

Sampling, Testing and Monitoring Procedures.

- (a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.
- (b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]

Recordkeeping.

- (a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:
 - (1) The date, place (as defined in the permit) and time of sampling or measurements.
 - (2) The dates the analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of the analyses.
 - (6) The operating conditions as existing at the time of sampling or measurement.
- (b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.
- (c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]

Property Rights.

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

Alternative Operating Scenarios.

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.





#023 [25 Pa. Code §135.3]

11-00524

Reporting

- (a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.
- (b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]

Report Format

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.





I. RESTRICTIONS.

Emission Restriction(s).

001 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

- (a) No person may permit the emission into the outdoor atmosphere of fugitive air contaminant from a source other than the following:
 - (1) Construction or demolition of buildings or structures.
 - (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
 - (4) Clearing of land.
 - (5) Stockpiling of materials.
 - (6) Open burning operations.
 - (7)-(8) Not applicable.
- (9) Sources and classes of sources other than those identified in paragraphs (1)-(8), for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - (i) the emissions are of minor significance with respect to causing air pollution; and
- (ii) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.
- (b) Not applicable.
- (c) See Work Practice Standards Requirements.
- (d) Not applicable.

002 [25 Pa. Code §123.13]

Processes

- (a) (b) Not applicable.
- (c) For processes not listed in subsection (b)(1), including but not limited to, coke oven battery waste heat stacks and autogeneous zinc coker waste heat stacks, the following shall apply:
- (1) Prohibited emissions. No person may permit the emission into the outdoor atmosphere of particulate matter from any process not listed in subsection (b)(1) in a manner that the concentration of particulate matter in the effluent gas exceeds any of the following:
- (i) 0.04 grain per dry standard cubic foot, when the effluent gas volume is less than 150,000 dry standard cubic feet per minute.
 - (ii) (iii) Not applicable.
 - (2) Not applicable.
 - (d) Not applicable.

003 [25 Pa. Code §123.2]

Fugitive particulate matter

A person may not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in §123.1(a)(1) -- (9) (relating to prohibition of certain fugitive emissions) if such emissions are visible at the point the emissions pass outside the person's property.





JWF IND INC/ENVIRONMENTAL TANK & CONTAINER



SECTION C. Site Level Requirements

004 [25 Pa. Code §123.31]

Limitations

- (a) Not applicable.
- (b) A person may not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.
- (c) Not applicable.

005 [25 Pa. Code §123.41]

Limitations

A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Facility-wide VOC emissions from all sources are limited to 29.0 tons in any 12-month rolling period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

A facility-wide inspection shall be conducted at a minimum of once each day that the facility is operated by the Owner/Operator. The facility-wide inspection shall be conducted for the presence of the following:

- a. Visible stack emissions;
- b. Fugitive emissions; and
- c. Potentially objectionable odors at the property line.

These observations are to ensure continued compliance with source-specific visible emission limitations, fugitive emissions prohibited under 25 Pa. Code §123.1 or §123.2, and malodors prohibited under 25 Pa. Code §123.31. Observations for visible stack emissions shall be conducted during daylight hours and all observations shall be conducted while sources are in operation. If visible stack emissions, fugitive emissions, or potentially objectionable odors are apparent, the Owner/Operator shall take corrective action. Records of each inspection shall be maintained in a log and at the minimum include the date, time, name and title of the observer, along with any corrective action taken as a result. These records shall be kept on site or at an alternative location acceptable to the Department for a period of five years and made available to the Department upon request.

IV. RECORDKEEPING REQUIREMENTS.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall maintain the following comprehensive and accurate records:



11-00524

- a. Facilty-wide VOC and organic HAP emissions (including individual HAPs) on a 12-month rolling basis (in TPY).
- b. Records of daily facility-wide visible stack, fugitive, and potentially objectionable odor inspections including the date, time, name, and title of the observer, along with any corrective action taken as a result.

009 [25 Pa. Code §127.441]

Operating permit terms and conditions.

All logs and required records shall be maintained on site or at an alternative location acceptable to the Department for a minimum of five years and shall be made available to the Department upon request.

010 [25 Pa. Code §135.5]

Recordkeeping

Source owners or operators shall maintain and make available upon request by the Department records including computerized records that may be necessary to comply with §135.3 and §135.21 (relating to reporting; and emission statements). These may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions. If direct recordkeeping is not possible or practical, sufficient records shall be kept to provide the needed information by indirect means.

V. REPORTING REQUIREMENTS.

011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall report malfunctions, emergencies or incidents of excess emissions to the Department. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. An emergency is any situation arising from sudden and reasonably unforeseeable events beyond the control of the owner or operator of a facility which requires immediate corrective action to restore normal operation and which causes the emission source to exceed emissions, due to unavoidable increases in emissions attributable to the situation. An emergency shall not include situations caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.
- (b) When the malfunction, emergency or incident of excess emissions poses an imminent danger to the public health, safety, welfare, or environment, it shall be reported to the Department and the County Emergency Management Agency by telephone within one (1) hour after the discovery of the malfunction, emergency or incident of excess emissions. The owner or operator shall submit a written or emailed report of instances of such malfunctions, emergencies or incidents of excess emissions to the Department within three (3) business days of the telephone report.
- (c) The report shall describe the following:
 - 1. name, permit or authorization number, and location of the facility,
 - 2. nature and cause of the malfunction, emergency or incident,
 - 3. date and time when the malfunction, emergency or incident was first observed,
 - 4. expected duration of excess emissions,
 - 5. estimated rate of emissions.
 - 6. corrective actions or preventative measures taken.
- (d) Any malfunction, emergency or incident of excess emissions that is not subject to the notice requirements of paragraph (b) of this condition shall be reported to the Department by telephone within 24 hours (or by 4:00 PM of the next business day, whichever is later) of discovery and in writing or by e-mail within five (5) business days of discovery. The report shall contain the same information required by paragraph (c), and any permit specific malfunction reporting requirements.
- (e) During an emergency an owner or operator may continue to operate the source at their discretion provided they submit justification for continued operation of a source during the emergency and follow all the notification and reporting requirements in accordance with paragraphs (b)-(d), as applicable, including any permit specific malfunction reporting





requirements.

- (f) Reports regarding malfunctions, emergencies or incidents of excess emissions shall be submitted to the appropriate DEP Regional Office Air Program Manager.
- (g) Any emissions resulted from malfunction or emergency are to be reported in the annual emissions inventory report, if the annual emissions inventory report is required by permit or authorization.

012 [25 Pa. Code §135.3]

Reporting

- (a) A person who owns or operates a source to which this chapter applies, and who has previously been advised by the Department to submit a source report, shall submit by March 1 of each year a source report for the preceding calendar year. The report shall include information for all previously reported sources, new sources which were first operated during the proceeding calendar year and sources modified during the same period which were not previously reported.
- (b) A person who receives initial notification by the Department that a source report is necessary shall submit an initial source report within 60 days after receiving the notification or by March 1 of the year following the year for which the report is required, whichever is later.
- (c) A source owner or operator may request an extension of time from the Department for the filing of a source report, and the Department may grant the extension for reasonable cause.

VI. WORK PRACTICE REQUIREMENTS.

013 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

- (c) A person responsible for any source specified in subsections (a)(1) -- (7) or (9) shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:
- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads, or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
 - (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

014 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall keep all coating and solvent containers closed at all times unless filling, draining, or performing cleanup operations.

015 [25 Pa. Code §127.441]

Operating permit terms and conditions.

All the air contamination sources and air cleaning devices included in this state-only operating permit shall be operated in accordance with the manufacturer's specifications and maintained per the manufacturer's recommended maintenance schedule. A copy of the manufacturer's recommended maintenance schedule shall be kept on site and records of all maintenance or malfunction inspections, including corrective actions taken, shall be kept.





VII. ADDITIONAL REQUIREMENTS.

016 [25 Pa. Code §127.441]

Operating permit terms and conditions.

If, at any time, the Department has cause to believe that air contaminant emissions from the sources listed in this State-Only Operating Permit may be in excess of the limitations specified in, or established pursuant to the permittee's operating permit, the permittee may be required to conduct test methods and procedures deemed necessary by the Department to determine the actual emissions rate. Such testing shall be conducted in accordance with 25 Pa. Code Chapter 139, where applicable, and in accordance with any restrictions or limitations established by the Department at such time as it notifies the company that testing is required.

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.








Source ID: 102 Source Name: PAINT BOOTH

> Source Capacity/Throughput: N/A



RESTRICTIONS.

Emission Restriction(s).

11-00524

001 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surf

- (a) Applicability.
- (1) This section applies to the owner and operator of a miscellaneous metal part surface coating process or miscellaneous plastic part surface coating process, or both, if the total actual VOC emissions from all miscellaneous metal part coating units and miscellaneous plastic part coating units, including related cleaning activities, at the facility are equal to or greater than 2.7 tons per 12-month rolling period, before consideration of controls.
- (2) This section applies, as specified, to the owner and operator of a miscellaneous metal part surface coating process or miscellaneous plastic part surface coating process, or both, if the total actual VOC emissions from all miscellaneous metal part coating units and miscellaneous plastic part coating units, including related cleaning activities, at the facility are below 2.7 tons per 12-month rolling period, before consideration of controls.
- (3) Compliance with the VOC emission limits and other requirements of this section assures compliance with the VOC emission limits and other requirements of §129.52 (relating to surface coating processes) for the miscellaneous metal parts and products surface coating processes as specified in §129.52, Table I, Category 10.
 - (4) Not applicable.
 - (5) This section does not apply to an owner or operator in the use or application of the following:
- (i) Aerosol coatings that meet the requirements of 40 CFR Part 59, Subpart E (relating to National volatile organic compound emission standards for aerosol coatings).
 - (ii) Aerospace coatings.
 - (iii) Architectural coatings.
 - (iv) Automobile refinishing coatings.
 - (v) Auto and light-duty truck assembly coatings.
 - (vi) Can, coil, or magnet wire coatings.
- (vii) Coating applied to a test panel or coupon, or both, in research and development, quality control or performance testing activities, if records are maintained as required under subsections (e) and (f).
 - (viii) Fiberglass boat manufacturing materials.
 - (ix) Flat wood paneling coatings.
 - (x) Large appliance coatings.
 - (xi) Metal furniture coatings.
 - (xii) Miscellaneous industrial adhesives.
 - (xiii) Paper, film, and foil coatings.
 - (xiv) Shipbuilding and repair coatings.
 - (xv) Wood furniture coatings.
- (b) Definitions. [Omitted. See regulation for reference.]
- (c) Not applicable.
- (d) Emission limitations. Beginning January 1, 2017, a person subject to subsection (a)(1) may not cause or permit the



emission into the outdoor atmosphere of VOCs from a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, unless emissions of VOCs are controlled in accordance with paragraph (1), (2) or (3).

- (1) Compliant materials option. The VOC content of each miscellaneous metal part coating or each miscellaneous plastic part coating, as applied, excluding water and exempt compounds, is equal to or less than the VOC content limit for the applicable coating category specified in the applicable table of VOC content limits in Tables I—V.
 - (2) (3) Not applicable.

11-00524

- (4) Least restrictive VOC limit. If more than one VOC content limit or VOC emission rate limit applies to a specific coating, then the least restrictive VOC content limit or VOC emission rate limit applies.
- (5) Coatings not listed in Table I, II, VI or VII. For a miscellaneous metal part or miscellaneous plastic part coating that does not meet the coating categories listed in Table I, II, VI or VII, the VOC content limit or VOC emission rate limit shall be determined by classifying the coating as a general one component coating or general multicomponent coating. The corresponding general one component coating or general multicomponent coating limit applies.
 - (6) Not applicable.

002 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surf

Table I. VOC Content Limits for Metal Parts and Products Surface Coatings

Weight of VOC per Volume of Coating, Less Water and Exempt Compounds, as Applied

Coating Category:	Air Dried:		Baked:	
	kg VOC/I	lb VOC/gal	kg VOC/I	lb VOC/gal
	2.24			
General One-Component	0.34	2.8	0.28	2.3
General Two-Component	0.34	2.8	0.28	2.3
Camouflage	0.42	3.5	0.42	3.5
Electric-insulating Varnish	0.42	3.5	0.42	3.5
Etching Filler	0.42	3.5	0.42	3.5
Extreme High-gloss	0.42	3.5	0.36	3.0
Extreme Performance	0.42	3.5	0.36	3.0
Heat-resistant	0.42	3.5	0.36	3.0
High-performance Architectural	0.74	6.2	0.74	6.2
High-temperature	0.42	3.5	0.42	3.5
Metallic	0.42	3.5	0.42	3.5
Military Specification	0.34	2.8	0.28	2.3
Mold-seal	0.42	3.5	0.42	3.5
Pan-backing	0.42	3.5	0.42	3.5
Prefab Architectural Multicompon	ent 0.42	3.5	0.28	2.3
Prefabr Architectural One-compo	nent 0.42	3.5	0.28	2.3
Pretreatment	0.42	3.5	0.42	3.5
Touch-up and Repair	0.42	3.5	0.36	3.0
Silicone-release	0.42	3.5	0.42	3.5
Solar-absorbent	0.42	3.5	0.36	3.0
Vacuum-metalizing	0.42	3.5	0.42	3.5
Drum Coating, New, Exterior	0.34	2.8	0.34	2.8
Drum Coating, New, Interior	0.42	3.5	0.42	3.5
Drum Coating Reconditioned Ext	erior 0.42	3.5	0.42	3.5
Drum Coating Reconditioned Inte		4.2	0.50	4.2



003 [25 Pa. Code §129.52d]

11-00524

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surf

Table VI. VOC Emission Rate Limits for Metal Parts and Products Surface Coatings

Weight of VOC per Volume of Coating Solids, as Applied

Reg VOC/I Ib VOC/gal Reg VOC/I Ib VOC/gal	Coating Category: Air I	Oried:		Baked:	
General Two-Component 0.54 4.52 0.40 3.35 Camouflage 0.80 6.67 0.80 6.67 Electric-insulating Varnish 0.80 6.67 0.80 6.67 Etching Filler 0.80 6.67 0.80 6.67 Extreme High-gloss 0.80 6.67 0.61 5.06 Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-performance Architectural 4.52 0.40 3.3	kg \	VOC/I	lb VOC/gal	kg VOC/I	lb VOC/gal
Camouflage 0.80 6.67 0.80 6.67 Electric-insulating Varnish 0.80 6.67 0.80 6.67 Etching Filler 0.80 6.67 0.80 6.67 Extreme High-gloss 0.80 6.67 0.61 5.06 Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-compone	General One-Component	0.54	4.52	0.40	3.35
Electric-insulating Varnish 0.80 6.67 0.80 6.67 Etching Filler 0.80 6.67 0.80 6.67 Extreme High-gloss 0.80 6.67 0.61 5.06 Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.80 6.67 Silicone	General Two-Component	0.54	4.52	0.40	3.35
Etching Filler 0.80 6.67 0.80 6.67 Extreme High-gloss 0.80 6.67 0.61 5.06 Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80	Camouflage	0.80	6.67	0.80	6.67
Extreme High-gloss 0.80 6.67 0.61 5.06 Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Drum Coating,	Electric-insulating Varnish	0.80	6.67	0.80	6.67
Extreme Performance 0.80 6.67 0.61 5.06 Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, N	Etching Filler	0.80	6.67	0.80	6.67
Heat-resistant 0.80 6.67 0.61 5.06 High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Co	Extreme High-gloss	0.80	6.67	0.61	5.06
High-performance Architectural 4.56 38.0 4.56 38.0 High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67 <td>Extreme Performance</td> <td>0.80</td> <td>6.67</td> <td>0.61</td> <td>5.06</td>	Extreme Performance	0.80	6.67	0.61	5.06
High-temperature 0.80 6.67 0.80 6.67 Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Heat-resistant	0.80	6.67	0.61	5.06
Metallic 0.80 6.67 0.80 6.67 Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	High-performance Architectural	4.56	38.0	4.56	38.0
Military Specification 0.54 4.52 0.40 3.35 Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.80 6.67 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	High-temperature	0.80	6.67	0.80	6.67
Mold-seal 0.80 6.67 0.80 6.67 Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Metallic	0.80	6.67	0.80	6.67
Pan-backing 0.80 6.67 0.80 6.67 Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Military Specification	0.54	4.52	0.40	3.35
Prefab Architectural Multicomponent 0.80 6.67 0.40 3.35 Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Mold-seal	0.80	6.67	0.80	6.67
Prefab Architectural One-component 0.80 6.67 0.40 3.35 Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Pan-backing	0.80	6.67	0.80	6.67
Pretreatment 0.80 6.67 0.80 6.67 Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Prefab Architectural Multicomponent	0.80	6.67	0.40	3.35
Silicone-release 0.80 6.67 0.80 6.67 Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Prefab Architectural One-component	0.80	6.67	0.40	3.35
Solar-absorbent 0.80 6.67 0.61 5.06 Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Pretreatment	0.80	6.67	0.80	6.67
Vacuum-metalizing 0.80 6.67 0.80 6.67 Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Silicone-release	0.80	6.67	0.80	6.67
Drum Coating, New, Exterior 0.54 4.52 0.54 4.52 Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Solar-absorbent	0.80	6.67	0.61	5.06
Drum Coating, New, Interior 0.80 6.67 0.80 6.67 Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Vacuum-metalizing	0.80	6.67	0.80	6.67
Drum Coating Reconditioned Exterior 0.80 6.67 0.80 6.67	Drum Coating, New, Exterior	0.54	4.52	0.54	4.52
	Drum Coating, New, Interior	0.80	6.67	0.80	6.67
Drum Coating Reconditioned Interior 1.17 9.78 1.17 9.78	Drum Coating Reconditioned Exterio	r 0.80	6.67	0.80	6.67
1	Drum Coating Reconditioned Interior	r 1.17	9.78	1.17	9.78

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

004 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

- (e) Compliance and monitoring requirements.
- (1) All owners and operators. Regardless of the facility's VOC emissions, the owner or operator of a miscellaneous metal part surface coating process or miscellaneous plastic part surface coating process, or both, subject to subsection (a)(1) or (2), shall comply with this section as specified throughout this section. For an owner or operator subject only to subsection (a)(2), the compliance requirements are the recordkeeping requirements in subsection (f)(2).
 - (2) Not applicable.





IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall maintain the following daily records:

- a. The following parameters for each coating, thinner and other component as supplied:
- i. The coating, thinner or component name and identification number.
- ii. The application product from Title 25 Pa. Code §129.52 Table I (e.g. Miscellaneous metal parts & products hopper car and tank car interiors).
- iii. The volume used (gallons).
- iv. The mix ratio.
- v. The density or specific gravity.
- vi. The weight percent of total volatiles (100% weight percent solids).
- vii. The weight percent of water, exempt solvents, and solids.
- viii. The weight percent of VOC (weight percent of total volatiles weight percent water weight percent exempt solvents).
- ix. The volume percent of solids.
- x. The VOC and HAP content (pounds per gallon).
- b. The VOC and HAP content (pounds per gallon) of each as applied coating.
- c. These records shall be maintained on site or at an alternative location acceptable to the Department for a minimum of five years and shall be made available to the Department upon request.

006 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

- (f) Recordkeeping and reporting requirements.
- (1) The owner or operator of a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, subject to subsection (a)(1) shall maintain monthly records sufficient to demonstrate compliance with this section. The records must include the following information:
 - (i) The following parameters for each coating, thinner, component and cleaning solvent as supplied:
 - (A) Name and identification number of the coating, thinner, other component or cleaning solvent.
 - (B) Volume used.
 - (C) Mix ratio.
 - (D) Density or specific gravity.
 - (E) Weight percent of total volatiles, water, solids and exempt solvents.
 - (F) Volume percent of total volatiles, water and exempt solvents for the applicable table of limits in Tables I—V.
 - (G) Volume percent of solids for the applicable table of limits in Tables VI—IX.
 - (ii) The VOC content of each coating, thinner, other component and cleaning solvent as supplied.
 - (iii) The VOC content of each as applied coating or cleaning solvent.
 - (iv) (v) Not applicable.





- (2) An owner or operator subject to subsection (a)(2), or otherwise claiming an exemption or exception in this section, shall maintain records sufficient to verify the applicability of subsection (a)(2), the exemption or exception. Records maintained for compliance demonstrations may include purchase, use, production, and other records.
 - (3) (4) Not applicable.

REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall develop, maintain, and comply with a written Work Practice Implementation Plan (WPIP). The WPIP shall be made available for inspection by the Department upon request and shall consist of the following:

- a. Operator Training Program. New and existing personnel, including contract personnel, who are involved in coating or cleaning operations, shall complete an operator training program.
- 1) New personnel shall be trained upon hiring.
- 2) Existing personnel shall be trained before source startup.
- 3) Personnel shall be given refresher training annually.
- 4) A copy of the written operator training program shall be maintained with the WPIP. The operator training program shall include the following:
 - i. A list of current personnel by name and job description that are required to be trained.
- ii. An outline of the subjects to be covered in the initial and annual refresher training sessions for each position or group of personnel.
- iii. The initial and annual refresher training sessions shall include, at a minimum, appropriate application techniques, appropriate cleaning procedures, appropriate equipment setup, adjustment to minimize coating usage and overspray, and appropriate management of cleanup wastes.
- iv. Records of successful completion of the initial or annual refresher training sessions shall be maintained for each employee trained.
 - v. A record of the date each employee is trained.
- b. Leak Inspection and Maintenance Plan. The Owner/Operator shall prepare and maintain as part of the WPIP a written leak inspection and maintenance plan which shall include the following:
- 1) A minimum visual inspection frequency of once per month for all equipment used to transfer or apply coatings or solvents.
- 2) An inspection schedule.
- 3) The methods for documenting the date and results of each inspection and any repairs that were made.





- 4) The time frame between identifying a leak and making the repair, which shall adhere to the following schedule:
- i. A first attempt at repairs, including tightening of packing glands, shall be made within 5 working days after the leak is detected.
- ii. Final repairs shall be made within 15 working days, unless the leaking equipment is to be replaced by a new purchase, in which case repairs shall be completed within 3 months.
- c. Storage Requirements. The Owner/Operator shall use normally closed containers for storing coating and cleaning materials.
- d. Line Cleaning, Equipment and Spray Gun Cleaning. The solvent used for cleaning shall be collected in normally closed containers.

008 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

- (g) Coating application methods. A person subject to subsection (a)(1) may not cause or permit the emission into the outdoor atmosphere of VOCs from a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, unless the coatings are applied using one or more of the following coating application methods:
 - (1) Electrostatic coating.
 - (2) Flow coating.
 - (3) Dip coating, including electrodeposition.
 - (4) Roll coating.
 - (5) High volume-low pressure (HVLP) spray coating.
 - (6) Airless spray coating.
 - (7) Air-assisted airless spray coating.
 - (8) Other coating application method if approved in writing by the Department prior to use.
- (i) The coating application method must be capable of achieving a transfer efficiency equivalent to or better than that achieved by HVLP spray coating.
 - (ii) The owner or operator shall submit the request for approval to the Department in writing.

009 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

- (i) Work practice requirements for coating-related activities. The owner or operator of a miscellaneous metal part coating unit or miscellaneous plastic part coating unit, or both, subject to subsection (a)(1) shall comply with the following work practices for coating-related activities:
- (1) Store all VOC-containing coatings, thinners, or coating-related waste materials in closed containers.
- (2) Ensure that mixing and storage containers used for VOC-containing coatings, thinners or coating-related waste materials are kept closed at all times, except when depositing or removing these coatings, thinners or waste materials.
- (3) Minimize spills of VOC-containing coatings, thinners or coating-related waste materials and clean up spills immediately.
- (4) Convey VOC-containing coatings, thinners or coating-related waste materials from one location to another in closed containers or pipes.
- (j) Work practice requirements for cleaning materials. The owner or operator of a miscellaneous metal part coating unit or



11-00524

miscellaneous plastic part coating unit subject to subsection (a)(1) shall comply with the following work practices for cleaning materials:

- (1) Store all VOC-containing cleaning materials and used shop towels in closed containers.
- (2) Ensure that mixing vessels and storage containers used for VOC-containing cleaning materials are kept closed at all times except when depositing or removing these materials.
 - (3) Minimize spills of VOC-containing cleaning materials and clean up spills immediately.
 - (4) Convey VOC-containing cleaning materials from one location to another in closed containers or pipes.
- (5) Minimize VOC emissions from cleaning of application, storage, mixing or conveying equipment by ensuring that equipment cleaning is performed without atomizing the cleaning solvent and all spent solvent is captured in closed containers.

VII. ADDITIONAL REQUIREMENTS.

010 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The Owner/Operator shall use airless or air-assisted airless application technology, or application technology approved by the Department in writing, prior to use, to apply all surface coatings or primers which contain VOC.

011 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

- (h) Exempt coatings and exempt coating unit operations.
- (1) The requirements of subsections (d) and (g) do not apply to the application of the following coatings to a metal part:
- (i) Stencil coating.
- (ii) Safety-indicating coating.
- (iii) Solid-film lubricant.
- (iv) Electric-insulating and thermal-conducting coating.
- (v) Magnetic data storage disk coating.
- (vi) Plastic extruded onto metal parts to form a coating.
- (vii) Powder coating.
- (2) (3) Not applicable.
- (4) The requirements of subsection (g) do not apply to the following activities:
- (i) Application of a touch-up coating, repair coating or textured finish to a metal part.
- (ii) Not applicable.
- (iii) Airbrush application of coating to a metal part or plastic part using no more than 5 gallons of coating per year.
- (iv) (v) Not applicable.

012 [25 Pa. Code §129.52d]

Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

(k) Measurements and calculations. To determine the properties of a coating or component used in a miscellaneous metal parts surface coating process or miscellaneous plastic parts surface coating process, measurements and calculations shall be performed according to one or more of the following:



11-00524

- (1) EPA Reference Method 24, Determination of Volatile Matter Content, Water Content, Density, Volume Solids, and Weight Solids of Surface Coatings, found at 40 CFR Part 60, Subpart D, Appendix A, including updates and revisions.
 - (2) Manufacturer's formulation data.
- (3) Sampling and testing done in accordance with the procedures and test methods specified in Chapter 139.
- (4) Other test method demonstrated to provide results that are acceptable for purposes of determining compliance with this section if prior approval is obtained in writing from the Department.
- (5) Add-on air pollution control devices shall be equipped with the applicable monitoring equipment according to manufacturers' specifications. The monitoring equipment shall be installed, calibrated, operated and maintained according to manufacturers' specifications at all times the add-on air pollution control device is in use.
 - (6) EPA calculations information in the following:
 - (i) A Guideline for Surface Coating Calculations, EPA-340/1-86-016, including updates and revisions.
- (ii) Procedures for Certifying Quantity of Volatile Organic Compounds Emitted by Paint, Ink, and Other Coatings, EPA-450/3-84-019, including updates and revisions.



SECTION E. Source Group Restrictions.

11-00524



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.







SECTION G. Emission Restriction Summary.

Source Id

Source Description

Site Emission Restriction Summary

11-00524

Emission Limit		Pollutant
29.000 Tons/Yr	127.441	VOC



SECTION H. Miscellaneous.

11-00524

Air contamination sources and air cleaning devices authorized to operate at this facility under this State-Only Operating Permit are as follows:

- One (1) Global Finishing Solutions, LLC Paint Booth Model CDWI-2220-PDT-65-RR-CUF-S (Source 102) controlled by a filtered exhaust duct.
- One (1) miscellaneous Global Finishing Solutions, LLC. Shot Blast Booth Model GS-24 controlled by one 24-bag Camfil Farr HEMI-Pleat Gold Cone Cartridge Filter Fabric Collector Baghouse rated at 15,345 scfm (30,000 acfm) that vents indoors.
- Miscellaneous heating sources as applicable.

Source 101, the shot blast booth, was classified as a miscellaneous source for this renewal since the unit exhausts indoors.





***** End of Report *****