

COVID-19-Emergency Request to Temporarily Suspend
Regulatory Requirements and/or Permit Conditions

In accordance with Governor Wolf’s Proclamation of Disaster Emergency of March 6, 2020 and the Governor’s powers pursuant to the Emergency Management Code, 35 Pa.C.S. §7301, the Governor has authority to suspend regulatory obligations and other legal obligations within his jurisdiction where strict compliance will prevent, hinder, or delay necessary action in coping with the COVID-19 emergency.

*If you are requesting suspension of a Federal requirement, under only Federal authority, please contact US EPA Region III and refer to the US EPA March 26, 2020 Memorandum (COVID-19 Implications for EPA’s Enforcement and Compliance Assurance Program). To the extent the request relates to a federal program delegated to Pennsylvania, Pennsylvania will review requests submitted in this format.

Submit completed and signed requests to the email resource account:

RA-EPCOVID19SuspReq@pa.gov

All questions must be completed; if not applicable, type “N/A”.

Background
<p>A. Identify the Regulated Entity or Permittee, including an address for the location of the permitted or regulated activity (if no address, DEP Permit No. can be used), business mailing address, and a point of contact for this request with email and phone number.</p> <p>Grove City College 100 Campus Drive Grove City, PA 16127-2104 Susan Grimm GrimmSC@GCC.EDU Phone: 724-458-2984</p>
<p>B. Describe what permitted or regulated activity you are engaged in.</p> <p>SIC Code 8221 Services - Colleges and Universities</p>
<p>C. If you were issued a permit by DEP for the permitted or regulated activity described above, identify the type of permit and permit number. Please list the DEP Office, Conservation District, Oil and Gas District Office, or District Mining Office that issued the permit or authorization.</p> <p>SOOP 43-00252 and Plan Approval Number 43-00252B Northwest Regional Office 230 Chestnut Street Meadville, PA 16335</p>
<p>D. Identify what regulatory requirement(s) or permit condition(s) or other requirement(s) you seek a temporary suspension of. Please cite the specific regulatory requirement(s), condition(s) and/or other requirement(s).</p> <p>#018 {40 CFR Part 63 NESHAPS for Source Categories 40CFR63.11223} Subpart JJJJJJ - National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources - specifically the biennial boiler tune-up requirement for Source ID 031, 032, 033, and 034 that needs to be completed by the end of April 2020. The last tune-up for the boilers was completed April 20, 2018.</p>

COVID-19-Emergency Request to Temporarily Suspend
Regulatory Requirements and/or Permit Conditions

Reasons for Requested Suspension
<p>For each regulatory requirement or permit condition or requirement listed above, please state clearly why you are seeking the temporary suspension, addressing at least the following in detail:</p>
<p>A. How will strict compliance with the subject requirement(s) prevent, hinder, or delay necessary action in coping with the COVID-19 emergency? Be as specific as possible. With COVID-19 restrictions, third party contracted tune-up vendor may not be able to complete tune-up within permit required timeframes.</p>
<p>B. How has COVID-19 restricted your ability to comply with the environmental regulatory requirement, permit condition or other requirements for which you are seeking a suspension? Due to students working remotely from home, boilers have a major load reduction in steam output during the COVID-19 emergency. Performing the tune-ups under present load reduction and non peak performance would result in a less accurate tune-ups.</p>
<p>C. What other aspects or parts of your operation(s) are being shut down or are not functioning due to the COVID-19 restrictions? And, are you requesting any suspensions or waiver(s) from other government agencies? If so, from what agencies and for what requirements? N/A</p>
<p>D. What alternate compliance options have you explored to address the issues or environmental compliance hurdles with which you are confronted? N/A</p>
<p>E. Do you believe cost gouging or supply hoarding is negatively effecting your ability to comply? If so, please explain and provide cost information and/or availability information from your supply chain history. N/A</p>
<p>F. How long do you expect to be unable to comply with the regulatory requirement(s), permit condition(s) or other requirement and identify what circumstances must exist for you to return to compliance. Specify the period of time for which you are requesting the suspension. Suspensions will not be issued initially beyond June 30, 2020. Requesting tune-up permit requirement to be extended to Fall 2020. With COVID-19 restrictions, boilers have major load reductions and third party contracted tune-up vendors not able to complete tune-up within permit required timeframes. Tune-up would also require working in tight space conflicting with social distancing COVID-19 requirements.</p>
<p>G. If applicable, identify how you will account for all reporting obligations for the period of noncompliance. N/A</p>

COVID-19-Emergency Request to Temporarily Suspend
Regulatory Requirements and/or Permit Conditions

Evaluate Risk to Public Health and the Environment
<p>A. Will the temporary suspension, if granted, result in an increase in the risk of additional pollution (e.g. increased emissions, increased concentrations of any pollutant and/or releases of new or more pollutants) and/or will it result in less monitoring, reporting, and/or supervision of pollution incidents, accidents or equipment failures? NO</p>
<p>(i) If yes, please identify what pollutants and the nature of the risk.</p>
<p>(ii) If yes, please identify the potential extent of increased pollution, including any increases in risk to human health, safety or the environment.</p>
<p>(iii) If no, explain how increased pollution will be avoided. Requesting extension for tune-up boiler requirement; no change in facility air emissions.</p>
<p>B. What public health and/or safety benefits will result if the temporary suspension is granted? N/A - no change in facility air emissions.</p>
<p>C. Is the restriction on your ability to comply generally applicable to others engaged in your industrial classification or industry? If no, please explain why your situation is unique. Potentially, due to COVID-19 restrictions all PA colleges and universities have students working remotely.</p>
<p>D. Would you possess a unique advantage over your competitors, or others in the same industry, if a suspension is granted? N/A</p>
<p>E. What would be the negative consequences to your operation if the temporary suspension is not granted? What would be the negative consequences to the Commonwealth's response to the COVID-19 emergency if your requested temporary suspension is not granted? With COVID-19 restrictions, third party contracted tune-up vendor may not be able to complete tune-up within permit required timeframes.</p>

COVID-19-Emergency Request to Temporarily Suspend
Regulatory Requirements and/or Permit Conditions

CERTIFICATION

Pursuant to the prohibition against unsworn falsification to authorities, 18 Pa.C.S.A. §4904, I am an authorized representative of the requestor and have personal knowledge of the facts set forth in this temporary suspension request.

I hereby certify that the information provided herein is true and accurate.

Susan Grimm - Environmental Health & Safety Specialist

Signature and title of Certifier

Susan Grimm - Environmental Health & Safety Specialist

Print Name and Title

Note: This form will not be accepted without a written signature. Electronic signatures are not accepted.

Submit completed and signed requests to the email resource account:
RA-EPCOVID19SuspReq@pa.gov