



pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION



Office of Water Management

Septic Systems in High Quality and Exceptional Value Watersheds

April 15, 2013

Dial-in number for Audio: 1-877-668-4493

Event Number: 645 447 507

WebEx Technical Support: 866-229-3239

Note: You will not hear any audio until the beginning of the webinar. To receive a call back, provide your phone number when you join the event.



pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION



Office of Water Management

AGENDA

1. Welcome
2. Review of Draft Technical Guidance
3. Questions & Comments

Note: WebEx Technical Support is available at
866-229-3239

Background

- **Issue:** Siting of septic onlot sewage systems in HQ (High Quality) and EV (Exceptional Value) watersheds primarily for new residential development.
- **Special Protection:** Chapter 93 antidegradation regulations provide special protection for HQ and EV watersheds as part of our federally-approved water quality standards program.

Chapter 93 and Septic Systems

- **Nonpoint sources:** Septic systems are nonpoint pollutant sources because they do not add pollutants to surface water through a pipe or similar conveyance.
- **Antidegradation:** Chapter 93 requires that water quality in HQ and EV waters be protected and maintained.

Chapter 93 and Septic Systems

- **Point Source Process:** Well defined. Involves setting effluent limits to protect instream concentrations of pollutants, or considering nondischarge alternatives.
- **Point Source Exception:** For point source discharges in HQ watersheds, some degradation of instream water quality may be allowed based on social or economic justification (SEJ analysis).

Chapter 93 and Septic Systems

- **Nonpoint Source Process:** Chapter 93 requires DEP to “assure that cost-effective and reasonable best management practices (BMPs) for nonpoint source control are achieved.”

▶ Septic Systems and Water Quality

- **Septic Systems:** Inherently protective of surface water quality when properly designed, operated and maintained.
- **Nitrate:** Septic system pollutant of potential concern in groundwater and drinking water wells.

Recent EHB Decision

Pine Creek Watershed Assoc. v. DEP: DEP approved the use of septic systems in a small residential development in an EV watershed -- Pine Creek in Berks County.

The approval was appealed to the Environmental Hearing Board (EHB) on the basis that water quality in Pine Creek would not be properly maintained and protected under the Chapter 93 antidegradation requirements.

Recent EHB Decision

DEP relied primarily on a groundwater plume analysis using a model developed to design constructed wetlands to assert that nitrate would not reach the creek because the natural wetland present on the site would effectively remove the nitrate.

Pine Creek and EHB

Outcome: DEP did not prevail. The EHB ruled in November 2011 that the wetlands model relied upon by DEP was not appropriate. DEP's approval of the plan was rescinded and DEP was required to pay the watershed group's attorney fees.

Problem: The *Pine Creek* decision establishes a legal and scientific standard that is extremely difficult to meet.

Refocus on BMPs

- For nonpoint sources, water quality in HQ and EV watersheds can be protected and maintained through the implementation of reasonable and cost-effective best management practices (BMPs) under the Chapter 93 regulations.
- For onlot septic systems, the use of BMPs with nitrate removal efficiencies established through scientific research is the best approach.

New BMP-Based Guidance

DEP has implemented the BMP approach for other nonpoint sources such as agricultural operations, general construction/land development, timber harvesting, resource extraction and waste management, but has not developed BMPs for septic systems to maintain and protect water quality in HQ and EV watersheds.

New BMP-Based Guidance

DEP is now doing so through this guidance:

“Sewage Facilities Planning Module Review for Onlot Sewage Systems Proposed in High Quality and Exceptional Value Watersheds”

DEP-ID: 385-2208-001

BMPs

- **Onlot System Density:** Limit number of sources within reason. One-acre lot minimum.
- **Setback Distance:** Credit for the distance of the septic system from the river or stream.
- **Riparian Buffers:** Inexpensive, effective and protective of property value long-term. Effective against essentially all nonpoint sources. Use already existing buffers, no requirement to plant new.

BMPs (more)

- **Permeable Reactive Barrier:** Emerging passive technology. Effective, and can be cost-effective in certain situations. If and when PRBs are integrated into the design of the drain field, nitrate migration will be eliminated.
- **Denitrifying Septic Systems:** Established technology, but has disadvantages as an engineered system that has a higher capital cost and requires ongoing maintenance.

Planning & Challenges

Part of the challenge is integrating the BMP process into the established new land development planning process.

- Regional input
- High degree of detail in guidance

Summary

- Cost-effective and reasonable BMPs are needed to protect and maintain water quality in HQ and EV streams under Chapter 93.
- Quantitative BMP approach outlined in the guidance is consistent with Chapter 93.
- Revisions to regulations are being considered.



pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION



Office of Water Management

QUESTIONS?

Please type your questions into the chat window.



pennsylvania
DEPARTMENT OF ENVIRONMENTAL PROTECTION



Office of Water Management

Comment Deadline: May 1, 2013

Thomas Starosta

Department of Environmental Protection

Bureau of Point and Non-Point Source Management

Division of Planning and Permits

P. O. Box 8774

Harrisburg, PA 17105-8774

Phone: (717) 787-4317

Email: tstarosta@pa.gov.