



20-Apr-2016

Roger Bellas  
Pennsylvania DEP Bureau of Air Quality  
12th Floor RCSOB  
400 Market Street  
Harrisburg, PA 17105

Tel: (570) 826-2511  
Fax:

Re: Mid Valley High School- 4/4/16

Work Order: **1604122**

Dear Roger,

ALS Environmental received 6 samples on 05-Apr-2016 10:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Laboratory Group. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 9.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

**Rob Nieman**

Electronically approved by: Rob Nieman

Rob Nieman  
Project Manager

ADDRESS 4388 Glendale Milford Rd Cincinnati, Ohio 45242- | PHONE (513) 733-5336 | FAX (513) 733-5347

ALS GROUP USA, CORP. Part of the ALS Group An ALS Limited Company

Environmental 

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley High School- 4/4/16  
**Work Order:** 1604122

**Work Order Sample Summary**

---

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1604122-01	MVH040416-1 / Red	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>
1604122-02	MVH040416-2 / Blue	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>
1604122-03	MVH040416-3 / Green	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>
1604122-04	MVH040416-4 / Orange	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>
1604122-05	MVH040416-5 / Yellow	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>
1604122-06	MVH040416-Summa	Air		4/4/2016	4/5/2016 10:00	<input type="checkbox"/>

**ALS Environmental**

Date: 20-Apr-16

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley High School- 4/4/16

**Work Order:** 1604122**Analytical Results**

**Lab ID:** 1604122-01A  
**Client Sample ID:** MVH040416-1 / Red

**Collection Date:** 4/4/2016  
**Matrix:** AIR

**Analyses**

<b>AMMONIA BY NIOSH 6015 MOD.</b>		Method: <b>N6015</b>	Air Volume (L): <b>70.082</b>	Analyst: <b>ALST</b>
Date Analyzed: 4/15/2016		Reporting Limit		
	$\mu\text{g/sample}$	$\mu\text{g/sample}$	$\text{ug/m}^3$	ppb
Ammonia	2.7	2.4	39	55

**Lab ID:** 1604122-03A  
**Client Sample ID:** MVH040416-3 / Green

**Collection Date:** 4/4/2016  
**Matrix:** AIR

**Analyses**

<b>METHANOL BY NIOSH 2000 MOD.</b>		Method: <b>N2000</b>	Air Volume (L): <b>14.285</b>	Analyst: <b>MHW</b>
Date Analyzed: 4/11/2016		Reporting Limit		
	$\mu\text{g/sample}$	$\mu\text{g/sample}$	$\text{ug/m}^3$	ppb
Methanol	ND	10	<700	<530

**Lab ID:** 1604122-04A  
**Client Sample ID:** MVH040416-4 / Orange

**Collection Date:** 4/4/2016  
**Matrix:** AIR

**Analyses**

<b>METHYLAMINE BY OSHA 40</b>		Method: <b>O40</b>	Air Volume (L): <b>15.69</b>	Analyst: <b>MHW</b>
Date Analyzed: 4/13/2016 19:27		Reporting Limit		
	$\mu\text{g/sample}$	$\mu\text{g/sample}$	$\text{ug/m}^3$	ppb
Methylamine	ND	3.0	<190	<150

**Lab ID:** 1604122-05A  
**Client Sample ID:** MVH040416-5 / Yellow

**Collection Date:** 4/4/2016  
**Matrix:** AIR

**Analyses**

<b>AMINE(S) BY OSHA PV2060 MOD.</b>		Method: <b>O2060</b>	Air Volume (L): <b>15.69</b>	Analyst: <b>MHW</b>
Date Analyzed: 4/7/2016		Reporting Limit		
	$\mu\text{g/sample}$	$\mu\text{g/sample}$	$\text{ug/m}^3$	ppb
Triethylamine	ND	10	<640	<150

**Note:**

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Work Order:** 1604122  
**Project:** Mid Valley High School- 4/4/16

**QC BATCH REPORT**

Batch ID: **35010** Instrument ID: **GC5** Method: **O2060**

<b>MBLK</b>	Sample ID: <b>MBLK-35010-35010</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/7/2016</b>			
Client ID:	Run ID: <b>GC5_160407A</b>			SeqNo: <b>1256743</b>			Prep Date: <b>4/5/2016</b>		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Triethylamine ND 10

<b>LCS</b>	Sample ID: <b>LCS-35010-35010</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/7/2016</b>			
Client ID:	Run ID: <b>GC5_160407A</b>			SeqNo: <b>1256744</b>			Prep Date: <b>4/5/2016</b>		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Triethylamine 77.08 10 90.75 0 84.9 70-130 0

<b>LCSD</b>	Sample ID: <b>LCSD-35010-35010</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/7/2016</b>			
Client ID:	Run ID: <b>GC5_160407A</b>			SeqNo: <b>1256749</b>			Prep Date: <b>4/5/2016</b>		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Triethylamine 100.6 10 90.75 0 111 70-130 77.08 26.5 20 R

The following samples were analyzed in this batch:

Client: Pennsylvania DEP Bureau of Air Quality  
 Work Order: 1604122  
 Project: Mid Valley High School- 4/4/16

# QC BATCH REPORT

Batch ID: **R127744** Instrument ID: **GC1** Method: **N2000**

MBLK		Sample ID: <b>MB-R127744-R127744</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/11/2016</b>		
Client ID:		Run ID: <b>GC1_160411B</b>			SeqNo: <b>1258506</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methanol ND 10

LCS		Sample ID: <b>LCS-R127744-R127744</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/11/2016</b>		
Client ID:		Run ID: <b>GC1_160411B</b>			SeqNo: <b>1258507</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methanol 93.14 10 79.1 0 118 64.1-145 0

LCSD		Sample ID: <b>LCSD-R127744-R127744</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/11/2016</b>		
Client ID:		Run ID: <b>GC1_160411B</b>			SeqNo: <b>1258531</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methanol 78.12 10 79.1 0 98.8 64.1-145 93.14 17.5 20

The following samples were analyzed in this batch:

1604122-03A

Client: Pennsylvania DEP Bureau of Air Quality  
 Work Order: 1604122  
 Project: Mid Valley High School- 4/4/16

## QC BATCH REPORT

Batch ID: R127865 Instrument ID: HPLC1 Method: O40

MBLK	Sample ID: MB-R127865-R127865			Units: µg/sample		Analysis Date: 4/13/2016 07:27 PM				
Client ID:	Run ID: HPLC1_160413A			SeqNo: 1261066		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methylamine ND 3.0

LCS	Sample ID: LCS-R127865-R127865			Units: µg/sample		Analysis Date: 4/13/2016 07:27 PM				
Client ID:	Run ID: HPLC1_160413A			SeqNo: 1261067		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methylamine 8.147 3.0 9.175 0 88.8 9.88-161 0

LCSD	Sample ID: LCSD-R127865-R127865			Units: µg/sample		Analysis Date: 4/13/2016 07:27 PM				
Client ID:	Run ID: HPLC1_160413A			SeqNo: 1261099		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Methylamine 9.514 3.0 9.175 0 104 9.88-161 8.147 15.5 20

The following samples were analyzed in this batch:

1604122-04A

Client: Pennsylvania DEP Bureau of Air Quality  
 Work Order: 1604122  
 Project: Mid Valley High School- 4/4/16

# QC BATCH REPORT

Batch ID: **R128019** Instrument ID: **SUB** Method: **N6015**

MBLK		Sample ID: <b>MB-R128019-R128019</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/15/2016</b>		
Client ID:		Run ID: <b>SUB_160415E</b>			SeqNo: <b>1263857</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia	ND	2.4								

LCS		Sample ID: <b>LCS-R128019-R128019</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/15/2016</b>		
Client ID:		Run ID: <b>SUB_160415E</b>			SeqNo: <b>1263858</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia	23.7	1.2	24.3	0	97.5	74.3-115.2	0			

LCSD		Sample ID: <b>LCSD-R128019</b>			Units: <b>µg/sample</b>			Analysis Date: <b>4/15/2016</b>		
Client ID:		Run ID: <b>SUB_160415E</b>			SeqNo: <b>1263869</b>			Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia	23.5	1.2	24.3	0	96.7	74.3-115.2	23.7	0.847	20	

The following samples were analyzed in this batch:

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley High School- 4/4/16  
**WorkOrder:** 1604122

**QUALIFIERS,  
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
E	EPA Method
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SDL	Sample Detection Limit
SW	SW-846 Method

<u>Units Reported</u>	<u>Description</u>
µg/sample	
ppbv	
ppm	



Sample Receipt Checklist

Client Name: PADEP-HARRISBURG

Date/Time Received: 05-Apr-16 10:00

Work Order: 1604122

Received by: SNH

Checklist completed by: Rob Nieman 05-Apr-16
eSignature Date

Reviewed by: Rob Nieman 06-Apr-16
eSignature Date

Matrices:

Carrier name: FedEx

- Shipping container/cooler in good condition? Yes [checked] No [ ] Not Present [ ]
Custody seals intact on shipping container/cooler? Yes [ ] No [ ] Not Present [checked]
Custody seals intact on sample bottles? Yes [checked] No [ ] Not Present [ ]
Chain of custody present? Yes [checked] No [ ]
Chain of custody signed when relinquished and received? Yes [checked] No [ ]
Chain of custody agrees with sample labels? Yes [checked] No [ ]
Samples in proper container/bottle? Yes [checked] No [ ]
Sample containers intact? Yes [checked] No [ ]
Sufficient sample volume for indicated test? Yes [checked] No [ ]
All samples received within holding time? Yes [checked] No [ ]
Container/Temp Blank temperature in compliance? Yes [checked] No [ ]

Temperature(s)/Thermometer(s): 1.0

Cooler(s)/Kit(s):


Water - VOA vials have zero headspace? Yes [ ] No [ ] No VOA vials submitted [ ]

Water - pH acceptable upon receipt? Yes [ ] No [ ] N/A [ ]

pH adjusted? Yes [ ] No [ ] N/A [ ]

pH adjusted by:

Login Notes:



Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction: