GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the Department.

Related II	D#s (If Known)		DEP L	JSE ONLY	
Client ID#	APS ID#		Date Receive	d & General Notes	
Site ID#	Auth ID#				
Facility ID#					
	CLIENT INFO	RMATION			
DEP Client ID#	Client Type / Code				
	NPACO				
Organization Name or Registe	red Fictitious Name	Emp	loyer ID# (EIN)	Dun & Bradstreet ID#	
Sunoco Pipeline,L.P.		23-3	102656 1	1-339-2331	
Individual Last Name	First Name	MI	Suffix	SSN	
NA					
Additional Individual Last Nan	ne First Name	MI	Suffix	SSN	
NA					
Mailing Address Line 1	I	Mailing Add	ress Line 2		
535 Fritztown Road					
Address Last Line – City	State	ZIP+		untry	
Sinking Spring	PA	1960			
Client Contact Last Name	First Name		MI	Suffix	
Gordon	Matthew		L		
Client Contact Title			Phone	Ext	
Project Manager			610-670-3	284	
Email Address	_		FAX		
MLGordon@sunocologistics.com					
	SITE INFOR	MATION			
DEP Site ID# Site Name					
	ia Pipeline Project				
EPA ID# NA	Estimated Number of	Employees t	to be Present at Si	ite 0	
Description of Site					
Installation of 23.3 miles of natur		h Cambria C			
County Name	Municipality		City	Boro Twp State	
Cambria	Multiple -			\Box	
	(Refer to attached Suppleme	ental Informa		— ••••	
County Name	Municipality		City I	Boro Twp State	
Site Location Line 1	S	ite Location	Line 2		
Refer to Attachment 8 (Location	Map)				
Site Location Last Line – City		tate ZIP	+4		
Detailed Written Directions to	Site				

Begin at the intersection of William Penn Highway (U.S. 22) and S Curve Road in Seward, Pennsylvania. Travel south on S Curve Road for approximately 200 feet and travel southward on Donelson Road until reaching a perpendicular intersection with Stutzman Road (approximately 1.0 mile). Travel southwest on Stutzman Road for approximately 0.1 mile until turning southward onto Deyarmin Road. Travel on Deyarmin Road for 0.2 mile until turning eastbound on Griffith Road. Travel eastbound on Griffith Road until the intersection with the right-of-way (approximately 0.9 mile). At the project right-of-way, travel eastbound for 0.75 mile to arrive at the Cambria County line.

Site Contact Last Name	First Name	МІ	Suffix
Gordon	Matthew	L	

	Contact Title			Contact Firm	_		
	ct Manager			co Pipeline, L.			
	ng Address Line 1		Maili	ng Address L	ine 2		
	ritztown Road		0				
	ng Address Last Line – City ng Spring		State PA	e ZIP+4 19608			
Phor		X		I Address			
	570-3284			ordon@sunoco	plogistics con	n	
	S Codes (Two- & Three-Digit Codes –	l ist All That A			-Digit Code		
23			(22)		93190	(Optional)	
	t to Site Relationship						
OWN							
		FACILIT	Y INFOR	MATION			
Modi	fication of Existing Facility					Yes	No
1.	Will this project modify an existin	na facility, s	vstem, or	activity?			
2.	Will this project involve an additi				or activity?		
	If "Yes", check all relevant facility ty						
	Facility Type	DEP Fac I		Facility Type		0.0010111	DEP Fac ID#
	Air Emission Plant			Industrial Mineral	s Mining Operat	ion	
	Beneficial Use (water)			Laboratory Locati	on	-	
	Blasting Operation			Land Recycling C			
	Captive Hazardous Waste Operation			MineDrainageTrm		Location	
	Coal Ash Beneficial Use Operation		🛛	Municipal Waste	•	_	
Ц	Coal Mining Operation			Oil & Gas Encroa		י -	
H	Coal Pillar Location		⊠	Oil & Gas Locatio			Unknown
	Commercial Hazardous Waste Operation Dam Location			Oil & Gas Water I Public Water Sup		iiity _	
H	Deep Mine Safety Operation -Anthracite			Radiation Facility	ply System	-	
H	Deep Mine Safety Operation -Bituminous			Residual Waste C	Deration	-	
H	Deep Mine Safety Operation -Ind Minerals			Storage Tank Loc		-	
Н	Encroachment Location (water, wetland)			Water Pollution C		-	
	Erosion & Sediment Control Facility			Water Resource	2	-	
	Explosive Storage Location			Other:		-	
	Latitude/Longitude		Latitude			Longitud	e
	Point of Origin	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds
Enter	s County at	40	25	45	78	57	12
Horiz	contal Accuracy Measure	Feet N	A	or-	- Me	eters	•
Horiz	contal Reference Datum Code	Nor	th America	n Datum of 192	27		
		🛛 Nor	th America	n Datum of 198	83		
		🗌 Wor	Id Geodetie	c System of 19	984		
Horiz	contal Collection Method Code	SURVY, G	PSDF, GIS	DR			
Refe	rence Point Code	CTROD					
Altitu	ıde	Feet N	A	0r-	- Ме	eters	
Altitu	ide Datum Name	The	National G	eodetic Vertic	al Datum of 1	1929	
		🗌 The	North Ame	erican Vertical	Datum of 198	88 (NAVD88	3)
Altitu	de (Vertical) Location Datum Colle			NA			
Geor	netric Type Code	POINT					
Data	Collection Date	2014 and 2	2015				
Sour	ce Map Scale Number	NA	Inch(es)	=		Fee	t
	Or		Centime	ter(s) =		Met	ers
		PROJEC		MATION			
	ect Name						
Drain							

Pennsylvania Pipeline Project

Project Description

Installation of two parallel natural gas liquid pipelines within an approximately 306-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline would be installed within the ROW from Houston to Marcus Hook (306 miles) and a second, up to 20-inch

diameter pipeline, will also be installed in the same ROW from SPLP's Delmont Station to Marcus Hook (for approximately 255 miles). A new pump station in Edensburg will be constructed and approximately 23.3 miles are located in Cambria County in southwestern PA. Please refer to Attachment 9 of the Joint Application.

		Flease feler to Attachment 9					
Project Consultant Las	st Name	First Name	M		S	Suffix	
Schaeffer		Brad					
Project Consultant Titl		Consulting Firr					
Environmental Project N		Tetra Tech, Inc.					
Mailing Address Line 1 285 Ellicott Street		Mailing Addres	s Line z				
Address Last Line – Ci	417	State		ZIP+4			
Buffalo	ity	NY		14203			
Phone	Ext FAX	Email Addres		14205			
716-849-9419	117 716-849-9			com			
Time Schedules	Project Milestone (C						
		,,					
March 2016	Water Crossing and	Erosion Control Permit Sul	bmittals				
April 2016	State T&E Clearance						
May 2016	USFWS Clearance						
Summer 2016	Construction						
1. Have you infor	med the surroundin	g community and addre	essed any	\boxtimes	Yes		No
		ation to the Department?					
	unded by state or feder				Yes	\boxtimes	No
		oject is related to the grant and	provide the gr	ant sou	rce, cor	ntact pe	rson
and grant of	expiration date.						
	Project Related to Grant						
	rce: tact Person:			-			
	ration Date:						
		on on Appendix A of the	l and Lleo	\boxtimes	Yes		No
		opendix A of the Land U			100		110
attached to GIF i		spendix A of the Land C	Se l'oney				
		s not subject to the Land Use Po	olicy.				
		is subject to this policy and the		uld ans	wer the	additio	nal
	in the Land Use Information		••				
		D USE INFORMATION					
		pies of local land use approv	als or other	evider	ice of c	complia	ance with
local comprehensive pla							
		unty comprehensive plan?		\square	Yes		No
		municipal comprehensive			Yes		No
		oning ordinance, municip	al zoning	\boxtimes	Yes		No
	nt municipal zoning or						
		er Questions 1, 2 <u>or</u> 3, <u>the provis</u>	sions of the P	A MPC	are not	t applica	able and
<u>Ine Applica</u>	ani uoes not need to respor	nd to questions 4 and 5 below. stions 1, 2 and 3, the Applicant s	should respon	d to au	estions	4 and 5	helow
		rovisions of the zoning or			Yes		No
		g approval? If zoning approv			163		
received, attach doo		g approval: in zoning approv					
		ity Land Use Letters for the	project?	\boxtimes	Yes		No
		\sim		ľ			

COORDINATION INFORMATION

<u>Note</u>: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 and the accompanying Cultural Resource Notice Form.

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.	Yes	\boxtimes	No
1.1	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?	Yes		No
1.2	Will this coal mining project involve coal preparation/ processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?	Yes		No
1.3	Will this coal mining project involve coal preparation/ processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?	Yes		No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	Yes		No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	Yes		No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?	Yes		No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.	Yes	\boxtimes	No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?	Yes		No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?	Yes		No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?	Yes		No
2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	Yes		No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	Yes		No

3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string		Yes		No
	power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No",				
	skip to Question 4.0.				N.L.
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located		Yes		No
	in, along, across or projecting into a watercourse, floodway or body of				
	water (including wetlands)?				
3.2	Will the oil- or gas-related project involve discharge of industrial		Yes		No
J.2	wastewater or stormwater to a dry swale, surface water, ground water or		100		
	an existing sanitary sewer system or storm water system? If "Yes",				
	discuss in Project Description.				
3.3	Will the oil- or gas-related project involve the construction and operation		Yes		No
	of industrial waste treatment facilities?				
4.0	Will the project involve a construction activity that results in earth	\boxtimes	Yes		No
	disturbance? If "Yes", specify the total disturbed acreage.				
	4.0.1 Total Disturbed Acreage 247 acres				
5.0	Does the project involve any of the following?	\boxtimes	Yes		No
	If "Yes", respond to 5.1-5.3. If "No", skip to Question 6.0.				
5.1	Water Obstruction and Encroachment Projects - Does the project	\boxtimes	Yes		No
	involve any of the following: placement of fill, excavation within or				
	placement of a structure, located in, along, across or projecting into a				
<u> </u>	watercourse, floodway or body of water?		Vee		Na
5.2	Wetland Impacts – Does the project involve any of the following:	\boxtimes	Yes		No
	placement of fill, excavation within or placement of a structure, located				
5.3	in, along, across or projecting into a wetland? Floodplain Projects by the commonwealth, a Political Subdivision of the	\boxtimes	Yes		No
5.5	commonwealth or a Public Utility – Does the project involve any of the		163		INU
	following: placement of fill, excavation within or placement of a				
	structure, located in, along, across or projecting into a floodplain?				
6.0	Will the project involve discharge of stormwater or wastewater from an		Yes	\boxtimes	No
	industrial activity to a dry swale, surface water, ground water or an				
	existing sanitary sewer system or separate storm water system?				
7.0	Will the project involve the construction and operation of industrial		Yes	\boxtimes	No
	waste treatment facilities?				
8.0	Will the project involve construction of sewage treatment facilities,		Yes	\bowtie	No
	sanitary sewers, or sewage pumping stations? If "Yes", indicate estimated				
	proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the				
	number of pumping stations/treatment facilities/name of downstream sewage				
	facilities in the <i>Project Description</i> , where applicable.				
	8.0.1 Estimated Proposed Flow (gal/day)		Vaa		No
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of		Yes	\bowtie	INO
	an additional 400 gpd of sewage on an already-developed parcel, or the				
	generation of 800 gpd or more of industrial wastewater that would be				
	discharged to an existing sanitary sewer system?				
	9.0.1 Was Act 537 sewage facilities planning submitted and		Yes	\bowtie	No
	approved by DEP? If "Yes" attach the approval letter. Approval			—	
	required prior to 105/NPDES approval.				
			Yes	\boxtimes	No
10.0	Is this project for the beneficial use of biosolids for land application		163	\square	
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per		163		
10.0	· · ·		163		
10.0	within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per		163		
	within Pennsylvania?If "Yes" indicate how much (i.e. gallons or dry tons per year).10.0.1Gallons Per Year (residential septage)10.0.2Dry Tons Per Year (biosolids)				
10.0	 within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year). 10.0.1 Gallons Per Year (residential septage) 		Yes		No

12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam.		Yes		No
10.0	12.0.1 Dam Name		X		
13.0	 Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)? If "Yes", identify each type of emission followed by the amount of that emission. 13.0.1 Enter all types & amounts To Be Determined of emissions; separate each set with semicolons. 		Yes		No
14.0	Does the project include the construction or modification of a drinking		Yes	\boxtimes	No
14.0	water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes", check all proposed sub-facilities. 14.0.1 Number of Persons Served 14.0.2 Number of Employee/Guests		103		
	14.0.3 Number of Connections				N 1
	14.0.4 Sub-Fac: Distribution System		Yes		No
	14.0.5 Sub-Fac: Water Treatment Plant		Yes		No
	14.0.6 Sub-Fac: Source		Yes		No
	14.0.7 Sub-Fac: Pump Station		Yes		No
	14.0.8 Sub Fac: Transmission Main		Yes		No
	14.0.9 Sub-Fac: Storage Facility		Yes		No
15.0	Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery?		Yes		No
16.0	 Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project. 16.0.1 Supplier's Name Jackson Township Water Authority 		Yes		No
	Ebensburg Borough Highridge Water Authority				
	16.0.2 Letter of Approval from Supplier is Attached		Yes	\boxtimes	No
17.0	 Will this project involve a new or increased drinking water withdrawal from a stream or other water body? If "Yes", should reference both Water Supply and Watershed Management. 17.0.1 Stream Name 		Yes	\boxtimes	No
18.0	 Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes", indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed. 18.0.1 Type & Amount Non-hazardous/Construction related C&D waste 	⊠ e will	Yes be dispo	sed:	No
	Amount Unknown		•	,	
19.0	Will your project involve the removal of coal, minerals, etc. as part of any earth disturbance activities?		Yes	\boxtimes	No
20.0	 Does your project involve installation of a field constructed underground storage tank? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 20.0.1 Enter all substances & capacity of each; separate each set with semicolons. 		Yes		No
21.0	 Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes", list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit. 21.0.1 Enter all substances & capacity of each; separate each set with semicolons. 		Yes		No

22.0	Does your project involve installation of a tank greater than 1,100 gallons which will contain a highly hazardous substance as defined in DEP's	Yes	\boxtimes	No
	Regulated Substances List, 2570-BK-DEP2724? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	22.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
23.0	Does your project involve installation of a storage tank at a new facility	Yes	\boxtimes	No
	with a total AST capacity greater than 21,000 gallons? If "Yes", list each			
	Substance & its Capacity. Note: Applicant may need a Storage Tank Site			
	Specific Installation Permit.			
	23.0.1 Enter all substances &			
	capacity of each; separate			
	each set with semicolons.			
24.0	Will the intended activity involve the use of a radiation source?	Yes	\boxtimes	No
	CERTIFICATION			

information. Type or Print Name Matthew Gordon

Sunoco Project Manager

Signature

Title

Date