

**Lab ID - N/A**  
**Lab Name - N/A**  
**State - All**  
**PA County - N/A**  
**Matrix - Drinking Water**  
**Analytes - Perfluorooctanesulfonic acid (PFOS), Perfluorooctanoic acid (PFOA)**  
**Methods - EPA 533 (Rev. 1.0), EPA 537 (Rev. 1.1), EPA 537.1 (Rev. 1.0)**  
**Lab Type - Commercial Only**

**68-02089**  
**Alpha Analytical**  
**320 Forbes Boulevard**  
**Mansfield, MA 02048**  
**(508) 898-9220**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECON DARY	09/08/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECON DARY	09/08/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECON DARY	06/14/2019	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECON DARY	06/14/2019	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-03827**  
**ALS Environmental - Holland**  
**3352 128th Avenue**  
**Holland, MI 49424-9263**  
**(616) 399-6070**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	04/11/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	04/11/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	08/13/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	08/13/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00269**  
**American Water Central Laboratory**  
**1115 South Illinois Street**  
**Belleville, IL 62220-3600**  
**(618) 235-3600**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	03/09/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	03/09/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	12/08/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	12/08/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**46-00026**  
**Aqua Pennsylvania, Inc.**  
**762 W. Lancaster Avenue**  
**Bryn Mawr, PA 19010-3489**  
**(610) 525-1400**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	06/28/2018	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
STATE	06/28/2018	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)

**68-05687**  
**Battelle Analytical Chemistry Services**  
**141 Long Water Drive**  
**Suite 202**  
**Norwell, MA 02061**  
**(781) 681-5565**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	10/23/2019	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	10/23/2019	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-05812**  
**Contest, A Pace Analytical Laboratory**  
**39 Spruce St**  
**East Longmeadow, MA 01028**  
**(413) 525-2332**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	09/21/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	09/21/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	01/09/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	01/09/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**09-01225**  
**Criterion Laboratories Inc**  
**400 Street Road**  
**Suite 100**  
**Bensalem, PA 19020**  
**(215) 244-1300**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
STATE	03/10/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
STATE	03/10/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
STATE	05/24/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00367**  
**EMSL Analytical Inc**  
**200 Route 130 North**  
**Cinnaminson, NJ 08077**  
**(800) 220-3675**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	01/10/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	01/10/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	03/10/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
NELAP_SECO NDARY	03/10/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
NELAP_SECO NDARY	03/10/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	03/10/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-05611**  
**Enthalpy Analytical LLC - Wilmington NC**  
**2714 Exchange Drive**  
**Wilmington, NC 28405**  
**910-212-5858**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	12/08/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	12/08/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00565**  
**Eurofins Eaton Analytical- Pomona**  
**941 Corporate Center Drive**  
**Pomona, CA 91768**  
**(626) 386-1100**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	03/15/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	03/15/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	03/15/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	03/15/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00466**  
Eurofins Eaton Analytical, LLC  
110 South Hill Street  
South Bend, IN 46617  
(574) 233-4777

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	04/30/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	04/30/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	07/25/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	07/25/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**36-00037**  
Eurofins Lancaster Laboratories Environment Testing, LLC  
2425 New Holland Pike  
Lancaster, PA 17601-5994  
(717) 656-2300

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP	11/03/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP	11/03/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP	05/14/2018	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
NELAP	05/14/2018	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
NELAP	08/01/2019	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP	08/01/2019	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00485**  
**GEL Laboratories LLC**  
**2040 Savage Road**  
**Charleston, SC 29407**  
**(843) 556-8171**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	01/23/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	01/23/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	01/23/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	01/23/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-05973**  
**Gulf Coast Analytical Laboratory, LLC dba Pace Analytical Gulf Coast**  
**7979 Innovation Park Dr**  
**Baton Rouge, LA 70820**  
**(225) 769-4900**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	01/09/2023	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	01/09/2023	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-01670**  
**Microbac Laboratories Inc Marietta Division**  
**158 Starlite Drive**  
**Marietta, OH 45750**  
**(740) 373-4071**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	06/24/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
NELAP_SECO NDARY	06/24/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
NELAP_SECO NDARY	06/24/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	06/24/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-00547**  
**Pace Analytical Services LLC Ormond Beach FL**  
**8 E. Tower Circle**  
**Ormond Beach, FL 32174**  
**(386) 672-5668**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	01/28/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	01/28/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	03/11/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	03/11/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)



**68-05990**

**Pace Analytical Services, LLC - West Columbia**  
**106 Vantage Point Drive**  
**West Columbia, SC 29172**  
**(803) 227-2702**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECON DARY	01/20/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
NELAP_SECON DARY	01/20/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
NELAP_SECON DARY	01/20/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECON DARY	01/20/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-05519**

**Regional Water Authority**  
**90 Sargent Dr**  
**New Haven, CT 06511**  
**203-401-2700**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECON DARY	12/10/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537 (Rev. 1.1)
NELAP_SECON DARY	12/10/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537 (Rev. 1.1)
NELAP_SECON DARY	12/04/2020	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECON DARY	12/04/2020	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-03573**  
**SGS North America Inc. - Orlando**  
**4405 Vineland Rd**  
**Ste C-15**  
**Orlando, FL 32811**  
**(407) 425-6700**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	12/29/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	12/29/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	12/29/2022	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	12/29/2022	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**68-03675**  
**SGS North America Inc. - Wilmington NC**  
**5500 Business Drive**  
**Wilmington, NC 28405**  
**(910) 350-1903**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP_SECO NDARY	11/05/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	11/05/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 533 (Rev. 1.0)
NELAP_SECO NDARY	02/11/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP_SECO NDARY	02/11/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)

**06-00208**  
**Suburban Testing Laboratories, Inc.**  
**1037F MacArthur Road**  
**Reading, PA 19605**  
**(610) 375-8378**

TYPE	EFFECTIVE DATE	MATRIX	ANALYTE	METHOD
NELAP	10/19/2021	Drinking Water	Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 (Rev. 1.0)
NELAP	10/19/2021	Drinking Water	Perfluorooctanoic acid (PFOA)	EPA 537.1 (Rev. 1.0)