

3141 Clifty Drive Madison, IN 47250

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION PAPER-GARD® 75

NAME: TYPE:

PRODUCT #

Felt wash 791321

FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN

EMERGENCY RESPONSE INFORMATION:

| CHEMTREC | 800-424-9300 | 24-Hour Service |
|------------------|--------------|-----------------------|
| Company Offices: | 812-273-6000 | Weekdays |
| Cara Cyrus: | 812-599-3611 | Evenings and Weekends |
| Bill Torline: | 812-599-4976 | Evenings and Weekends |

PREPARED DATE: 10-18-16 PREPARED BY: Natalie Green **SECTION 2: HAZARDS IDENTIFICATION GHS Classification** Acute toxicity - oral Category 5 H303 Category 3 Skin Corrosion/Irritation H316 Serious Eye Damage/Eye Irritation Category 2B H320 Acute Toxicity Inhalation Category 5 H333 Specific Target Organ Toxicity Category 2 H373 Aquatic Toxicity (Chronic) Category 4 H413 Signal Word WARNING Symbol Hazard Statements H303 May be harmful if swallowed.

- H316 Causes mild skin irritation.
- H320 Causes eye irritation.
- H333 May be harmful if inhaled.
- H373 May cause damage to organs (liver and kidney) through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statements

- **s** P260 Do not breathe dust/fume/gas/mist/vapors/spray.
 - P264 Wash hands, forearms, and exposed areas thoroughly after handling.
 - P270 Do not eat, drink, or smoke when using this product.
 - P273 Avoid release to the environment.
 - P280 Wear eye protection, face protection, protective clothing, protective gloves.
 - P304 + P312 IF INHALED: Call a POISON CENTER or doctor if you feel unwell.
 - P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P314 Get medical advice/attention if you feel unwell.
 - P321 Specific treatment (see Section 4).
 - P337 + P313 If eye irritation persists: Get medical advice/attention.
 - P501 Dispose of contents / container according to local, regional, national and international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT

Dipropylene glycol methyl ether

<u>Synonym</u> DPM <u>CAS NO.</u> 34590-94-8 % BY WEIGHT

1 – 10

If Chemical Name/CAS No is "proprietary" and/or % By Weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

| SECTION 4: FIRST AID MEASURES | | | | | |
|--------------------------------|---|--|--|--|--|
| DESCRIPTION OF FIRST AID MEASU | IRES: | | | | |
| EYES: | Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician. | | | | |
| SKIN: | Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician. Remove contaminated clothing and shoes. Do not put contaminated clothing and shoes back on. Wash clothing and shoes thoroughly in soap and water; rinse repeatedly in clean water and dry before reuse. | | | | |
| INGESTION: | Give water. Call a physician. DO NOT give anything by mouth if the person is unconscious or if having convulsions. | | | | |
| INHALATION: | No specific treatment is necessary since the material is not likely to be hazardous by inhalation. If exposed to excessive levels of fume or dust, remove to fresh air and get medical attention if cough or other symptoms develop. | | | | |
| PRIMARY ROUTE(S) OF ENTRY: | Eyes, skin, inhalation. | | | | |
| MOST IMPORTANT SYMPTOMS / EF | FECTS, ACUTE AND DELAYED: | | | | |
| EYE CONTACT: | Contacted areas may exhibit irritation. | | | | |
| SKIN CONTACT: | Contacted areas may exhibit irritation. | | | | |
| INGESTION: | May be harmful if swallowed. | | | | |
| INHALATION: | No hazard in normal industrial use. | | | | |

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

If you experience any of the symptoms / effects listed above seek medical advice.

SECTION 5: FIRE FIGHTING MEASURES

abnormalities and kidney damage in laboratory animals.

Chronic overexposure to dipropylene glycol methyl ether has apparently been found to cause liver

EXTINGUISHING MEDIA:

CHRONIC SYMPTOMS:

Use extinguishing media as appropriate for surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Not considered flammable or explosive. Hazardous reactions will not occur under normal conditions.

ADVICE FOR FIRE FIGHTERS:

Wear self-contained breathing apparatus and full protective clothing. Use water spray to keep containers cool. **Hazardous Combustion Products:** Carbon monoxide, carbon dioxide.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid all contact with skin, eyes and clothing. Wear safety eyewear to protect against unexpected splashes. Wear suitable protective clothing. Use NIOSH / MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain liquid spills with sand and absorb on inert material. Dispose with solid waste. See Waste Disposal Method. Do not discharge to sewers or waterways without proper treatment.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Wear proper safety equipment when handling this product. Handle in accordance with good industrial hygiene and safety procedures.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:

Normal for alkaline materials. Store away from strong oxidizing agents and acids. Keep container closed when not in use. Keep from freezing.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA PEL

100 ppm (skin)

ACGIH TLV

100 ppm (skin)

EXPOSURE GUIDELINES:

CHEMICAL IDENTITY

Dipropylene glycol methyl ether

ENGINEERING CONTROLS:

Use good ventilation. Local exhaust is recommended if TLVs are exceeded.

INDIVIDUAL PROTECTION MEASURES:

Selection of personal protective equipment should be based upon the anticipated exposure and made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910 Subpart I. The following information may be used to assist in PPE selection.

RESPIRATORY PROTECTION:

In absence of proper environmental control, use NIOSH / MSHA approved respirator for mists where airborne exposure is excessive.

SKIN PROTECTION:

Impermeable gloves. Other equipment as required to avoid contact.

EYE PROTECTION:

Safety eyewear to protect against unexpected splashes.

GENERAL HYGIENE CONSIDERATIONS:

Eyewash facility and emergency shower should be in close proximity. Always wash hands after handling any chemical.

CAS NO.

34590-94-8

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE: |
|--|
| ODOR: |
| ODOR THRESHOLD: |
| рН (100%): |
| MELTING POINT/FREEZING POINT |
| INITIAL BOILING POINT AND BOILING RANGE |
| FLASH POINT (METHOD USED) |
| EVAPORATION RATE |
| FLAMMABILITY (SOLID, GAS) |
| UPPER/LOWER FLAMMABLE OR EXPLOSIVE LIMIT |
| VAPOR PRESSURE |
| VAPOR DENSITY |
| SPECIFIC GRAVITY |
| SOLUBILITY IN WATER |
| PARTITION COEFFICIENT: N-OCTANOL/WATER |
| AUTO-IGNITION TEMPERATURE |
| VISCOSITY, DYNAMIC |
| DECOMPOSITION TEMPERATURE |
| VISCOSITY |

Clear off white liquid. Mild. Not available. 8.0 - 9.0 36°F. Not available. Not available. 1 (water = 1).. Not available. Not available. Not available. Not available. 1.08 Complete. Not available. Not available. Not available. Not available. Not available.

SECTION 10: STABILITY AND REACTIVITY

Hazardous polymerization will not occur.

Hazardous reactions will not occur under normal conditions.

Stable under recommended handling and storage conditions (see Section 7).

REACTIVITY:

CHEMICAL STABILITY:

POSSIBILITY OF HAZARDOUS REACTIONS:

| CONDITIONS TO AVOID: | No data found | | | | |
|--|---|---|--|--|--|
| INCOMPATIBLE MATERIALS: HAZARDOUS DECOMPOSITION PRODU | | ng agents, acids. xide, carbon dioxide. | | | |
| AZARDOUS DECOMPOSITION PRODU | | | | | |
| | | DGICAL INFORMATION | | | |
| ACUTE TOXICITY: | Not classified. | JOICAL INFORMATION | | | |
| LD50 AND LC50 DATA: | | | | | |
| ROUTES OF EXPOSURE / SYMPTOMS | Not available. | | | | |
| EYES: | Contacted areas may exhibit irritation. | | | | |
| SKIN: | Contacted areas may exhibit irritation. | | | | |
| INGESTION: | | May be harmful if swallowed. | | | |
| INHALATION: | No hazard in normal industrial use. | | | | |
| | Not classified. | | | | |
| TERATOGENICITY: CHRONIC EFFECTS / | Not available. | | | | |
| CARCINOGENICITY: | This material contains no ingredient above de minimus concentrations known or suspected to cause | | | | |
| | cancer. Chronic overexposure to dipropylene glycol methyl ether has apparently been found to cause liver abnormalities and kidney damage in laboratory animals. | | | | |
| SPECIFIC TARGET ORGAN TOXICITY | May cause damage to organs (liver, kidney) through prolonged or repeated exposure | | | | |
| (Repeated exposure): REPRODUCTIVE TOXICITY: | Not classified. | | | | |
| SPECIFIC TARGET ORGAN TOXICITY (Single exposure): | Not classified. | | | | |
| ASPIRATION HAZARD: | | | | | |
| COMPONENT INFORMATION: | | | | | |
| Dipropylene glycol methyl ether | LD50 Oral: | No data | | | |
| | LD50 Dermal rabbit: LC50 Inhalation rat: | 9,510 mg/kg 552 ppm 7 hours | | | |
| | | | | | |
| | SECTION 12: ECOLO | GICAL INFORMATION | | | |
| ECOTOXICITY | LC50 Ceriodaphnia dubia: | 2828.43 mg/L/48hr | | | |
| PERSISTENCE AND DEGRADABILITY: | Not available. | | | | |
| BIOACCUMULATIVE POTENTIAL: | Not available. | | | | |
| MOBILITY IN SOIL: | Not available. | | | | |
| OTHER ADVERSE EFFECTS: | | azardous air pollutants (HAPS). | | | |
| | | | | | |
| | SECTION 13: DISPOS | AL CONSIDERATIONS | | | |
| WASTE DISPOSAL METHOD | | ng biodegradable surfactants and glycol ethers. Dispose in accordance | | | |
| | with local, state and federal | regulations. | | | |
| | | | | | |
| | | RTATION INFORMATION | | | |
| DOT PROPER SHIPPING NAME: | Compound, cleaning, NOI, lic | Juid | | | |
| | Not applicable. | | | | |
| IDENTIFICATION NUMBER: PACKING GROUP: | Not applicable. | | | | |
| EMERGENCY RESPONSE GUIDE: | Not applicable. Not applicable. | | | | |
| | | | | | |

| | ļ | SECTION 15: REGULATORY | INFORMATION | |
|---|---|-------------------------------------|-------------------------------|--|
| VOC: TSCA STATUS | 0.45 pounds per gallon (54 grams per liter). All ingredients are listed on the TSCA inventory. | | | |
| CERCLA REPORTABLE QUANTITY | Non | e established. | | |
| | X | ACUTE HEALTH | | |
| | | FIRE | | |
| SARA 311 / 312 HAZARD CLASSES | | SUDDEN RELEASE OF PRES | SURE | |
| | X | CHRONIC HEALTH | | |
| | | REACTIVE | | |
| SARA 312 INFORMATION | repo | orting is 10,000 lbs. This material | is not an extremely hazardo | orm. Threshold planning quantity for bus substance (EHS). porting requirements of Section 313 of |
| SARA 313 INFORMATION | the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 | | | |
| CHEMICAL NAME None | | CATEGORY CODE | CAS NUMBER | % BY WEIGHT |
| STATE REGULATORY INFORMATION CALIFORNIA PROPOSITION 65 | Cali toxio | | dients listed in Section 3 as | known to cause cancer or reproductive |
| | | | | |

SECTION 16: OTHER INFORMATION

SDS STATUS: Revised sections 2 and 16 on 10-18-16.

| HEALTH | 1 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

FOR INDUSTRIAL USE ONLY - KEEP OUT OF THE REACH OF CHILDREN