



SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name: Product Use: Supplier's Name: Emergency Telephone Number:

Address (Corporate Headquarters):

Telephone Number for Information: Date of MSDS:

ChemTreat FO920 Defoamer ChemTreat, Inc. (800) 424–9300 (Toll Free) (703) 527–3887 5640 COX ROAD Glen Allen, VA 23060 (800) 648–4579 December 16, 2013

Section 2. Hazard(s) Identification

Signal Word:

WARNING

Hazard Statement(s):	Causes eye irritation. May be harmful in contact with skin. May be harmful if inhaled. May be harmful if swallowed. Flammable liquid and vapor. Harmful to aquatic life.
Precautionary Statement(s):	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands thoroughly after handling. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release into the environment.





Section 3. Composition/Hazardous Ingredients

Component	CAS Registry #	Wt.%
Petroleum distillate	8052-41-3	15 - 40
	67254-74-4	15 - 40
Isobutanol	78-83-1	3 – 7
2-Methyl-2,4-Pentanedial	107-41-5	3 – 7

Section 4. First Aid Measures

Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Skin:	Wash with plenty of soap and water. Call a poison center or doctor/physician if you feel unwell.
Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
Notes to Physician:	N/A
Additional First Aid Remarks:	N/A

Section 5. Fire Fighting Measures

Flammability of the Product:	Flammable liquid.		
Suitable Extinguishing Media:	Use extinguishing media suitable to surrounding fire.		
Specific Hazards Arising from the Chemical:	None known.		
Protective Equipment:	If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.		





Section 6. Accidental Release Measures

Personal Precautions:	Use appropriate Personal Protective Equipment (PPE).
Environmental Precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
Methods for Cleaning up:	Contain and recover liquid when possible. Flush spill area with water spray.
Other Statements:	If RQ (Reportable Quantity) is exceeded, report to National Spill Response Office at 1–800–424–8802.

Section 7. Handling and Storage

Handling:	Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.
Storage:	Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Keep from freezing. Do not store below 40°F. Do not store above 90°F.

Section 8. Exposure Controls/Personal Protection

Exposure Limits

Component	Source	Exposure Limits
Petroleum distillate		N/E
		N/E
Isobutanol	ACGIH TLV	152 mg/m³ TWA
	OSHA PEL	300 mg/m ³ TWA
2-Methyl-2,4-Pentanedial		N/E





Carcinogenicity Category

Component	Source	Code	Brief Description	
Petroleum distillate			N/E	
			N/E	
Isobutanol			N/E	
2-Methyl-2,4-Pentanedial			N/E	
Engineering Controls:	Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.			
Personal Protection				
Eyes:	Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.			
Skin:	Maintain quick–drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.			
Respiratory:	If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.			

Section 9. Physical and Chemical Properties

Physical State and Appearance: Specific Gravity: pH: Freezing Point: Flash Point: Odor: Melting Point: Boiling Point: Solubility in Water: Evaporation Rate: Vapor Density: Molecular Weight: Viscosity: Flammable Limits: Autoignition Temperature: Density:	Liquid, Dark Straw, Clear 0.874 @ 20°C N/A <-13°F >105°F Mild N/D >240°F Emulsifiable <1 N/D N/D N/D N/A N/A N/A N/A N/A 7.29 lb/ga
Vapor Pressure:	~20 mmHg, @ 20C
% VOC:	N/D





Section 10. Stability and Reactivity

Chemical Stability:	Stable at normal temperatures and pressures.
Incompatibility with Various Substances:	Strong oxidizers
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide
Possibility of Hazardous Reactions:	None known.

Section 11. Toxicological Information

Chemical Name	Exposure	Type of Effect	Concentration	Species
N/D				

Comments:

None.

Section 12. Ecological Information

Species	Duration	Type of Effect	Test Results
Ceriodaphnia dubia	48h	LC50	47 mg/l
Fathead Minnow	96h	LC50	379 mg/l

Comments:

None.

Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations. EPA ignitibility characteristic hazardous waste D001 when disposed of in the original product form.





Section 14. Transport Information

DOT

Proper Shipping Name:	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID
Technical Name:	N/A
Hazard Class:	Not D.O.T. Regulated
UN/NA#:	N/A
Packing Group:	N/A

Over 119 GA

Proper Shipping Name: Technical Name:	FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES AND ISOBUTYL ALCOHOL)
Hazard Class:	Flammable Liquid
UN/NA#:	UN1993
Packing Group:	PGIII

IMDG

Proper Shipping Name:	FLAMMABLE LIQUID, N.O.S.
Technical Name:	(PETROLEUM DISTILLATES AND ISOBUTYL
Hazard Class: UN/NA#: Packing Group:	ALCOHOL) Flammable Liquid UN1993 PGIII

ICAO

Proper Shipping Name: Technical Name:	FLAMMABLE LIQUID, N.O.S. (PETROLEUM DISTILLATES AND ISOBUTYL ALCOHOL)
Hazard Class:	Flammable Liquid
UN/NA#:	UN1993
Packing Group:	PGIII

Section 15. Regulatory Information





Inventory Status

United States (TSCA):	All ingredients listed.
Canada (DSL/NDSL):	All ingredients listed.

Federal Regulations

SARA Title III Rules

Sections 311/312 Hazard Classes

Fire Hazard:	Yes
Reactive Hazard:	No
Release of Pressure:	No
Acute Health Hazard:	Yes
Chronic Health Hazard:	No

Other Sections

	Section 313	Section 302 EHS	
Component	Toxic Chemical	TPQ	CERCLA RQ
Petroleum distillate	N/A	N/A	N/A
	N/A	N/A	N/A
Isobutanol	N/A	N/A	5000
2-Methyl-2,4-Pentanedial	N/A	N/A	N/A

Comments: None.

State Regulations

California Proposition 65: None known.

Special Regulations

Component	States
Petroleum distillate	MA, MN, PA
	None
Isobutanol	MA, MN, NY, PA, WA
2-Methyl-2,4-Pentanedial	MA, MN, PA, WA

International Regulations

Canada

WHMIS Classification:

B2 (Flammable Liquid)

Controlled Product Regulations (CPR):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.





Section 16. Other Information

Health: Flammability: Physical Hazard: PPE:	1 2 0 X
Notes:	The PPE rating depends on circumstances of use. See Section 8 for recommended PPE. The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha–numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end–user must determine if the code is appropriate for their use.
NSF:	N/A
FDA/USDA/GRAS:	N/A
KOSHER:	This product has not been evaluated for Kosher approval.
FIFRA:	N/A
Other:	None

Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com





Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.