NALCO An Ecolab Company

SAFETY DATA SHEET

NALKLEEN® 2657

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALKLEEN® 2657

Other means of identification : Not applicable.

Recommended use : CAUSTIC BOILOUT ADDITIVE

Restrictions on use : Refer to available product literature or ask your local Sales

Representative for restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 10/20/2014

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear eye protection/face

protection. **Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage:

Protect product from freezing.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Organic Salt Proprietary 5 - 10 Sulfonate Proprietary 1 - 5

1/8

NALKLEEN® 2657

Ethylene Oxide - Propylene Oxide Copolymer 9003-11-6 1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if

symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do

> not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Carbon oxides

for firefighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the

event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise

contain material to ensure runoff does not reach a waterway.

NALKLEEN® 2657

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after

handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers. Protect product from freezing.

Suitable material : The following compatibility data is suggested based on similar

product data and/or industry experience: Steel, Stainless steel, Iron,

Compatibility with Plastic Materials can vary; we therefore

recommend that compatibility is tested prior to use.

Unsuitable material : The following compatibility data is suggested based on similar

product data and/or industry experience: Aluminum, Tin, Galvanized

metals

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : dark brown

Odour : Mild

Flash point : Not applicable.
pH : 5.9 - 6.9. 100 %

(25 °C)Method: ASTM E 70

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

NALKLEEN® 2657

range

Evaporation rate : no data available Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available : similar to water Vapour pressure Relative vapour density : no data available

Relative density : 1.11 - 1.13 (25 °C) ASTM D-1298

Density : no data available Water solubility : completely soluble Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : Carbon oxides Viscosity, dynamic : no data available : no data available Viscosity, kinematic

VOC : 0%

0 g/l

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Freezing temperatures.

Incompatible materials : None known

Hazardous decomposition

products

: Oxides of carbon Oxides of nitrogen

> Oxides of sulfur Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

NALKLEEN® 2657

Experience with human exposure

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : > 40 mg/l

Exposure time: 4 h

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute dermal toxicity : Sulfonate

LD50 rabbit: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Components

NALKLEEN® 2657

Toxicity to fish : Organic Salt

LC50 Fish: 121 mg/l Exposure time: 96 h

Ethylene Oxide - Propylene Oxide Copolymer

LC50 Fish: > 100 mg/l Exposure time: 96 h

Components

Toxicity to algae : Sulfonate

EC50: 230 mg/l Exposure time: 96 h

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

NALKLEEN® 2657

TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

Section: 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

JAPAN

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

KOREA

All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

NALKLEEN® 2657

PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

Section: 16. OTHER INFORMATION

NFPA: Flammability Health

2

Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/20/2014

Version Number : 1.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit www.nalco.com and request access.

Instability