

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : NALCO® 1T60

Other means of identification : Not applicable.

Recommended use : FLOCCULANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630)305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 01/13/2016

**Section: 2. HAZARDS IDENTIFICATION****GHS Classification**

Eye irritation : Category 2B

**GHS Label element**

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Other hazards** : None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Hydrotreated Light Distillate	64742-47-8	10 - 30
Urea	57-13-6	1 - 5
Adipic Acid	124-04-9	1 - 5
Oxyalkylated alcohol	Proprietary	1 - 5

**Section: 4. FIRST AID MEASURES**

## SAFETY DATA SHEET

### NALCO® 1T60

- In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.
- If swallowed : Do NOT induce vomiting. Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically. If swallowed a jelly mass may form which in digestion may cause blockage.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Spills of this product are very slippery. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

# SAFETY DATA SHEET

**NALCO® 1T60**

waterway.

## Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Stir well prior to use. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Store separately from oxidizers. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : not determined

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrotreated Light Distillate	64742-47-8	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z1
		TWA	200 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z1
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		STEL (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Urea	57-13-6	TWA	10 mg/m <sup>3</sup>	AIHA WEEL
Adipic Acid	124-04-9	TWA	5 mg/m <sup>3</sup>	ACGIH

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

- Eye protection : Safety glasses
- Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Wear suitable protective clothing.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.  
Wash face, hands and any exposed skin thoroughly after handling.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : viscous

## SAFETY DATA SHEET

### NALCO® 1T60

Colour	: off-white
Odour	: hydrocarbon-like
Flash point	: no data available
pH	: 3.9, 1 % Method: ASTM E 70
Odour Threshold	: no data available
Melting point/freezing point	: FREEZING POINT: -24 °C, ASTM D-1177
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.03 (25 °C) ASTM D-1298
Density	: 8.5 lb/gal
Water solubility	: emulsifiable
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Freezing temperatures.
Incompatible materials	: Addition of water results in gelling. Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

# SAFETY DATA SHEET

**NALCO® 1T60**

Hazardous decomposition products : Oxides of carbon  
Oxides of nitrogen

## Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

### Potential Health Effects

Eyes : Causes eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

### Experience with human exposure

Eye contact : Redness, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

### Toxicity

#### Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : Result: Mild eye irritation

Respiratory or skin sensitization : no data available

#### Carcinogenicity

IARC : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## SAFETY DATA SHEET

**NALCO® 1T60**

OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: No aspiration toxicity classification

### Components

Acute inhalation toxicity	: Urea LC50 rat: > 2.71 mg/l Exposure time: 4 h
	Adipic Acid LC50 rat: > 7.7 mg/l Exposure time: 4 h
	Oxyalkylated alcohol LC50 rat: > 50 mg/l Exposure time: 4 h

### Components

Acute dermal toxicity	: Urea LD50 rat: 8,200 mg/kg
	Adipic Acid LD50 rabbit: > 7,940 mg/kg

## Section: 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Environmental Effects	: Toxic to aquatic life.
-----------------------	--------------------------

### Product

Toxicity to fish	: LC50 Oncorhynchus mykiss (rainbow trout): 1 - 10 mg/l
------------------	---

## SAFETY DATA SHEET

**NALCO® 1T60**

Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna (Water flea): 0.16 - 0.37 mg/l  
Exposure time: 48 hrs  
Test substance: Product

### Components

Toxicity to algae : Hydrotreated Light Distillate  
EC50 : > 1,000 mg/l  
Exposure time: 72 h

Adipic Acid  
EC50 : 26.6 mg/l  
Exposure time: 96 h

### Components

Toxicity to bacteria : Hydrotreated Light Distillate  
> 1,000 mg/l

### Persistence and degradability

no data available

### Mobility

no data available

### Bioaccumulative potential

no data available

### Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## SAFETY DATA SHEET

**NALCO® 1T60**

### Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING  
TRANSPORTATION

### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING  
TRANSPORTATION

### Sea transport (IMDG/IMO)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
Technical name(s) : Cationic polymer  
UN/ID No. : UN 3082  
Transport hazard class(es) : 9  
Packing group : III

## Section: 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).



# SAFETY DATA SHEET

## NALCO® 1T60

### AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

### CHINA

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

### JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

### KOREA


All substances in this product comply with the Toxic Chemical Control Law (TCCL) and are listed on the Existing Chemicals List (ECL)

### PHILIPPINES

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 01/13/2016  
Version Number : 1.1  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.