

**SAFETY DATA SHEET**

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
808188

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier**

Trade name : PerForm™ PC920
Retention/Drainage/Clarification Aid
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) / 606-329-5705 Product Information 1-844-SOLENIS (844-765-3647)
---	--

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous components**

SAFETY DATA SHEET	Revision Date: 10/05/2017
	Print Date: 10/5/2017
	SDS Number: 000000221509
PerForm™ PC920 Retention/Drainage/Clarification Aid ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 808188	Version: 1.4

Chemical name	CAS-No.	Classification	Concentration (%)
ORGANIC ACID	254504001- 6297 .	Eye Irrit. 2A; H319	>= 1.50 - < 5.00

Trade Secret Composition - conceal identity + concentration

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
- Specific hazards during : Organic dusts at sufficient concentration can form explosive

SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 808188

- firefighting : mixtures in air.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
Nitrogen oxides (NOx)
acid vapors
Ammonia
- Specific extinguishing methods :


Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid dust formation.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

 Strong bonds. Trusted solutions.		Page: 4
SAFETY DATA SHEET		Revision Date: 10/05/2017
		Print Date: 10/5/2017
		SDS Number: 000000221509
PerForm™ PC920 Retention/Drainage/Clarification Aid ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 808188		Version: 1.4

Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
COCO DIETHANOLAMIDE	68603-42-9	ST ESL	100 µg/m ³	TX ESL
		AN ESL	10 µg/m ³	TX ESL

Engineering measures : Provide appropriate exhaust ventilation at places where dust is formed.
General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 808188

Appearance : powder

Physical state : solid

Colour : off-white

Odour : No data available

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : 550 - 750 kg/m3


Solubility(ies)
 Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity

	Page: 6
SAFETY DATA SHEET	Revision Date: 10/05/2017
	Print Date: 10/5/2017
	SDS Number: 00000221509
PerForm™ PC920 Retention/Drainage/Clarification Aid ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 808188	Version: 1.4

Viscosity, dynamic : > 800 mPa.s (20 °C)
Method: Brookfield

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.


Heat, flames and sparks.

Incompatible materials : Acids
Chlorine
Metals
nitrates
Strong bases
Strong oxidizing agents
strong reducing agents

Hazardous decomposition products : carbon dioxide and carbon monoxide
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

	Page: 7
SAFETY DATA SHEET	Revision Date: 10/05/2017
	Print Date: 10/5/2017
	SDS Number: 000000221509
PerForm™ PC920 Retention/Drainage/Clarification Aid ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 808188	Version: 1.4

Acute toxicity

Not classified based on available information.

Components:

ORGANIC ACID:

Acute oral toxicity : LD 50 (Rat): 3 g/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

ORGANIC ACID:

Result: Slightly irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Components:

ORGANIC ACID:

Result: Severely irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

Group 2B: Possibly carcinogenic to humans

COCO DIETHANOLAMIDE 68603-42-9

OSHA

No component of this product present at levels greater than or

SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
808188

equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 87.2 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

Components:**ORGANIC ACID:**

Toxicity to fish : LC 50 (Carassius auratus (goldfish)): 440 - 706 mg/l
Exposure time: 96 h

Persistence and degradability**Components:**

No data available

Bioaccumulative potential**Components:**

No data available

Mobility in soil**Components:**

No data available

Other adverse effects

No data available

Product:



SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 808188

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water courses or the soil.
 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 808188

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
DIETHANOLAMINE	111-42-2	100	250626.566416

SARA 311/312 Hazards : Fire Hazard

SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
 808188

Fire Hazard

SARA 313 Component(s) : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 : Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Registration: Trade Secret

Chemical name	Identification number
ORGANIC ACID	254504001- 6297

SECTION 16. OTHER INFORMATION

Further information


Revision Date: 10/05/2017

Full text of H-Statements referred to under section 3.

H319 Causes serious eye irritation.

Further information

Sources of key data used to compile the Safety Data Sheet
 Key literature references and sources of data
 SOLENIS Internal data

		Page: 12
SAFETY DATA SHEET		Revision Date: 10/05/2017
		Print Date: 10/5/2017
		SDS Number: 000000221509
PerForm™ PC920 Retention/Drainage/Clarification Aid ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 808188		Version: 1.4

SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission



SAFETY DATA SHEET

Revision Date: 10/05/2017

Print Date: 10/5/2017

SDS Number: 000000221509

Version: 1.4

PerForm™ PC920 Retention/Drainage/Clarification Aid
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries
808188

- HMIS : Hazardous Materials Identification System
- NFPA : National Fire Protection Association
- NIOSH : National Institute for Occupational Safety and Health
- OSHA : Occupational Safety and Health Administration
- PMRA : Health Canada Pest Management Regulatory Agency
- RTK : Right to Know
- WHMIS : Workplace Hazardous Materials Information System