

Safety Data Sheet CHEM-AQUA 52885

Supersedes Date 08/27/2015

Issuing Date 01/11/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name CHEM-AQUA 52885
Recommended use Water treatment chemical
Information on Manufacturer
CHEM-AQUA, INC
BOX 152170
IRVING, TEXAS 75015

Product Code C226
Chemical nature Aqueous solution of alkali salts
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Colorless - Light yellow

Physical state Liquid

Odor Slightly Sweet

GHS

Classification

Physical Hazards

Corrosive to Metals

Category 1

Health Hazard

Skin Corrosion/Irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

Specific target organ toxicity (repeated exposure)

Category 2

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

H373 - May cause damage to organs through prolonged or repeated exposure in contact with skin

Precautionary Statements

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P260 - Do not breathe mist.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332 + P313 - If skin irritation occurs, get medical attention.

P363 - Wash contaminated clothing before reuse.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms, call a physician.

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.

P390 - Absorb spillage to prevent damage.

P406 - Store in a corrosion-resistant container.

P501 - Dispose of contents and container in accordance with applicable local regulations.

14 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
-----------	---------	----------

Sodium metaborate tetrahydrate	10555-76-7	7-13
Sodium molybdate	7631-95-0	7-13
Sodium tolyltriazole	64665-57-2	1-5
Sodium hydroxide	1310-73-2	0.1-1

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice	Do not get in eyes, on skin or on clothing. Do not breathe mist.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.
Skin Contact	Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	Move to fresh air. In case of shortness of breath, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately.
Notes to physician	The product causes burns of eyes, skin and mucous membranes. Control of circulatory system, shock therapy if needed.

5. FIRE-FIGHTING MEASURES

Flash Point	Does not flash	Method	not applicable
Flammability Limits in Air %:	Hydrogen, by reaction with metals.	Upper:	75
		Lower:	4
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO ₂). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Specific hazards arising from the chemical	Contact with metals may evolve flammable hydrogen gas. Material can create slippery conditions.		
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.		
NFPA	Health 3	Flammability 0	Instability 0
HMIS	Health 3	Flammability 0	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.
Neutralizing Agent	Acetic acid, diluted.

7. HANDLING AND STORAGE

Handling	Do not get in eyes, on skin or on clothing. Do not breathe mist.			
Storage	Store in original container. Metal containers must be lined. Keep containers tightly closed in a dry, cool and well-ventilated place. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.			
Storage Temperature	Minimum	45 °F / 7 °C	Maximum	115 °F / 46 °C
Storage Conditions	Indoor	X	Outdoor	Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Sodium metaborate tetrahydrate	TWA: 2 mg/m ³ inhalable fraction	No data available	No data available
Sodium molybdate	TWA: 0.5 mg/m ³ respirable fraction	TWA: 5 mg/m ³	No data available
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection

Tightly fitting safety goggles. Face-shield.

Skin Protection	Wear suitable protective clothing, Impervious gloves.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid	Viscosity	Non viscous
Color	Colorless - Light yellow	Odor	Slightly Sweet
Odor Threshold	Not applicable	Appearance	Transparent - Hazy
pH	13.0	Specific Gravity	1.19
Evaporation Rate	0.49 (Butyl acetate=1)	Percent Volatile (Volume)	94
VOC Content (%)	0	VOC Content (g/L)	0
Vapor Pressure	14.22 mmHg @ 70°F	Vapor Density	0.6 (Air = 1.0)
Solubility	Completely soluble	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	No data available	Flammability (solid, gas)	No data available
Flash Point	Does not flash	Method	not applicable
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Hydrogen, by reaction with metals	Upper: 75 Lower: 4	

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	Extremes of temperature and direct sunlight.
Incompatible Products	Strong oxidizing agents, Acids.
Decomposition Temperature	No data available
Hazardous Decomposition Products	Carbon oxides, Nitrogen oxides (NOx), Sodium oxides, Sulfur oxides, Hydrogen chloride gas, Phosgene, Hydroxide, Fumes, Hydrogen, by reaction with metals, Thermal decomposition can lead to release of irritating gases and vapors.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	39,177.28
Dermal LD50	No information available
Inhalation LC50	
Gas	No information available
Mist	20.39
Vapor	20.39

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

Primary Routes of Entry Ingestion.

Acute Effects:

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Causes skin burns.

Inhalation Harmful by inhalation. Causes burns.

Ingestion If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Chronic Toxicity Inhaled corrosive substances can lead to a toxic edema of the lungs. Kidney injury may occur.

Target Organ Effects Blood, Eyes, Respiratory system, Kidney, Skin.

Aggravated Medical Conditions Respiratory disorders, Skin disorders, Kidney disorders, Blood disorders.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Sodium molybdate 7631-95-0	= 4000 mg/kg (Rat)	no data available	> 2080 mg/m ³ (Rat) 4 h	No data available	No data available
Sodium tolyltriazole 64665-57-2	640 mg/kg	no data available	No data available	No data available	No data available
Sodium hydroxide 1310-73-2	No data available	= 1350 mg/kg (Rabbit)	No data available	No data available	No data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects

Sodium molybdate 7631-95-0	No data available	No data available	No data available	No data available	Blood; Eyes; Respiratory system; Kidney
Sodium hydroxide 1310-73-2	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

Carcinogenicity There are no known carcinogenic chemicals in this product.

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition coefficient
Sodium hydroxide	No information available.	LC50 = 45.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Hazard Class 8
UN-No UN3266
Packing Group II
Description UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.,(SODIUM TOLYTRIAZOLE, SODIUM HYDROXIDE), 8, PG II

TDG

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Hazard Class 8
UN-No UN3266
Packing Group II
Description UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.,(SODIUM TOLYTRIAZOLE, SODIUM HYDROXIDE), 8, PG II

ICAO

UN-No UN3266
Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Hazard Class 8
Packing Group II
Shipping Description UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.,(SODIUM TOLYTRIAZOLE, SODIUM HYDROXIDE), 8, PG II

IATA

UN-No UN3266
Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Hazard Class 8
Packing Group II
Shipping Description UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.,(SODIUM TOLYTRIAZOLE, SODIUM HYDROXIDE), 8, PG II

IMDG/IMO

Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Hazard Class 8
UN-No UN3266
Packing Group II
Description UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.,(SODIUM TOLYTRIAZOLE, SODIUM HYDROXIDE), 8, PG II

15. REGULATORY INFORMATION

Inventories

TSCA Complies
 DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

GERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	Not applicable

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS No.	California Prop. 65
Lead	1317-36-8	carcinogen developmental toxicity
Asbestos	1332-21-4	carcinogen
Mercury	7439-97-6	developmental toxicity
Nickel	7440-02-0	carcinogen
Arsenic	7440-38-2	carcinogen
Beryllium	7440-41-7	carcinogen
Cadmium and compounds (as Cd)	7440-43-9	carcinogen
Chromium	7440-47-3	carcinogen developmental toxicity
Cobalt	7440-48-4	carcinogen

16. OTHER INFORMATION

Prepared By Laura Strauss
 Supersedes Date 08/27/2015
 Issuing Date 01/11/2017
 Reason for Revision No information available.
 Glossary No information available.
 List of References. No information available.

CHEM-AQUA, INC assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.