

## 1 - PRODUCT IDENTIFICATION

PRODUCT NAME:.....CAPTIFLOC AEF 330

PRODUCT NUMBER: .....CAPTIFLOC AEF330

**DESCRIPTION:....**Polymer

OTHER MEANS OF INDENTIFATICATION:......... Viscous liquid, milky with an aliphatic.

**RECOMMENDED USE:....**Processing aid for industrial applications.

**RESTRICTIONS ON USE:....** Use only as directed.

COMPANY:..... CHEMTRON CORPORATION

3500 Harry S. Truman Blvd St. Charles, MO 63301

636-940-5445 (Mon-Fri., 8:00-4:00)

www.chemtroncorporation.com

**EMERGENCY PHONE: .....**(800) 424-9300 (CHEMTREC)

REVISION DATE:.....MARCH 3, 2017

### 2 - HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:.....**Spills produce extremely slippery surfaces.

## 3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTPERCENTCAS NUMBERDistillates (petroleum, hydrotreated light20-4564742-47-8Poly(oxy-1, 2-ethanediyl), a-tridecyl-w-hydroxy, branched<3</td>69011-36-5

The exact percent by weight of the ingredients in this formulation is proprietary.



## 4 - FIRST-AID MEASURES

#### 5 - FIRE-FIGHTING MEASURES

FLASHPOINT:.....Does not flash.

**EXTINGUISHING MEDIA:......** Water, water spray, foam, carbon dioxide (CO2), dry powder.

**SPECIAL FIRE FIGHTING PROCEDURES:** ...............Carbon oxides (COx), nitrogen oxides (NOx). Hydrogen chloride, Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

### 6 - ACCIDENTAL RELEASE MEASURES

**SPILL PROCEDURES:.....Small spills**: Do not flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

**Large spills**: Do not flish with water. Dam up. Clean up promptly by scoop or vacuum.

**Residues**: Soak up wih inert absorbent material. After cleaning, flush away traces with water.

**PERSONAL PRECAUTIONS: ....**Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

#### 7 - HANDLING and STORAGE



## 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMITS:** ......Do not allow uncontrolled discarge of product into the environment.

INGREDIENT	SOURCE & PARAMETER	EXPOSURE LIMIT
Distillates (petroleum) hydrotreated	ACGIH	200 mg/m3 8 hr
light		

**PROTECTIVE CLOTHING: .....** Chemical goggles, face shield, always wear eye protection when working with any chemical. Impervious gloves, clean body covering, rubber apron, rubber boots

**ADDITIONAL MEASURES:.....**Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists.

### 9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE: ......Viscous liquid, milky.

**ODOR:** ......Aliphatic. **BOILING POINT:** ......> 100 (C)

**VAPOR PRESSURE:**.....2.3 kPa @ 20 (C)

**VAPOR DENSITY (AIR=1): .....**0.804 g/litre @ 20 (C)

**SPECIFIC GRAVITY:** .....1.0-1.1

**pH:**.....5-8 @ 5 g/L

**SOLUBILITY IN WATER: .....**Completely miscible in water.

FLAMMABILITY: .....Not Flamable

**EVAPORATION RATE:....**No data available.

MELTING POINT/FREEZING POINT: .....< 5 C

## 10 - STABILITY and REACTIVITY

**REACTIVITY:** .....Stable under recommender storage conditions.

STABILITY: .....Stable under recommended storage conditions.

HAZARDOUS POLYMERIZATION: ......None known.

**INCOMPATIBILITY:....**Oxidizing agents.

HAZARDOUS REACTIONS: .....Protect from frost, heat and sunlight.

HAZARDOUS DECOMP: ......Thermal decompostion may produce, nitrogen oxides (NOx), carbon oxides (COx).

Ammonia, Hydrogen, cyanide (hydrocyanic acid).



# 11 - TOXICOLOGICAL INFORMATION

**LIKELY ROUTES OF EXPOSURE:** .....Skin and/or eye contact. Ingestion. Inhalation.

TOXICOLOGICAL CHARACTERISTICS: ......The results of testing on rabbits showed this material to be non

toxic even at high dose levels.

**DELAYED EFFECTS: .....**No know effects.

**IMMEDIATE EFFECTS: .....** May cause serious eye irritation.

CHRONIC EFFECTS: .....Not Known.

LISTED CARCINOGEN: .....Not carcinogenicity.

INGREDIENTS	DATA	
Distillates (petroleum), hydrotreated light	Oral LD50 rat 5000 mg/kg	
	Dermal LD50 rabbit 5000 mg/kg	
Poly(oxy-1, 2-ethanediyl), a-tridecyl-w-hydroxy-, branched	Inhalation LC50 rat 4951 mg/m3	
	Oral LD50 rat 500-2000 mg/kg	
	Dermal LD50 rabbit 2000 mg/kg	

## 12 - ECOLOGICAL INFORMATION

## ENVIRONMENTAL FATE AND DISTRIBUTION:

PRODUCT	DATA	
Distillates (petroleum), hydrotreated light	LC0 oncorhynchus mykiss 96 hrs >1000 mg/L	
	EC0 daphnia magna 48 hrs >1000 mg/L	
Poly(oxy-1, 2-ethanediyl), a-tridecyl-w-hydroxy-, branched	IC0 pseudokirchneriella subcapitata 72 hrs >1000 mg/L	
	LC50 cyprinus carpio 96 hrs 1-10 mg/L	
	EC50 daphnia 48 hrs 1-10 mg/L	
	IC50 desmodesmus subspicatus 72 hrs 1-10 mg/L	

PERSISTENCE AND DEGRADABILITY: ......Not readily biodegradable.

**BIOACCUMULATIVE POTENTIAL:** ......This product is not expected to bioaccumulate.

MOBILITY IN SOIL:.....No data available.

OTHER ADVERSE EFFECTS: .. None.

## 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: ......Dispose of in accordance with all local, state, and federal regulations.



# 14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:.....Not Regulated

## 15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

# EPA SRA Title III Chemical Listings:

TSCA STATUS: ......All ingredients listed or exempt.

SECTION 311/312: ......Not Hazardous. US EPA CERLA: .....None Hazardous

### 16 - OTHER INFORMATION

### NFPA HAZARD RANKING

HEALTH	FIRE	REACTIVITY	SPECIAL
0	1	0	

#### HMIS HAZARD RANKING

HEALTH	FIRE	REACTIVITY	PPE
0	1	0	

This data is offered in good faith and believed to be accurate, but it is for the users to satisfy themselves of the product suitability for their own purpose. There is no warrenty expressed or implied. The recommended hygiene and safe handling procedures are believed to be generally applicable.