SOLEOIS Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Performax™ MX2302

COOLING WATER TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,

registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data	Emergency telephone number
sheet	1-844-SOLENIS (844-765-3647)
Solenis LLC	
500 Hercules Road	Product Information
Wilmington, Delaware 19808	Contact your local Solenis representative
United States of America (USA)	
,	
RegulatoryRequestsNA@solenis.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Corrosive to metals : Category 1

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P234 Keep only in original container.

SOLEOIS Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
PHOSPHORUS COMPOUND	Trade Secret	Eye Dam. 1; H318	>= 10 - < 15
		STOT SE 3; H335	
POLYMER	Trade Secret	Met. Corr. 1; H290	>= 5 - < 10
		Skin Irrit. 2; H315	
		Eye Irrit. 2A; H319	
potassium hydroxide	1310-58-3	Acute Tox. 4; H302	>= 5 - < 10
		Acute Tox. 4; H312	
		Skin Corr. 1; H314	

SOLENIS Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

		Eye Dam. 1; H318	
TRIAZOLE DERIVATIVE	Trade Secret	Acute Tox. 4; H302 Eye Irrit. 2A; H319 STOT SE 3; H335	>= 1.5 - < 5
ORGANIC ACID	Trade Secret	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 0.5 - < 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If breathed in, move person into fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

If swallowed : Get medical attention immediately.

Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Signs and symptoms of exposure to this material through

breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

SOLOIS. Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Cough

lung edema (fluid buildup in the lung tissue)

May cause an allergic skin reaction. Causes serious eye damage.

Causes severe burns.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion

products

Phosphorus compounds

potassium oxide Carbon monoxide Carbon dioxide (CO2)

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SOLENIS. Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

SOLEOIS Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate: Impervious clothing Chemical resistant apron

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink.

Ensure that eyewash stations and safety showers are close

to the workstation location. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : 11.00 - 12.75

Melting point/freezing point : -10 - 2 °C

Boiling point/boiling range : 100 °C

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

SOLENIS Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Relative density : No data available

Density : 1.292 g/cm3 (23 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 18 cps (23 °C)

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

Product will not undergo hazardous polymerization.

Incompatible materials : Acids

Alcohols aluminum Amines

chlorinated solvents halogenated hydrocarbons

Metals nitrites strong alkalis

Strong oxidizing agents

water Zinc

Hazardous decomposition

products

potassium oxide

Oxides of phosphorus Carbon monoxide Carbon dioxide (CO2)

SOLEOIS Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 3,474 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

PHOSPHORUS COMPOUND:

Acute oral toxicity : LD50 (Rat): 4,260 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 0.83 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: Not classified as acutely toxic by inhalation

under GHS.

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD 50 (Rabbit): > 7,970 mg/kg

Test substance: (as aqueous solution)

POLYMER:

Acute oral toxicity : LD 50 (Rat): 12,500 mg/kg

potassium hydroxide:

Acute oral toxicity : LD 50 (Rat): 333 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): 1,260 mg/kg

TRIAZOLE DERIVATIVE:

Acute oral toxicity : LD 50 (Rat): 675 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD (Rabbit): > 4,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

ORGANIC ACID:

Acute oral toxicity : LD50 (Rat): 708 mg/kg

SOLEOIS Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Acute inhalation toxicity : LC 50 (Rat): > 0.72 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Assessment: Not classified as acutely toxic by inhalation

under GHS.

Acute dermal toxicity : LD 50 (Rabbit): 1,560 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: May cause skin irritation in susceptible persons.

Causes severe skin burns and eye damage.

Components:

PHOSPHORUS COMPOUND:

Species: reconstructed human epidermis (RhE)

Method: OECD Test Guideline 439

Result: Not irritating to skin

POLYMER:

Result: Irritating to skin

potassium hydroxide:

Result: Corrosive to skin

TRIAZOLE DERIVATIVE:

Species: Rabbit

Result: Slightly irritating to skin

Remarks: Information given is based on data obtained from similar substances.

ORGANIC ACID:

Result: Severely irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

PHOSPHORUS COMPOUND:

Result: Corrosive to eyes

SOLOIS. Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

POLYMER:

Result: Irritating to eyes

potassium hydroxide:

Result: Corrosive to eyes

TRIAZOLE DERIVATIVE:

Species: Rabbit

Result: Irritating to eyes

Remarks: Information given is based on data obtained from similar substances.

ORGANIC ACID:

Result: Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

PHOSPHORUS COMPOUND:

Test Type: Local lymph node assay

Species: Mouse

Method: OECD Test Guideline 429

Remarks: Information given is based on data obtained from similar substances.

TRIAZOLE DERIVATIVE:

Species: Guinea pig

Remarks: Information given is based on data obtained from similar substances.

ORGANIC ACID:

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitization by skin contact.

GLP: yes

Germ cell mutagenicity

Not classified based on available information.

SOLENIS Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Components:

TRIAZOLE DERIVATIVE:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with metabolic activation

Result: positive

Remarks: Information given is based on data obtained from

similar substances.

: Test Type: in vitro assay Species: mammalian cells

Metabolic activation: without metabolic activation

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

: Test Type: Chromosome aberration test in vitro

Species: mammalian cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Test Type: Ames test

Metabolic activation: without metabolic activation

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

egual to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

SOLOIS. Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Components:

PHOSPHORUS COMPOUND:

Exposure routes: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

TRIAZOLE DERIVATIVE:

Exposure routes: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

ORGANIC ACID:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

aquatic invertebrates

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: no

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

PHOSPHORUS COMPOUND:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

SOLOIS. Strong bonds. Trusted solutions.	Page: 13
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Water flea (Daphnia magna)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

End point: Growth inhibition Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

POLYMER:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,060 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Water flea (Daphnia magna)): 530 mg/l

Exposure time: 48 h

potassium hydroxide:

Toxicity to fish : LC 50 (Western mosquitofish (Gambusia affinis)): 80 mg/l

Exposure time: 96 h Method: Static Remarks: Mortality

ORGANIC ACID:

Toxicity to fish : LC 50 (Leuciscus idus (Golden orfe)): 106 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Water flea (Daphnia magna)): 42.81 mg/l

Exposure time: 48 h Test Type: static test

Strong bonds. Trusted solutions.	Page: 14
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 74.35

ma/l

End point: Growth inhibition Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Persistence and degradability

Components:

PHOSPHORUS COMPOUND:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

ORGANIC ACID:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

ORGANIC ACID:

Partition coefficient: n-

octanol/water

log Pow: -0.48

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

SOLOIS. Strong bonds. Trusted solutions.	Page: 15
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

UN	3266	Corrosive liquid, basic,	8	III
		inorganic, n.o.s. (POTASSIUM		
		HYDROXIDE)		

U.S. DOT - RAIL

UN	3266	Corrosive liquid, basic,	8	III
		inorganic, n.o.s. (POTASSIUM		
		HYDROXIDE)		

U.S. DOT - INLAND WATERWAYS

UN	3266	Corrosive liquid, basic,	8	III
		inorganic, n.o.s. (POTASSIUM		
		HYDROXIDE)		

TRANSPORT CANADA - ROAD

UN	3266	CORROSIVE LIQUID, BASIC,	8	III
		INORGANIC, N.O.S.		
		(POTASSIUM HYDROXIDE)		

TRANSPORT CANADA - RAIL

UN	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE)	8	III
		(LOTAGGIOWITT DICOXIDE)		

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	3266	CORROSIVE LIQUID, BASIC,	8	III
		INORGANIC, N.O.S.		
		(POTASSIUM HYDROXIDE)		

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Strong bonds. Trusted solutions.	Page: 16
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

UN	3266	Corrosive liquid, basic, inorganic, n.o.s. (POTASSIUM HYDROXIDE)	8	III

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

	UN	3266	Corrosive liquid, basic, inorganic, n.o.s. (POTASSIUM HYDROXIDE)	8	III
ł			11151(0)(152)		

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	3266	LIQUIDO CORROSIVO, BASICO, INORGANICO, N.E.P. (TRIPOTASSIUM PHOSPHATE)	8	III

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
potassium hydroxide	1310-58-3	1000	14974

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to metals

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

SOLENIS. Strong bonds. Trusted solutions.	Page: 17
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 06/28/2018

Full text of H-Statements

H290 : May be corrosive to metals. H302 : Harmful if swallowed. H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317
H318
Causes serious eye damage.
H319
Causes serious eye irritation.
H335
May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation

17

SOLOIS. Strong bonds. Trusted solutions.	Page: 18
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Met. Corr.: Corrosive to metalsSkin Corr.: Skin corrosionSkin Irrit.: Skin irritationSkin Sens.: Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

Further information

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the

Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-

Strong bonds. Trusted solutions.	Page: 19
SAFETY DATA SHEET	Revision Date: 06/28/2018
	Print Date: 7/25/2018
	SDS Number: 000000255885
Performax™ MX2302 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 859933	Version: 1.7

Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN