



SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name: ChemTreat P8902L

Product Use: Water Clarification/Solids Conditioning

Agent

Supplier's Name: ChemTreat, Inc.

Emergency Telephone Number: (800)424–9300 (Toll Free)

Address (Corporate Headquarters): 5640 Cox Road

Glen Allen, VA 23060

18072301AN

Telephone Number for Information:(800)648–4579Date of SDS:July 23, 2018Revision Date:July 23, 2018

Section 2. Hazard(s) Identification

Revision Number:

Signal Word: WARNING

GHS Classification(s): Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 2a Corrosive to Metals – Category 1

Hazard Statement(s): H315 Causes skin irritation.

H319 Causes serious eye irritation. H290 May be corrosive to metals.

Precautionary Statement(s):

Prevention: P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P234 Keep only in original container.





Response: P305 + P351 + P338 IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists, get medical

advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap

and water.

P332 + P313 If skin irritation develops or persists,

get medical advice/attention.

P362 Take off contaminated clothing and wash before

reuse.

P390 Absorb spillage to prevent material damage.

Storage: P406 Store in a corrosive resistant container with a

resistant inner liner.

Disposal: None.

System of Classification Used: Classification under 2012 OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Hazards Not Otherwise

Classified:

None.

Section 3. Composition/Hazardous Ingredients

Component	CAS Registry #	Wt.%
Aluminum chloride hydroxide sulfate (polyaluminum chloride, polyaluminum	39290–78–3	35 – 40
hydroxychlorosulfate)		
Monoaluminum	13530-50-2	< 1

Comments If chemical identity and/or exact percentage of composition has been

withheld, this information is considered to be a trade secret.

Section 4. First Aid Measures

Inhalation: Call a POISON CENTER or doctor/physician if you feel unwell.

Eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye

irritation persists, get medical advice/attention.

Skin: Wash with plenty of soap and water. Take off contaminated clothing

and wash before re-use. If skin irritation occurs, seek medical

advice/attention.





Ingestion: Rinse mouth. Call a poison center or doctor/physician if you feel

unwell.

Most Important Symptoms: N/D

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary: N/A

Section 5. Fire Fighting Measures

Flammability of the Product: Not flammable.

Suitable Extinguishing Media: Use extinguishing media suitable to surrounding fire.

Specific Hazards Arising from

the Chemical:

Product may emit toxic gases or fumes under fire conditions.

Containers exposed in a fire should be cooled with water to prevent

vapor pressure build-up leading to rupture.

Protective Equipment: If product is involved in a fire, wear full protective clothing

including a positive-pressure, NIOSH approved, self-contained

breathing apparatus.

Section 6. Accidental Release Measures

Personal Precautions: Use appropriate Personal Protective Equipment (PPE).

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains, and sewers.

Methods for Cleaning up: Contain and/or absorb spill with inert material then place in

suitable container.

Other Statements: None.





Section 7. Handling and Storage

Handling: Wear appropriate Personal Protective Equipment (PPE) when

handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing

vapors, mist or dust.

Storage: Store away from incompatible materials (see Section 10). Store

at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government

regulations. For Industrial use only.

Store in corrosive resistant container with a resistant inliner.

Protect from heat and sources of ignition.

Do not freeze. Store above Freeze Point. If freezes, then

mechanical mixing is required.

Section 8. Exposure Controls/Personal Protection

Exposure Limits

Component	Source	Exposure Limits
Aluminum chloride hydroxide sulfate (polyaluminum chloride,	N/E	N/E
polyaluminum hydroxychlorosulfate)		
Monoaluminum	N/E	N/E

Engineering Controls: Use only with adequate ventilation. The use of local ventilation is

recommended to control emission near the source.

Personal Protection

Eyes: Wear chemical splash goggles or safety glasses with

full-face shield. Maintain eyewash fountain in work area.

Skin: Maintain quick–drench facilities in work area.

Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and

coveralls to prevent skin contact.

Respiratory: If misting occurs, use NIOSH approved organic vapor/acid

gas dual cartridge respirator with a dust/mist prefilter in

accordance with 29 CFR 1910.134.





Section 9. Physical and Chemical Properties

Physical State and Appearance: Liquid, Light Straw, Clear

Specific Gravity: 1.274 @ 20°C

pH: 2.7 @ 20°C, 100.0%

Freezing Point: <-14.8°F
Flash Point: N/D
Odor: Mild

Odor: Mild
Melting Point: N/A
Initial Boiling Point and Boiling Range: N/D
Solubility in Water: Complete

Evaporation Rate:

Vapor Density:

Molecular Weight:

Viscosity:

Flammability (solid, gas):

Completing

N/D

N/D

N/D

N/D

N/D

Flammable Limits: N/A
Autoignition Temperature: N/A

Density: 10.63 LB/GA

Vapor Pressure:N/D% VOC:N/DOdor ThresholdN/Dn-octanol Partition CoefficientN/DDecomposition TemperatureN/D

Section 10. Stability and Reactivity

Chemical Stability: Stable at normal temperatures and pressures.

Incompatibility with Various

Substances:

Alkalis.

Hazardous Decomposition

Products:

Chlorine gas, Hydrochloric acid.

Possibility of Hazardous

Reactions:

None known.

Reactivity: N/D

Conditions To Avoid: N/D





Section 11. Toxicological Information

Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
N/D	N/D	N/D	N/D	N/D

Carcinogenicity Category

Component	Source	Code	Brief Description
Aluminum chloride hydroxide sulfate (polyaluminum chloride,	N/E	N/E	N/E
polyaluminum hydroxychlorosulfate)			
Monoaluminum	N/E	N/E	N/E

Likely Routes of Exposure: N/D

Symptoms

Inhalation: N/D

Eye Contact: N/D

Skin Contact: N/D

Ingestion: N/D

Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye

Irritation:

N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental

Toxicity:

N/D

Specific Target Organ Toxicity

Single Exposure: N/D

Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.





Section 12. Ecological Information

Ecotoxicity

Species	Duration	Type of Effect	Test Results
Ceriodaphnia dubia	48h	LC50	14.2 mg/l
Fathead Minnow	96h	LC50	30.8 mg/l

Persistence and Biodegradability:

N/D

Bioaccumulative Potential:

N/D

Mobility In Soil:

N/D

Other Adverse Effects:

N/D

Comments:

Water clarification polymers function by multipoint adsorption and charge neutralization with suspended solids. Polymers inherently migrate with solids in the separation process and with the exception of uneconomic overdose do not remain in the clarified waters. Aquatic toxicity determinations in test method protocol waters without suspended solids overestimate the toxicity compared to natural receiving waters.

Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section 14. Transport Information

Controlling					Packing
Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Group:
DOT	UN3264	CORROSIVE LIQUID, ACIDIC,	(POLYALUMINUM	8	PGIII
		INORGANIC, N.O.S.	CHLOROSULFATE SOLUTION)		
SCT	UN3264	CORROSIVE LIQUID, ACIDIC,	(POLYALUMINUM	8	PGIII
		INORGANIC, N.O.S.	CHLOROSULFATE SOLUTION)		
TDG	UN3264	CORROSIVE LIQUID, ACIDIC,	(POLYALUMINUM	8	PGIII
		INORGANIC, N.O.S.	CHLOROSULFATE SOLUTION)		

Note: N/A





Section 15. Regulatory Information

Inventory Status

United States (TSCA):
Canada (DSL/NDSL):

All ingredients listed.
All ingredients listed.

Federal Regulations

SARA Title III Rules

Sections 311/312 Hazard Classes

Fire Hazard:

Reactive Hazard:

Release of Pressure:

Acute Health Hazard:

Chronic Health Hazard:

No

No

Other Sections

	Section 313	Section 302 EHS	
Component	Toxic Chemical	TPQ	CERCLA RQ
Aluminum chloride hydroxide sulfate (polyaluminum chloride,	N/A	N/A	N/A
polyaluminum hydroxychlorosulfate)			
Monoaluminum	N/A	N/A	N/A

Comments: None.

State Regulations

California Proposition 65: None known.

Special Regulations

Component	States
Aluminum chloride hydroxide sulfate (polyaluminum chloride,	None.
polyaluminum hydroxychlorosulfate)	
Monoaluminum	None.





Compliance Information

NSF: N/A

Food Regulations: N/A

KOSHER: This product has not been evaluated for Kosher approval.

Halal: This product has not been evaluated for Halal approval.

FIFRA: N/A

Other: None

Comments: None.

Section 16. Other Information

HMIS Hazard Rating

Health: 2
Flammability: 0
Physical Hazard: 0
PPE: X

Notes: The PPE rating depends on circumstances of use. See

Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha–numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end–user must determine if the code is appropriate for

their use.

Abbreviations

Abbreviation	Definition	
<	Less Than	
>	Greater Than	
ACGIH	American Conference of Governmental Industrial Hygienists	
EHS	Environmental Health and Safety Dept	
N/A	Not Applicable	
N/D Not Determined		
N/E Not Established		
OSHA Occupational Health and Safety Dept		
PEL	Personal Exposure Limit	
STEL Short Term Exposure Limit		
TLV	Threshold Limit Value	





Abbreviation	Definition
TWA	Time Weight Average
UNK	Unknown

Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com

Revision Date: July 23, 2018

Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.