

## 1 - PRODUCT IDENTIFICATION

PRODUCT NAME:.....CAPTIFLOC CEF305B

PRODUCT NUMBER: .....CAPCEF350B DESCRIPTION: .....Polymer

OTHER MEANS OF INDENTIFATICATION: ......... Viscous liquid, milky with an aliphatic.

**RECOMMENDED USE:....**Processing aid for industrial applications.

**RESTRICTIONS ON USE:....**Use only as directed.

COMPANY:..... CHEMTRON CORPORATION

3500 Harry S. Truman Blvd St. Charles, MO 63301

636-940-5445 (Mon-Fri., 8:00-4:00)

www.chemtroncorporation.com

**EMERGENCY PHONE: .....**(800) 424-9300 (CHEMTREC)

REVISION DATE:.....August 10, 2018

### 2 - HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:.....**Spills produce extremely slippery surfaces.

## 3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTPERCENTCAS NUMBERDistillates (petroleum, hydrotreated light20-3064742-47-8Poly(oxy-1, 2-ethanediyl), a-tridecyl-w-hydroxy, branched<3</td>69011-36-5

The exact percent by weight of the ingredients in this formulation is proprietary.



## 4 - FIRST-AID MEASURES

#### 5 - FIRE-FIGHTING MEASURES

FLASHPOINT:.....Does not flash.

**EXTINGUISHING MEDIA:......** Water, water spray, foam, carbon dioxide (CO2), dry powder.

SPECIAL FIRE FIGHTING PROCEDURES: ......Ammonia, Carbon oxides (COx), nitrogen oxides (NOx).

Hydrogen chloride, Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

### 6 - ACCIDENTAL RELEASE MEASURES

**SPILL PROCEDURES:.....Small spills:** Do not flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

**Large spills:** Do not flish with water. Dam up. Clean up promptly by scoop or vacuum. **Residues:** Soak up wih inert absorbent material. After cleaning, flush away traces with water.

**PERSONAL PRECAUTIONS:....**Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

## 7 - HANDLING and STORAGE



# 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMITS:** ......Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists.

INGREDIENT	SOURCE & PARAMETER	EXPOSURE LIMIT
Distillates (petroleum) hydrotreated	ACGIH	200 mg/m3 8 hr
light		

**PROTECTIVE CLOTHING: .....** Chemical goggles, face shield, always wear eye protection when working with any chemical. Impervious gloves, clean body covering, rubber apron, rubber boots.

**ADDITIONAL MEASURES:......** Wash hands and face before breaks and immediately after handling the product. Wash hands before breaks and at the end of workday.

#### 9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE: ......Viscous liquid, milky.

**ODOR:** ......Aliphatic. **BOILING POINT:** ......> 100 (C)

**VAPOR PRESSURE:**.....2.3 kPa @ 20 (C)

**VAPOR DENSITY (AIR=1): .....**0.804 g/litre @ 20 (C)

**SPECIFIC GRAVITY: .....**1.0-1.2

**pH:** ......4-6 @ 5 g/L

**SOLUBILITY IN WATER: .....**Completely miscible in water.

FLAMMABILITY: .....Not Flamable

**EVAPORATION RATE:....**No data available.

MELTING POINT/FREEZING POINT: .....< 5 C

**VISCOSITY:....**20.5 mm2/s @ 40 C

## 10 - STABILITY and REACTIVITY

**REACTIVITY:** .....Stable under recommender storage conditions.

**STABILITY:**.....Stable under recommended storage conditions.

**HAZARDOUS POLYMERIZATION:** ......Oxidizing agents may cause exothermic reactions.

**INCOMPATIBILITY:** ......Oxidizing agents.

HAZARDOUS REACTIONS: .....Protect from frost, heat and sunlight.

HAZARDOUS DECOMP: .....Thermal decompostion may produce, nitrogen oxides (NOx), carbon oxides (COx).

Ammonia, Hydrogen chloride gas, cyanide (hydrocyanic acid).



# 11 - TOXICOLOGICAL INFORMATION

**LIKELY ROUTES OF EXPOSURE:** ......Skin and/or eye contact. Ingestion. Inhalation.

TOXICOLOGICAL CHARACTERISTICS: ......No data available.

NUMERICAL MEASURES OF TOXICITY: ......LISTED CARCINOGEN: ......Not carcinogenicity.

INGREDIENTS	DATA
Distillates (petroleum), hydrotreated light	Oral LD50 rat 5000 mg/kg
	Dermal LD50 rabbit 5000 mg/kg
Poly(oxy-1, 2-ethanediyl), a-tridecyl-w-hydroxy-, branched	Inhalation LC50 rat 4951 mg/m3
	Oral LD50 rat 500-2000 mg/kg
	Dermal LD50 rabbit 2000 mg/kg

### 12 - ECOLOGICAL INFORMATION

### ENVIRONMENTAL FATE AND DISTRIBUTION:

PRODUCT	DATA
Captifloc CEF350B	Ceriodaphnia Dubia 48hr LC50 >100mg/L (estimated)
Captifloc CEF350B	Fathead Minnow 96hr LC50 > 100 mg/L(estmiated)

PERSISTENCE AND DEGRADABILITY: .....Readily Biodegradable.

BIOACCUMULATIVE POTENTIAL: ......This product is not expected to bioaccumulate.

MOBILITY IN SOIL:.....No data available.

OTHER ADVERSE EFFECTS: .. None.

## 13 - DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** ......................Dispose of material in an approved chemical waste landfill or incinerate in accordance with applicable federal, state, and local regulations. Since empty containers retain material residues, all labeled hazards must be observed.

# 14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:.....Not Regulated



# 15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

## **EPA SRA Title III Chemical Listings:**

TSCA (Toxic Substance Control Act) STATUS:......All ingredients listed or exempt.

SECTION 311/312: ......Not Hazardous. US EPA CERLA: .....None Hazardous

## **16 - OTHER INFORMATION**

#### NFPA HAZARD RANKING

HEALTH	FIRE	REACTIVITY	SPECIAL
0	1	0	В

### HMIS HAZARD RANKING

HEALTH	FIRE	REACTIVITY	PPE
0	1	0	

This data is offered in good faith and believed to be accurate, but it is for the users to satisfy themselves of the product suitability for their own purpose. There is no warrenty expressed or implied. The recommended hygiene and safe handling procedures are believed to be generally applicable.