Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Drew™ 6134

DECHLORINATING AGENT

™ Trademark, Solenis or its subsidiaries or affiliates,

registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data	Emergency telephone number
sheet	1-844-SOLENIS (844-765-3647)
Solenis LLC	
500 Hercules Road	Product Information
Wilmington, Delaware 19808	Contact your local Solenis representative
United States of America (USA)	
RegulatoryRequestsNA@solenis.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :





Signal word : Warning

Hazard statements : H290 May be corrosive to metals.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Solenis Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

Precautionary statements

Prevention:

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
SODIUM BISULFITE	7631-90-5	Acute Tox. 4; H302	>= 30 - < 40

SECTION 4. FIRST AID MEASURES

Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew™ 6134 DECHLORINATING AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Obtain medical attention.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

No symptoms known or expected.

Harmful if swallowed. Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

sodium sulphide residue

Sulphur oxides Sodium oxides sulfur oxides

Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

sodium monoxide sulfur dioxide toxic fumes

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

> Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SODIUM BISULFITE	7631-90-5	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate: Impervious clothing Safety shoes

Choose body protection according to the amount and

concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : sulphurous

Odour Threshold : No data available

pH : 4.5

Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

Melting point/freezing point : 5 °C

Boiling point/boiling range : 216 °F

(1013 hPa)

Flash point : Not applicable

Evaporation rate : < 1

n-Butyl Acetate

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 14.00 mmHg (77.00 °F)

Relative vapour density : 0.6

AIR=1

Relative density : 1.34 (20 °C)

Density : 1.34 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Molecular weight : 105 g/mol

Metal corrosion rate : Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Freezing temperatures. Heat, flames and sparks.

Heat

Exposure to air. Exposure to moisture

Incompatible materials : Acids

Alkali metals

Alkaline earth metals

aluminum magnesium Oxidizing agents Strong bases

water

Hazardous decomposition

products

Sulphur oxides Sodium oxides

sodium sulfide residue

toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 1,420 mg/kg

Acute toxicity estimate: 3,550 mg/kg

Acute inhalation toxicity : Remarks: Excessive heat or contact with acids, water and/or

ice, releases sulfur dioxide gas which may be harmful or

deadly if inhaled.

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

SODIUM BISULFITE:

Acute oral toxicity : LD 50 (Rat): 2 g/kg

Acute dermal toxicity : LD 50 (Rat): > 2 g/kg

Solenis Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

SODIUM BISULFITE:

Result: Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin. Solutions may be severely irritating or cause burns.

Components:

SODIUM BISULFITE:

Result: Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

May cause allergic skin reaction.

Components:

SODIUM BISULFITE:

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew™ 6134 DECHLORINATING AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC 50 (Fish): Expected > 100 mg/l

LC50 (Gambusia affinis (Mosquito fish)): 240 mg/l

LC50 (Fathead minnow (Pimephales promelas)): 707 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: no

aquatic invertebrates

Toxicity to daphnia and other : EC 50 (Aquatic invertebrates): Expected > 100 mg/l

EC 50 (Daphnia magna (Water flea)): 701 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

SODIUM BISULFITE:

Toxicity to fish : LC 50 (Western mosquitofish (Gambusia affinis)): 240 mg/l

Exposure time: 96 h Method: Static Remarks: Mortality

Toxicity to daphnia and other :

aquatic invertebrates

LC 50 (Water flea (Daphnia magna)): 119 mg/l

Exposure time: 48 h Method: Static Remarks: Mortality

LC 50 (Water flea (Daphnia magna)): 89 mg/l

Exposure time: 96 h Method: Static

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SOLENIS Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew [™] 6134 DECHLORINATING AGENT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

UN	2693	Bisulfites, aqueous solutions,	8	III
		n.o.s.		

U.S. DOT - RAIL

UN	2693	Bisulfites, aqueous solutions,	8	III
		n.o.s.		

U.S. DOT - INLAND WATERWAYS

UN	2693	Bisulfites, aqueous solutions,	8	III
		n.o.s.		

TRANSPORT CANADA - ROAD

UN	2693	BISULFITES, AQUEOUS	8	III
		SOLUTION, N.O.S. (SODIUM		
		BISULFITE)		

TRANSPORT CANADA - RAIL

UN	2693	BISULFITES, AQUEOUS	8	III
		SOLUTION, N.O.S. (SODIUM		
		BISULFITE)		

INTERNATIONAL MARITIME DANGEROUS GOODS

Bloot III		UN	2693	BISULPHITES, AQUEOUS SOLUTION, N.O.S. (SODIUM BISULFITE)	8	III
-----------	--	----	------	--	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

	**********		J. 1 07 11 1 0 1	
UN	2693	Bisulphites, aqueous solution,	8	III
		n.o.s. (SODIUM BISULFITE)		

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	2693	Bisulphites, aqueous solution, n.o.s. (SODIUM BISULFITE)	8	III

Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew™ 6134 DECHLORINATING AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	2693	BISULPHITES, AQUEOUS	8	III
		SOLUTION, N.O.S. (SODIUM		
		BISULFITE)		

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

	,		
Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
SODIUM BISULFITE	7631-90-5	5000	13513

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to metals

Acute toxicity (any route of exposure) Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

Strong bonds. Trusted solutions.	Page: 13
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew™ 6134 DECHLORINATING AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further informationRevision Date: 02/18/2019

Full text of H-Statements

H302 : Harmful if swallowed.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Further information

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the

Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

Strong bonds. Trusted solutions.	Page: 14
SAFETY DATA SHEET	Revision Date: 02/18/2019
	Print Date: 3/4/2019
	SDS Number: R0290797
Drew™ 6134 DECHLORINATING AGENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 51386	Version: 1.11

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN