FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

## PRODUCT NAME: AB CUTRINE-PLUS

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<u>Supplier</u> Applied Biochemists (WI) 1400 Bluegrass Lakes Pkwy , Alpharetta, GA, 30004 USA

Telephone: +18005585106 Telefax: +12626741786 Web: www.appliedbiochemists.com

Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America REVISION DATE: SUPERCEDES:

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA: 02/11/2016 10/21/2015

00000024433 None Mixture Water treatment chemical None established

# SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 4
Eye irritation	:	Category 2B
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

### **GHS** label elements

## SAFETY DATA SHEET

Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>H227 Combustible liquid.</li> <li>H320 Causes eye irritation.</li> <li>H335 May cause respiratory irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 Call a POISON CENTER/doctor if you feel unwell.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage:</li> <li>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>
Other hazards	

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME	<u>CAS #</u>	<u>% RANGE</u>
Triethanolamine	102-71-6	19 - 29
Ethanolamine	141-43-5	15 - 25

BASIC COPPER CARBONATE

12069-69-1

11 - 21

# **SECTION 4. FIRST AID MEASURES**

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

## **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA):	Combustible above 93 deg. C / 200 deg. F.
Flammable Properties Flash Point:	> 93 °C
Fire / Explosion Hazards:	Material may be ignited only if preheated to high temperatures, for example in a fire.
Extinguishing Media:	Carbon dioxide (CO2) Dry chemical Foam
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.
Keep people away from and upwind of spill/leak. If the product contaminates rivers and lakes or drains inform
respective authorities. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a
container for disposal according to local / national regulations (see section 13). The product should not be allowed to enter drains, water courses or the soil.
Prevent further leakage or spillage if safe to do so. Evacuate personnel to safe areas. Use personal protective equipment as required.

# **SECTION 7. HANDLING AND STORAGE**

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
Storage:	Store in a cool, dry and well ventilated place. Isolate from
	incompatible materials.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Protective Equipment for Ro	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit. <u>utine Use of Product</u>
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved air purifying respirator with organic vapor

	possible., A NIOSH approved air purifying respirator with organic vapor
	cartridge and N95 particulate filter. Air purifying respirators should not be
	used in oxygen deficient or IDLH atmospheres or if exposure concentrations
	exceed ten (10) times the published limit.
Skin Protection :	Avoid contact with skin. Impervious gloves
Eye Protection:	Safety glasses with side-shields
Protective Clothing Type:	Impervious clothing
General Protective	Emergency eyewash should be provided in the immediate work area.
Measures:	

### Components with workplace control parameters

Components (CAS-No.)	Value	Control	Basis (Update)
		parameters	

Triethanolamine (102-71-6)	TWA	5 mg/m3	ACGIH (02 2014)
Ethanolamine (141-43-5)	TWA	3 ppm	ACGIH (02 2014)
	STEL	6 ppm	ACGIH (02 2014)
BASIC COPPER CARBONATE (12069-69- 1)	Conc	100 mg/m3	NIOSH/GUIDE (2005)

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Form	liquid
	liquid
Color:	dark blue
Odor:	Amine
Molecular Weight:	None established
pH :	10.3 - 10.5
	()
Boiling Point:	no data available
Melting point/freezing	no data available
point	
Density	Not applicable
Bulk Density:	()
,	no data available
Vapor Pressure:	no data available
Vapor Density:	>1
Vapor Bonoky.	(Air = 1.0)
Viscosity:	no data available no data available
Solubility in Water:	completely miscible
Partition coefficient n-	no data available
octanol/water:	
Evaporation Rate:	no data available
Oxidizing:	None established
	no data available
Volatiles, % by vol.:	
VOC Content	This product does not contain any chemicals listed under the
	U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's
	(40 CFR 60.489). This product does not contain any VOC
	exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	High temperatures
Chemical Incompatibility:	Strong acids, Nitrates
Hazardous Decomposition Products:	Carbon oxides, Nitrogen oxides (NOx)

Decomposition Temperature: None k

None known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

<u>Component Animal Tox</u> Oral LD50 value:	<u>kicology</u>			
Triethanolamine	LD50 = 7,390 mg/kg Rat			
Ethanolamine	LD50 = 1,700 mg/kg Rat			
BASIC COPPER CARBONATE	LD50 = 1,350 mg/kg Rat			
<u>Component Animal Tox</u> Dermal LD50 value:	<u>kicology</u>			
Triethanolamine	LD50 > 2,000 mg/kg Rabbit			
Ethanolamine	LD50 approximately 1,000 mg/kg Rabbit			
	LD50 1,025 mg/kg Rabbit			
BASIC COPPER CARBONATE	no data available			
Component Animal Tox	<u>kicology</u>			
Inhalation LC50 value:				
Triethanolamine	A saturated vapor concentration for 8 hours (rats) did not produce any deaths.			
BASIC COPPER	no data available			
CARBONATE				
Draduct Animal Tavisit				
Product Animal Toxicity Oral LD50 value:	LD50 Believed to be approximately 3,790 mg/kg Rat			
Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit				
Inhalation LC50 no data available value:				
Skin Irritation: Not expected to be irritating to the skin.				
Eye Irritation: Skin Sensitization:	•			
Triethanolami	ne This material tested negative for skin sensitization in animals.			
Ethanolamine	This material tested negative for skin sensitization in animals.			
Acute Toxicity:	May cause mild eye irritation. Ingestion may cause mild gastrointestinal discomfort.Inhalation of mist or vapor may cause irritation to the mucous			
Subchronic / Chronic	membranes of the respiratory tract. Not known or reported to cause subchronic or chronic toxicity.			
Toxicity:	. ,			
AB CUTRINE-PLUS				

Triethanolamine	Animal studies suggest that chronic (repeated) overexposure may result in damage to the liver and kidney.	
Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.	
Triethanolamine	This product has been tested and was shown not to produce any adverse effects on reproductive function or fetal development when administered to laboratory animals.	
Ethanolamine	This chemical has been tested in laboratory animals and no evidence of teratogenicity, embryotoxicity or fetotoxicity was seen.	
Mutagenicity:	Not known or reported to be mutagenic.	
Triethanolamine	This chemical has been shown to be non-mutagenic based on a battery of assays.	
Ethanolamine	This chemical has been tested in a battery of mutagenicity/genotoxicity assays and the results were negative.	
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.	
Triethanolamine	The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.	
Ethanolamine	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown not to cause cancer in laboratory animals.	

# **SECTION 12. ECOLOGICAL INFORMATION**

Overview:

Toxic to fish and other aquatic organisms.

### Ecological Toxicity Values for: Triethanolamine

Pimephales promelas (fathead minnow)	-	(measured, flow-through) 96 h LC50 = 11,800 mg/l
Daphnia magna, Common shrimp (Crangon		(nominal, static). 24 h EC50= 1,850 mg/l (nominal, renewal). 48 h LC50> 100 mg/l
crangon)		
Green algae (Scenedesmus subspicatus)	-	(nominal, static). 48 h EC50 = 750 mg/l

### Ecological Toxicity Values for: Ethanolamine

Rainbow trout (Oncorhynchus mykiss)	-	(nominal, static). 96 h LC50 = 150 mg/l
Mosquito fish	-	(nominal, static). 96 h LC50 = 337.5 mg/l
Bluegill	-	(nominal, static). 96 h LC50 = 329.16 mg/l
Pimephales promelas (fathead minnow)	-	(measured, flow-through) 96 h LC50 = 2,070 mg/l
Goldfish	-	(measured, static) 96 h LC50 = 170 mg/l
Daphnia magna (Water flea)	-	(nominal, static). 24 h LC50= 140 mg/l
Crangon crangon (shrimp)	-	(nominal, renewal). 48 h LC50> 100 mg/l
Brine shrimp	-	48 h LC50= 7,100 mg/l
Daphnia magna (Water flea)	-	48 h EC50= 65 mg/l

## **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.
Disposal Methods :	As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

**TDG** Not dangerous goods

IATA Not dangerous goods

**IMDG-CODE** Not dangerous goods

# **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	:	CAUTION!
Hazard statements	:	Harmful if swallowed.
		Harmful if absorbed through skin.
		Causes moderate eye irritation.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-Iminodiethanol	111-42-2	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

copper carbonate 12069-69-1

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

	This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.					
	This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.					
This product con Section 307	tains the following toxic pollutants lis	sted under the U.S. Clean Water Act				
	copper carbonate	12069-69-1				
US State Regulations						
Massachusetts Right To Kno	ow.					
j	2,2',2''-Nitrilotriethanol 2-Aminoethanol	102-71-6 141-43-5				
Pennsylvania Right To Know	,					
	2,2',2''-Nitrilotriethanol 2-Aminoethanol copper carbonate	102-71-6 141-43-5 12069-69-1				
New Jersey Right To Know						
	2,2',2''-Nitrilotriethanol 2-Aminoethanol copper carbonate	102-71-6 141-43-5 12069-69-1				
California Prop 65						
	WARNING! This product contains a chemical known to the State of California to cause cancer.					
	2,2'-Iminodiethanol	111-42-2				
The components of this proc	duct are reported in the following in	ventories:				
TSCA	: This product is regulated under the Federal Insecticide, Fungicide and Rodenticide Act. It must be used for purposes					

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

consistent with its labeling.

### **SECTION 16. OTHER INFORMATION**

Major References :

Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.