Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Praestol™ A 3040 LTR

FLOCCULANT

™ Trademark, Solenis or its subsidiaries or affiliates,

registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data	Emergency telephone number
sheet	1-844-SOLENIS (844-765-3647)
Solenis LLC	
500 Hercules Road	Product Information
Wilmington, Delaware 19808	Contact your local Solenis representative
United States of America (USA)	·
RegulatoryRequestsNA@solenis.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
ALIPHATIC HYDROCARBON	Trade Secret	Flam. Liq. 4; H227	>= 20 - < 30
		Asp. Tox. 1; H304	
ALKANOL POLYALKOXYLATE	Trade Secret	Acute Tox. 4; H302	>= 1.5 - < 5
		Eye Irrit. 2A; H319	

Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No symptoms known or expected.

Notes to physician

No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Specific hazards during

firefighting

If product is heated above its flash point it will produce vapors

sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon monoxide

Carbon dioxide (CO2) Nitrogen oxides (NOx)

Hydrocarbons

toxic fumes

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

be disposed of in accordance with local regulations.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Conditions for safe storage Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

No materials to be especially mentioned. Materials to avoid

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALIPHATIC HYDROCARBON	Trade Secret	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Engineering measures : General room ventilation should be adequate for normal

conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

Safety shoes

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : > 212 °C

(1013 hPa)

Flash point : 93.8 °C

Evaporation rate : < 1

n-Butyl Acetate

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit : 7 %(V)

Calculated Explosive Limit

Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Lower explosion limit : 0.6 %(V)

Calculated Explosive Limit

Vapour pressure : 23.3333333 hPa (20 °C)

Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : ca. 1.1 (25 °C)

Density : ca. 1.05 g/cm3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 21 mm2/s (40 °C)

Based on a similar product formulation.

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Protect from frost.

Heat, flames and sparks.

Incompatible materials : halogens

Strong acids

Strong oxidizing agents strong reducing agents

Hazardous decomposition

products

: Carbon monoxide

Carbon dioxide (CO2) Nitrogen oxides (NOx)

Hydrocarbons

Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

ALKANOL POLYALKOXYLATE:

Acute oral toxicity : LD 50 (Rat): 1,940 mg/kg

Acute dermal toxicity : LD 50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Components:

ALIPHATIC HYDROCARBON:

Result: Mildly irritating to skin

ALKANOL POLYALKOXYLATE:

Result: Not irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Components:

ALIPHATIC HYDROCARBON:

Result: Mildly irritating to eyes

ALKANOL POLYALKOXYLATE:

Result: Irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 67.0 mg/l

Exposure time: 96 h Test Type: static test

Remarks: Based on a similar product formulation.

LC 50 (Pimephales promelas (fathead minnow)): 4.3 mg/l

Exposure time: 96 h Test Type: static test

Remarks: Based on a similar product formulation.

LC50 (Pimephales promelas (fathead minnow)): 51.4 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

LC 50 (Water flea (Daphnia magna)): 1.6 mg/l

Exposure time: 48 h Test Type: static test

Remarks: Based on a similar product formulation.

EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

ALKANOL POLYALKOXYLATE:

Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Toxicity to fish : LC 50 (Danio rerio (zebra fish)): 1 - 10 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC 50 (Water flea (Daphnia magna)): 5 - 10 mg/l

Exposure time: 48 h

Toxicity to microorganisms : EC 50: > 1,000 mg/l

Persistence and degradability

Product:

Biochemical Oxygen Demand (BOD)

: Biochemical oxygen demand

548,000 mg/l

Chemical Oxygen Demand

: 2,176,000 mg/l Method: Chemical oxygen demand

(COD)

Components:

ALKANOL POLYALKOXYLATE:

Biodegradability Biodegradation: 50 - 70 %

Exposure time: 28 d

Chemical Oxygen Demand

(COD)

: 2,170 mg/g

Method: Chemical oxygen demand

Dissolved organic carbon

(DOC)

: 540 mg/g

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with all applicable local, state and

federal regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

CLASS HAZARDS GROUP POLLUTAN	ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
------------------------------	-----------	----------------------	------------------	-----------------------	------------------	-----------------------

U.S. DOT - ROAD

Not dangerous goods	

U.S. DOT - RAIL

Not dangerous goods	

U.S. DOT - INLAND WATERWAYS

Not dangerous goods	

TRANSPORT CANADA - ROAD

Not dangerous goods	

TRANSPORT CANADA - RAIL

Not dangerous goods	

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods	

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods	

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Further information

Revision Date: 08/06/2019 **Full text of H-Statements**

H227 : Combustible liquid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity Asp. Tox. : Aspiration hazard Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

Further information

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the

Solenis Environmental Health and Safety Department.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

Strong bonds. Trusted solutions.	Page: 13
SAFETY DATA SHEET	Revision Date: 08/06/2019
	Print Date: 15.08.2019
	SDS Number: R0357563
Praestol™ A 3040 LTR FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657215	Version: 1.6

Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN