

## GE Water & Process Technologies

## Material Safety Data Sheet

Issue Date: 16-FEB-2012 Supercedes: 20-APR-2011

## **CONTINUUM AEC3127**

## 1 Identification

# Identification of substance or preparation CONTINUUM AEC3127

## **Product Application Area**

Water-based corrosion inhibitor/deposit control agent.

### Company/Undertaking Identification

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355-3300. F 215 953 5524

## **Emergency Telephone**

(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 16-FEB-2012

## 2 Hazard(s) identification

\*

## EMERGENCY OVERVIEW

#### DANGER

Corrosive to skin. Corrosive to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

DOT hazard: Corrosive to skin Odor: Slight; Appearance: Yellow To Amber, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

\*

## POTENTIAL HEALTH EFFECTS

### ACUTE SKIN EFFECTS:

Primary route of exposure; Corrosive to skin.

#### ACUTE EYE EFFECTS:

Corrosive to the eyes.

## ACUTE RESPIRATORY EFFECTS:

Mists/aerosols may cause irritation to upper respiratory tract.

### INGESTION EFFECTS:

May cause slight gastrointestinal irritation.

#### TARGET ORGANS:

Prolonged or repeated exposures may cause toxicity to the lung.

#### MEDICAL CONDITIONS AGGRAVATED:

Not known.

#### SYMPTOMS OF EXPOSURE:

May cause redness or itching of skin.

## Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation. This product is subject to the Pennsylvania and New Jersey Worker and Community Right to Know Law.

### HAZARDOUS INGREDIENTS:

| Cas#       | Chemical Name  | Range(w/w%) |
|------------|--|-------------|
| 64665-57-2 | BENZOTRIAZOLE, METHYL, SODIUM SALT (SODIUM TOLYLTRIAZOLE), (TTA) Corrosive (eyes and skin); toxic (by ingestion) | 3-7         |
| 1310-73-2  | SODIUM HYDROXIDE<br>Corrosive; toxic (by ingestion)  | 1-5         |
| 7631-95-0  | SODIUM MOLYBDATE (MOLYBDIC ACID, DISODIUM SALT) Potential irritant (respiratory); potential lung toxicity        | 1-5         |

### NON-HAZARDOUS INGREDIENTS:

| CAS#        | CHEMICAL NAME  |
|-------------|--|
| 7732-18-5   | WATER  |
| 868-18-8    | SODIUM TARTRATE  |
| 109578-44-1 | 2,3-OXIRANEDICARBOXYLIC ACID, DISODIUM SALT, HOMOPOLYMER   |
| 78266-09-8  | 2-PROPENOIC ACID POLYMER WITH 2-HYDROXY-3-<br>(2-PROPENYLOXY)-1-PROPANE SULFONIC ACID, SODIUM SALT |

## 4 First-aid measures

## SKIN CONTACT:

URGENT! Wash thoroughly with soap and water. Remove contaminated clothing. Get immediate medical attention. Thoroughly wash clothing before reuse.

### EYE CONTACT:

URGENT! Immediately flush eyes with plenty of low-pressure water for at least 20 minutes while removing contact lenses. Hold eyelids apart. Get immediate medical attention.

## INHALATION:

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

### INGESTION:

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces  $(60-240\ mL)$  of milk or water.

#### NOTES TO PHYSICIANS:

No special instructions

## 5 Fire-fighting measures

### FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

#### EXTINGUISHING MEDIA:

dry chemical, carbon dioxide, foam or water

### HAZARDOUS DECOMPOSITION PRODUCTS:

oxides of carbon, nitrogen and sulfur

## FLASH POINT:

> 200F > 93C P-M(CC)

## 6 Accidental release measures

#### PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

#### **DISPOSAL INSTRUCTIONS:**

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

## 7 Handling and storage

## HANDLING:

Alkaline. Do not mix with acidic material.

## STORAGE:

Keep containers closed when not in use. Protect from freezing. If frozen, thaw and mix completely prior to use. Atmospheric exposure should be minimized. Avoid high temperature storage. Store away from acids. Do not store in aluminum containers.

## 8 Exposure controls / personal protection

### EXPOSURE LIMITS

## CHEMICAL NAME

```
BENZOTRIAZOLE, METHYL, SODIUM SALT (SODIUM TOLYLTRIAZOLE), (TTA)
PEL (OSHA): LIMITS HAVE NOT BEEN ESTABLISHED BY US OSHA.
TLV (ACGIH): LIMITS HAVE NOT BEEN ESTABLISHED BY ACGIH.

SODIUM HYDROXIDE
PEL (OSHA): 2 MG/M3
TLV (ACGIH): TWA (Ceiling) = 2 MG/M3
```

```
SODIUM MOLYBDATE (MOLYBDIC ACID, DISODIUM SALT)
PEL (OSHA): 5 MG/M3(AS Mo)
TLV (ACGIH): 0.5 MG/M3(AS Mo) RESPIRABLE FRACTION
```

## ENGINEERING CONTROLS:

Adequate ventilation to maintain air contaminants below exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.

If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

### SKIN PROTECTION:

gauntlet-type rubber, butyl or neoprene gloves, chemical resistant apron -- Wash off after each use. Replace as necessary.

#### EYE PROTECTION:

splash proof chemical goggles, face shield

## 9 Physical and chemical properties

| Spec. Grav.(70F,21C) Freeze Point (F)   | 9         | Vapor Pressure (mmHG) Vapor Density (air=1) | ~ 18.0<br>< 1.00 |
|---|-----------|---|------------------|
| Freeze Point (C) Viscosity(cps 70F,21C) | -13<br>55 | % Solubility (water)                        | 100.0            |
| ,,,,,,,,                                |           |   |                  |
| Odor                                    |           | Slight                                      |                  |
| Appearance                              |           | Yellow To Amber                             |                  |
| Physical State                          |           | Liquid                                      |                  |
| Flash Point E                           | P-M(CC)   | > 200F > 93C                                |                  |
| pH As Is (approx.)                      |           | > 13.0                                      |                  |
| Evaporation Rate (Ether=1)              |           | < 1.00                                      |                  |
| Percent VOC:                            |           | 0.0   |                  |

NA = not applicable ND = not determined

## 10 Stability and reactivity

#### CHEMICAL STABILITY:

Stable under normal storage conditions.

#### POSSIBILITY OF HAZARDOUS REACTIONS:

Contact with strong acids may cause a violent reaction releasing heat. Contact with water reactive compounds may cause fire or explosion.

### INCOMPATIBILITIES:

May react with acids or strong oxidizers.

#### DECOMPOSITION PRODUCTS:

oxides of carbon, nitrogen and sulfur

## 11 Toxicological information

```
Oral LD50 RAT: >2,000 mg/kg
NOTE - Estimated value

Dermal LD50 RABBIT: >2,000 mg/kg
NOTE - Estimated value
```

## 12 Ecological information

### AQUATIC TOXICOLOGY

```
Daphnia magna 48 Hour Acute Toxicity (Estimated)
LC50= 1210; No Effect Level= 620 mg/L
Fathead Minnow 96 Hour Acute Toxicity (Estimated)
LC50= 1000; No Effect Level= 380 mg/L
Rainbow Trout 96 Hour Acute Toxicity (Estimated)
LC50= 370; No Effect Level= 150 mg/L
```

### BIODEGRADATION

BOD-28 (mg/g): 23 BOD-5 (mg/g): 9 COD (mg/g): 319 TOC (mg/g): 129

## 13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is: D002=Corrosive(pH).

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

## 14 Transport information

```
Transportation Hazard: Corrosive to skin

DOT: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE SOLUTION)

8, UN3266, PG III, RQ

DOT EMERGENCY RESPONSE GUIDE #: 154

Note: Some containers may be DOT exempt, please check BOL for exact container classification

IATA: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE SOLUTION)

8, UN3266, PG III

IMDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE SOLUTION)

8, UN3266, PG III
```

## 15 Regulatory information

#### TSCA:

All components of this product are included on or are in compliance with the U.S. TSCA regulations.

## CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):

3,401 gallons due to SODIUM HYDROXIDE;

## NSF Registered and/or meets USDA (according to 1998 Guidelines):

Registration number: Not Registered G5, G7

## SARA SECTION 312 HAZARD CLASS:

Immediate(acute); Delayed(Chronic)

#### SARA SECTION 302 CHEMICALS:

No regulated constituent present at OSHA thresholds

### SARA SECTION 313 CHEMICALS:

No regulated constituent present at OSHA thresholds

#### CALIFORNIA REGULATORY INFORMATION

## CALIFORNIA SAFE DRINKING WATER AND TOXIC

ENFORCEMENT ACT (PROPOSITION 65):

No regulated constituents present

### MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

## 16 Other information

HMIS VII CODE TRANSLATION

| Health     | 3    | Serious Hazard |
|------------|------|----------------|
| Fire       | 1    | Slight Hazard  |
| Reactivity | 0    | Minimal Hazard |
| Special    | CORR | DOT corrosive  |

(1) Protective Equipment D Goggles, Face Shield, Gloves, Apron

### CHANGE LOG

|              | EFFECTIVE   |                       |             |
|--------------|-------------|-----------------------|-------------|
|              | DATE        | REVISIONS TO SECTION: | SUPERCEDES  |
|              |             |                       |             |
| MSDS status: | 22-JUL-1997 |                       | ** NEW **   |
|              | 15-JAN-2002 | 3,4                   | 22-JUL-1997 |
|              | 10-JUL-2002 | 12                    | 15-JAN-2002 |
|              | 15-APR-2008 | 2,4,5,8,10,15         | 10-JUL-2002 |
|              | 20-APR-2011 | 7,10                  | 15-APR-2008 |
|              | 16-FEB-2012 | 2,4,5,8,14,16         | 20-APR-2011 |

<sup>(1)</sup> refer to section 8 of MSDS for additional protective equipment recommendations.