| Strong bonds. Trusted solutions. | Page: 1 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Spectrum™ XD1878

CHLORINE STABILIZER

™ Trademark, Solenis or its subsidiaries or affiliates,

registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Biocide

| Details of the supplier of the safety data sheet | Emergency telephone number 1-844-SOLENIS (844-765-3647) |
|--|--|
| Solenis LLC | |
| 500 Hercules Road | Product Information |
| Wilmington, Delaware 19808 | Contact your local Solenis representative |
| United States of America (USA) | |
| | |
| | |
| RegulatoryRequestsNA@solenis.com | |
| Solenis LLC | |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Serious eye damage : Category 1

GHS label elements

Hazard pictograms



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

| Strong bonds. Trusted solutions. | Page: 2 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|--------------------|-----------|--|-------------------|
| Ammonium carbamate | 1111-78-0 | Acute Tox. 4; H302 Eye Dam. 1; H318 | >= 15 - < 20 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

: In the case of contact with eyes, rinse immediately with plenty In case of eye contact

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

If swallowed Obtain medical attention.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

No symptoms known or expected.

Causes serious eye damage.

Notes to physician : No hazards which require special first aid measures.

| Strong bonds. Trusted solutions. | Page: 3 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

SECTION 5. FIREFIGHTING MEASURES

Use extinguishing measures that are appropriate to local Suitable extinguishing media

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Ammonia

Carbon monoxide Carbon dioxide (CO2)

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

> Container hazardous when empty. Avoid contact with skin and eyes.

| Strong bonds. Trusted solutions. | Page: 4 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Store between 5 and 25 °C in a dry, well ventilated place

away from sources of heat, ignition and direct sunlight.

Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is

potential for exposure of the eyes or face to liquid, vapor or

mist.

Maintain eye wash station in immediate work area.

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate: Impervious clothing Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

| Strong bonds. Trusted solutions. | Page: 5 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear

Odour : ammoniacal, strong

Odour Threshold : Not applicable

pH : ca. 10.6

Melting point/freezing point : 9 °F / -13 °C

Boiling point/boiling range : 180 °F / 82 °C

Flash point : does not flash

Evaporation rate : 0.160

Flammability (solid, gas) : No data available

Burning rate : Not applicable

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower :

flammability limit

Not applicable

Vapour pressure : 127 hPa (75.4 °F / 24.1 °C)

Method: ASTM D 2879-86

Relative vapour density : 0.6 (77 °F / 25 °C)

Relative density : $1 (77 \degree F / 25 \degree C)$

Density : 1.156 g/cm3 (77 °F / 25 °C)

Bulk density : 1.156 g/cm3

Solubility(ies)

Water solubility : completely soluble

Solubility in other solvents : soluble

Solvent: Alcohol

Partition coefficient: n-

octanol/water

No data available

| Strong bonds. Trusted solutions. | Page: 6 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : 5.13 cps (77 °F / 25 °C)

Method: Brookfield

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

Product will not undergo hazardous polymerization.

Conditions to avoid : Heat

Incompatible materials : Acids

Bases nitrites

sodium nitrate

Hazardous decomposition

products

Ammonia

Carbon monoxide Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD 50 (Rat): 3,400 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC 50 (Rat): > 1.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

| Strong bonds. Trusted solutions. | Page: 7 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Acute dermal toxicity : LD 50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Components:

Ammonium carbamate:

Acute oral toxicity : LD 50 (Rat): 1,080 mg/kg

Method: OECD Test Guideline 425

Acute dermal toxicity : LD 50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Not irritating to skin

Components:

Ammonium carbamate:

Species : Rabbit

Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Result : Corrosive to eyes

Method : OECD Test Guideline 405

Remarks : May cause irreversible eye damage.

Components:

Ammonium carbamate:

Species : Rabbit

Result : Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

| Strong bonds. Trusted solutions. | Page: 8 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Components:

Ammonium carbamate:

Species : Mouse

Method Local lymph node assay

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 296 mg/l

Exposure time: 24 h Test Type: static test

Test substance: An aqueous solution was tested.

Method: OECD Test Guideline 202

| Strong bonds. Trusted solutions. | Page: 9 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

GLP: no

EC50 (Daphnia magna (Water flea)): 280 mg/l

Exposure time: 48 h Test Type: static test

Test substance: An aqueous solution was tested.

Method: OECD Test Guideline 202

GLP: no

NOEC (Daphnia magna (Water flea)): 109 mg/l

Exposure time: 48 h Test Type: static test

Test substance: An aqueous solution was tested.

Method: OECD Test Guideline 202

GLP: no

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

Ammonium carbamate:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 21 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

LC 50 (Lepomis macrochirus (Bluegill sunfish)): 35 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC 50 (Water flea (Daphnia magna)): 42 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC 50 (Green algae): 129.13 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC20 (activated sludge): 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

EC 50 (Bacteria): 1,180 mg/l

Exposure time: 17 h Method: DIN 38412

| Strong bonds. Trusted solutions. | Page: 10 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

Persistence and degradability

Product:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Components:

Ammonium carbamate:

Partition coefficient: n-

octanol/water

: log Pow: -0.47 (77 °F / 25 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Results of PBT and vPvB

assessment

: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and

very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

| Strong bonds. Trusted solutions. | Page: 11 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------------|-----------|--------------------|-----------------------------|
| Ammonium carbamate | 1111-78-0 | 5000 | 25641 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : 2.18% of ammonium carbamate (CASRN 1111-78-0) is

calculated as ammonia for reporting purposes; see EPA SARA 313 guidance on reporting "dissociable ammonium

salt".

Ammonium 1111-78-0 19.5 %

carbamate

Ammonium 1336-21-6 0.1275 %

hydroxide

The following components are subject to reporting levels

established by SARA Title III, Section 313:

Ammonium 1111-78-0 >= 10 - < 20 %

carbamate

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

| Strong bonds. Trusted solutions. | Page: 12 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Biocides

EPA Reg. # 74655-34

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger, Corrosive., Causes irreversible eye damage., Harmful if swallowed., Do not get in eyes, on skin or on clothing.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 02/17/2020

Full text of H-Statements

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage

| Strong bonds. Trusted solutions. | Page: 13 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 02/17/2020 |
| | Print Date: 02/17/2020 |
| | SDS Number: 000000200657 |
| Spectrum™ XD1878 CHLORINE STABILIZER ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 851181 | Version: 1.13 |

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN