



SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name: FlexPro® Plus CL5792 Cooling Water Treatment

Supplier's Name: ChemTreat, Inc.

Emergency Telephone Number: (800)424–9300 (Toll Free)

Address (Corporate Headquarters): 5640 Cox Road

Glen Allen, VA 23060 **Telephone Number for Information:** (800)648–4579

Date of SDS: March 20, 2020
Revision Date: March 20, 2020
Revision Number: 20032001AN

Section 2. Hazard(s) Identification

Signal Word: DANGER

GHS Classification(s): Skin corrosion/irritation – Category 1b

Eye damage/irritation – Category 1 Acute Toxicity Oral – Category 4 Acute Toxicity Inhalation – Category 4 Corrosive to Metals – Category 1

Hazard Statement(s): H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H302 Harmful if swallowed. H332 Harmful if inhaled.

H290 May be corrosive to metals.

Precautionary Statement(s):

Prevention: P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product. P271 Use only outdoors or in a well–ventilated area. P280 Wear protective gloves/protective clothing/eye

protection/face protection.





Response: P301 + P312 IF SWALLOWED: Call a POISON

CENTER or doctor/physician if you feel unwell P301 + 330 + 331 IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair):

Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P304 + P340 IF INHALED: Remove person to fresh

air and keep comfortable for breathing

P363 Wash contaminated clothing before reuse.

Storage: P405 Store locked up.

P406 Store in a corrosive resistant container with a

resistant inner liner.

Disposal: P501 Dispose of contents and container in accordance

with applicable local, regional, national, and/or

international regulations.

System of Classification Used: Classification under 2012 OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Hazards Not Otherwise

Classified:

None.

Section 3. Composition/Hazardous Ingredients

Component	CAS Registry #	Wt.%
Chlorotolyltriazole sodium salt	202420-04-0	1 – 5
Sodium hydroxide	1310-73-2	10 – 30

Comments

If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.





Section 4. First Aid Measures

Inhalation: Remove to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel

unwell.

Eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center or doctor/physician.

Skin: Immediately remove/take off all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before re-use.

Immediately call a poison center or doctor/physician.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON

CENTER or doctor/physician.

Most Important Symptoms: N/D

Indication of Immediate Medical Attention and Special Treatment Needed, If

Necessary:

N/A

Section 5. Fire Fighting Measures

Flammability of the Product: Not flammable.

Suitable Extinguishing Media: Use extinguishing media suitable to surrounding fire.

Specific Hazards Arising from

the Chemical:

Containers exposed in a fire should be cooled with water to prevent

vapor pressure build-up leading to rupture.

Protective Equipment: If product is involved in a fire, wear full protective clothing

including a positive-pressure, NIOSH approved, self-contained

breathing apparatus.





Section 6. Accidental Release Measures

Personal Precautions: Use appropriate Personal Protective Equipment (PPE).

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains, and sewers.

Methods for Cleaning up: Contain and/or absorb spill with inert material then place in

suitable container.

Other Statements: If RQ (Reportable Quantity) is exceeded, report to National

Spill Response Office at 1–800–424–8802. Reportable Quantity of the product is 687 Gal.

Section 7. Handling and Storage

Handling: Wear appropriate Personal Protective Equipment (PPE) when

handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing

vapors, mist or dust.

Storage: Store away from incompatible materials (see Section 10). Store

at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government

regulations. For Industrial use only.

Store above Freeze Point.

Section 8. Exposure Controls/Personal Protection

Exposure Limits

Component	Source	Exposure Limits
Chlorotolyltriazole sodium salt	N/E	N/E
Sodium hydroxide	ACGIH TLV	2 mg/m³ Ceiling
	OSHA PEL	2 mg/m³ TWA

Engineering Controls: Use only with adequate ventilation. The use of local ventilation is

recommended to control emission near the source.





Personal Protection

Eyes: Wear chemical splash goggles or safety glasses with

full-face shield. Maintain eyewash fountain in work area.

Skin: Maintain quick–drench facilities in work area.

Wear appropriate chemical resistant gloves.

Respiratory: If misting occurs, wear a NIOSH–approved respirator with

Organic Vapor Cartridges, in accordance with 29 CFR

1910.134.

Section 9. Physical and Chemical Properties

Physical State and Appearance: Liquid, Brown, Opaque

Specific Gravity: 1.291 @ 20°C

pH: 13.6 @ 20°C, 100.0%

Freezing Point: 6.4°F
Flash Point: N/A
Odor: Mild
Melting Point: N/D
Initial Boiling Point and Boiling Range: N/D
Solubility in Water: N/D

Solubility in Water:N/DEvaporation Rate:N/AVapor Density:N/DMolecular Weight:N/D

Viscosity: <100 CPS @ 20°C

Flammability (solid, gas): N/D
Flammable Limits: N/A
Autoignition Temperature: N/A

Density: 10.77 LB/GA

Vapor Pressure:N/D% VOC:N/DOdor ThresholdN/Dn-octanol Partition CoefficientN/DDecomposition TemperatureN/D





Section 10. Stability and Reactivity

Chemical Stability: Stable at normal temperatures and pressures.

Incompatibility with Various

Substances:

Strong acids, Strong oxidizers, Metals or metal oxides.

Hazardous Decomposition

Products:

Oxides of carbon, Oxides of nitrogen, Hydrogen chloride, Oxides of

sodium.

Possibility of Hazardous

Reactions:

None known.

Reactivity: N/D

Conditions To Avoid: N/D

Section 11. Toxicological Information

Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Sodium hydroxide	Oral	LD50	300 MG/KG	Rat
	Dermal	LD50	1350 MG/KG	Rabbit
FlexPro® Plus CL5792	N/D	N/D	N/D	N/D

Carcinogenicity Category

Component	Source	Code	Brief Description
Chlorotolyltriazole sodium salt	N/E	N/E	N/E
Sodium hydroxide	N/E	N/E	N/E

Likely Routes of Exposure: N/D

Symptoms

Inhalation: N/D

Eye Contact: N/D

Skin Contact: N/D

Ingestion: N/D





Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye

Irritation:

N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental

Toxicity:

N/D

Specific Target Organ Toxicity

Single Exposure: N/D

Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.

Section 12. Ecological Information

Ecotoxicity

Species	Duration	Type of Effect	Test Results
Fathead Minnow	96h	LC50	218 mg/l
Ceriodaphnia dubia	48h	LC50	1320 mg/l

Persistence and Biodegradability:

N/D

N/D

Bioaccumulative Potential:

Mobility In Soil: N/D

Other Adverse Effects: N/D

Comments: None.





Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations. EPA corrosivity characteristic hazardous waste D002 when disposed of in the original product form.

Section 14. Transport Information

Controlling					Packing
Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Group:
DOT	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND	8	PGII
			HALOGENATED AROMATIC		
			HETEROCYCLE SODIUM SALT)		
Over 687 GA	RQ UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND	8	PGII
			HALOGENATED AROMATIC		
			HETEROCYCLE SODIUM SALT)		
IMDG	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND	8	PGII
			HALOGENATED AROMATIC		
			HETEROCYCLE SODIUM SALT)		
ICAO	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND	8	PGII
			HALOGENATED AROMATIC		
			HETEROCYCLE SODIUM SALT)		

Note: N/A

Section 15. Regulatory Information

Inventory Status

United States (TSCA): Canada (DSL/NDSL):

All ingredients listed or exempt. All ingredients listed or exempt.





Federal Regulations

SARA Title III Rules

Sections 311/312 Hazard Classes

Fire Hazard:

Reactive Hazard:

Release of Pressure:

Acute Health Hazard:

Chronic Health Hazard:

No

Other Sections

	Section 313	Section 302 EHS	
Component	Toxic Chemical	TPQ	CERCLA RQ
Chlorotolyltriazole sodium salt	N/A	N/A	N/A
Sodium hydroxide	N/A	N/A	1000

Comments: None.

State Regulations

California Proposition 65: None known.

Special Regulations

Component	States
Chlorotolyltriazole sodium salt	None.
Sodium hydroxide	MA, MN, NY, PA, WA

Compliance Information

NSF: N/A

Food Regulations: N/A

KOSHER: This product has not been evaluated for Kosher approval.

Halal: This product has not been evaluated for Halal approval.

FIFRA: N/A

Other: None

Comments: None.





Section 16. Other Information

HMIS Hazard Rating

Health: 3
Flammability: 1
Physical Hazard: 0
PPE: X

Notes: The PPE rating depends on circumstances of use. See

Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha–numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end–user must determine if the code is appropriate for

their use.

Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com

Revision Date: March 20, 2020





Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.