

Madison Chemical Co., Inc.

3141 Clifty Drive

Madison, IN 47250

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

NAME: ProClean® FOAM

TYPE: Chlorinated Alkaline Cleaner

PRODUCT # 802741

FOR INDUSTRIAL USE ONLY - KEEP OUT OF THE REACH OF CHILDREN

EMERGENCY RESPONSE INFORMATION:

CHEMTREC 800-424-9300 24-Hour Service Company Offices: 812-273-6000 Weekdays

PREPARED DATE: 08-24-18 PREPARED BY: Benjamin Terpening

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification Corrosive to Metals Category 1 H290 Category 4 Acute Toxicity, oral H302 Skin Corrosion/Irritation Category 1A H314 Serious Eye Damage/Eye Irritation Category 1 H318 Aquatic Toxicity (Acute) H400 Category 1

Signal Word DANGER

Symbol



Hazard Statements H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

Precautionary Statements

P260 Do not breathe mist, spray, vapors.

P264 Wash hands, forearms, and exposed areas thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection, face protection, protective clothing, protective gloves. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water / shower

P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P321 Specific treatment (see Section 4).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents / container according to local, regional, national and international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS					
COMPONENT	<u>SYNONYM</u>	CAS NO.	% BY WEIGHT		
Potassium hydroxide	Caustic potash	1310-58-3	1 - 10		

 Sodium hydroxide
 Caustic soda
 1310-73-2
 1 - 10

 Sodium hypochlorite
 None
 7681-52-9
 1 - 10

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

EYES: Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a

physician.

SKIN: Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a

physician. Remove contaminated clothing and shoes. Do not put contaminated clothing and shoes back on. Wash clothing and shoes thoroughly in soap and water; rinse repeatedly in clean water and dry

before reuse.

INGESTION: If conscious, immediately give large quantities of water. DO NOT INDUCE VOMITING. Call a physician

at once. DO NOT give anything by mouth if the person is unconscious or if having convulsions.

INHALATION: Remove subject to fresh air. Give artificial respiration if necessary. Get medical attention immediately.

SIGNS AND SYMPTOMS OF Contacted areas will exhibit irritation or burns. Burns may not be immediately apparent. Eye contact

may cause permanent injury, including blindness. If ingested, may cause nausea and vomiting. May act

as a sensitizer.

PRIMARY ROUTE(S) OF ENTRY: Eyes, skin, inhalation.

MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:

EYE CONTACT: Causes serious eye damage.

SKIN CONTACT: Corrosive. Causes burns.

INGESTION: Harmful if swallowed.

INHALATION: Causes burns to alimentary canal and mucous membranes..

CHRONIC SYMPTOMS: None expected under normal conditions of use.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

If you experience any of the symptoms / effects listed above seek medical advice.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

EXPOSURE:

Use extinguishing media as appropriate for surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Not considered flammable or explosive. Hazardous reactions will not occur under normal conditions.

ADVICE FOR FIRE FIGHTERS:

Wear self-contained breathing apparatus and full protective clothing. Use water spray to keep containers cool.

Hazardous Combustion Products: Chlorine gas, carbon monoxide, carbon dioxide.

Chlorine gas is an oxidizer and will support combustion.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid all contact with skin, eyes and clothing. Avoid breathing. Wear nitrile, neoprene, or natural rubber gloves. Goggles and faceshield necessary. Wear suitable protective clothing. Use NIOSH / MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain liquid spills with sand and absorb on inert material such as Hazorb or clay. Dispose with solid waste. See Waste Disposal Method. Avoid breathing vapors. Ventilate areas. Do not discharge to sewers or waterways without proper treatment.

^{*}If Chemical Name/CAS No is "proprietary" and/or % By Weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret*

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Wear proper safety equipment when handling this product. Handle in accordance with good industrial hygiene and safety procedures. DO NOT MIX WITH ACIDS! THIS WILL FORM TOXIC CHLORINE GAS!

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:

Store in a cool, dry area away from heat and direct sunlight to avoid deterioration. Store away from acids and reducing agents. Keep container closed when not in use. Keep from freezing. Store between 45°F and 100°F.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

CHEMICAL IDENTITY	<u>CAS NO.</u>	<u>OSHA PEL</u>	ACGIH TLV
Potassium hydroxide	1310-58-3	N.E.	2 mg / M ^{3*}
Sodium hydroxide	1310-73-2	2 mg / M ³	2 mg / M ^{3*}
Sodium hypochlorite	7681-52-9	N.E.**	N.E.**

^{*}Denotes ceiling limit. **Manufacturer recommends a ceiling limit of 0.5 ppm.

ENGINEERING CONTROLS: Use good ventilation. Local exhaust is recommended if TLVs are exceeded.

INDIVIDUAL PROTECTION MEASURES: Selection of personal protective equipment should be based upon the anticipated exposure and

made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910

Subpart I. The following information may be used to assist in PPE selection.

RESPIRATORY PROTECTION: In absence of proper environmental control, use NIOSH / MSHA approved positive pressure

supplied air respirator for mists where airborne exposure is excessive.

SKIN PROTECTION: Impermeable type rubber gloves. Other equipment as required to avoid contact.

EYE PROTECTION: Goggles and faceshield necessary.

GENERAL HYGIENE CONSIDERATIONS: Eyewash facility and emergency shower should be in close proximity. Always wash hands after

handling any chemical.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off-white liquid. Mild chlorine ODOR: **ODOR THRESHOLD:** Not available. pH (100%): 13.0-13.5 28°F (-2.2) **MELTING POINT/FREEZING POINT** INITIAL BOILING POINT AND BOILING RANGE 215°F (101.7°C) FLASH POINT (METHOD USED) Not available. Not available. **EVAPORATION RATE** Not available. FLAMMABILITY (SOLID, GAS) UPPER/LOWER FLAMMABLE OR EXPLOSIVE LIMIT Not available. Not available. **VAPOR PRESSURE** VAPOR DENSITY Not available. SPECIFIC GRAVITY 1.14 **SOLUBILITY IN WATER** Complete. Not available. PARTITION COEFFICIENT: N-OCTANOL/WATER Not available. **AUTO-IGNITION TEMPERATURE** Not available. VISCOSITY, DYNAMIC **DECOMPOSITION TEMPERATURE** Not available. VISCOSITY Not available.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Will react with acids and ammonia to release toxic chlorine gas.

CHEMICAL STABILITY: Stable under recommended handling and storage conditions (see Section 7).

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization will not occur.

CONDITIONS TO AVOID: Heat and open flame.

INCOMPATIBLE MATERIALS: Acids, ammonia, amines, easily oxidized materials. DO NOT MIX WITH ACIDS! THIS

WILL FORM TOXIC CHLORINE GAS!

HAZARDOUS DECOMPOSITION PRODUCTS: Chlorine gas, carbon monoxide, carbon dioxide

SECTION 11: TOXOLOGICAL INFORMATION

ACUTE TOXICITY: Not classified. LD50 AND LC50 DATA: Not available.

ROUTES OF EXPOSURE / SYMPTOMS

EYES: DANGER! Causes burns.

SKIN: DANGER! Causes burns.

INGESTION: WARNING! Harmful if swllowed

INHALATION: DANGER! Causes burns to alimentary canal and mucous membranes.

GERM CELL MUTAGENICITY: Not classified. **TERATOGENICITY:** Not available.

CHRONIC EFFECTS / This material contains no ingredient above de minimus concentrations known or suspected to cause

CARCINOGENICITY: cancer.

SPECIFIC TARGET ORGAN TOXICITY

(Repeated exposure):
REPRODUCTIVE TOXICITY:
SPECIFIC TARGET ORGAN TOXICITY
Not classified.
Not classified.

(Single exposure):

ASPIRATION HAZARD:

Not classified.

Not classified.

COMPONENT INFORMATION:

Potassium hydroxide LD50 Oral Rat: 284 mg/kg LD50 Dermal: No data

LC50 Inhalation: No Data

Sodium hyhdroxide LD50 Oral: No Data

LD50 Dermal Rabbit: 1350 mg/kg LC50 Inhalation: No data

Sodium hypochlorite LD50 Oral Rat: 8910 mg/kg

LD50 Dermal Rabbit: >10,000 mg/m³ LC50 Inhalation: No data

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY The ecotoxicity of this product is not known **COMPONENT INFORMATION**

Potassium hydroxide Freshwater Fish Data:

LC50 Mosquito fish: 80 mg/L/96hr LC50 Fathead minnow: 179 mg/L/96 hr

Invertebrate Toxicity Data: EC50 Daphnia magna: 60 ppm

Sodium hydroxide Freshwater Fish Data:

odium hydroxide LC50 brook trout: 25 ppm/24 hr; LC50 king salmon: 48 ppm;

LC50 Gambusia affinis: 125 mg/L/96 hr; LC50 Bluegill: 99 mg/L/48 hr

Invertebrate Toxicity Data:

EC50 Daphnia magna: 100 ppm; EC50 shrimp: 33-100 ppm/48 hr;

EC50 cockle: 330-1000 ppm/48 hr

Sodium hypochlorite Freshwater Fish Data:

No data

Invertebrate Toxicity Data:

No data

PERSISTENCE AND DEGRADABILITY: Material is inorganic and not subject to biodegradation.

BIOACCUMULATIVE POTENTIAL: Not available.

MOBILITY IN SOIL: Not available.

OTHER ADVERSE EFFECTS: This material contains no hazardous air pollutants (HAPS).

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Normal for alkaline, chlorine and phosphate containing wastes. Sodium metabisulfite may be used to neutralize chlorine. May require pH adjustment for neutralization. Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME:

Corrosive liquid, basic, inorganic, n.o.s. (contains potassium hydroxide, sodium hydroxide, and sodium

hypochlorite)

HAZARD CLASS:

IDENTIFICATION NUMBER:

UN3266

PACKING GROUP:

Ш

EMERGENCY RESPONSE GUIDE:

ERG #154

SECTION 15: REGULATORY INFORMATION

VOC:

0.0 pounds per gallon (0 grams per liter).

TSCA STATUS

All ingredients are listed on the active TSCA inventory.

CERCLA REPORTABLE QUANTITY

1,000 pounds for potassium hydroxide (approximately 3,568 gallons) 1.000 pounds for sodium hydroxide (approximately 2.675 gallons).

100 pounds for sodium hypochlorite (approximately 535 gallons)

ACUTE HEALTH

REACTIVE

SARA 311 / 312 HAZARD CLASSES

FIRE SUDDEN RELEASE OF PRESSURE CHRONIC HEALTH

SARA 312 INFORMATION

Storage of 10,000 pounds or more may require filing a Tier 2 form. Threshold planning quantity for

reporting is 10,000 pounds. This material is not an extremely hazardous substance (EHS).

SARA 313 INFORMATION

This material contains the following substances subject to the reporting requirements of Section 313 of

the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

CHEMICAL NAME

CATEGORY CODE CAS NUMBER % BY WEIGHT

NONE

STATE REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65

California has not identified the ingredients listed in Section 3 as known to cause cancer or reproductive

toxicity.

SECTION 16: OTHER INFORMATION

Revised Sections 1, 9 and 16 on 08-24-18. SDS STATUS:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

FOR INDUSTRIAL USE ONLY - KEEP OUT OF THE REACH OF CHILDREN