Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

## **SECTION 1. IDENTIFICATION**

**Product identifier** 

Trade name : Amercor™ CNA6250

**CORROSION INHIBITOR** 

™ Trademark, Solenis or its subsidiaries or affiliates,

registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Corrosion inhibitors

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808	Emergency telephone number 1-844-SOLENIS (844-765-3647)  Product Information Contact your local Solenis representative
United States of America (USA)  RegulatoryRequestsNA@solenis.com	

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1

Serious eye damage : Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

**GHS** label elements

Hazard pictograms







Signal word : Danger

Strong bonds. Trusted solutions.	Page: 2
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Hazard statements : H227 Combustible liquid.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

#### Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Classification	Concentration (%)
2-diethylaminoethanol	100-37-8	Flam. Liq. 3; H226	>= 30 - < 40

Strong bonds. Trusted solutions.	Page: 3
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 885511	Version: 2.0

		Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335	
Morpholine	110-91-8	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 10 - < 15

Actual concentration is withheld as a trade secret

# **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled Move to fresh air.

Call a physician or poison control centre immediately.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

Wash contaminated clothing before re-use.

If on clothes, remove clothes.

In case of eye contact In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eve.

If swallowed Get medical attention immediately.

> Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

lung edema (fluid buildup in the lung tissue)

Difficulty in breathing

Strong bonds. Trusted solutions.	Page: 4
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Harmful in contact with skin. Causes serious eve damage.

Toxic if inhaled.

May cause respiratory irritation.

Causes severe burns.

No hazards which require special first aid measures. Notes to physician

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

High volume water jet

Dry chemical

Unsuitable extinguishing

Specific hazards during

media

firefighting

If product is heated above its flash point it will produce vapors

sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

point of release.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Ammonia

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)

formaldehyde nitrogen compounds

Specific extinguishing

Further information

methods

Product is compatible with standard fire-fighting agents.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Use a water spray to cool fully closed containers.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Evacuate personnel to safe areas. Remove all sources of ignition.

Use personal protective equipment. Ensure adequate ventilation.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations. Suppress (knock down) gases/vapours/mists with a water

spray jet.

Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

**Environmental precautions** Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

No sparking tools should be used.

Keep away from open flames, hot surfaces and sources of

ignition.

Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special

precautions may be necessary to dissipate static electricity for

non-conductive containers. Use proper bonding and grounding during product transfer as described in National

Fire Protection Association document NFPA 77.

Advice on safe handling Avoid formation of aerosol.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Do not use sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-

causing nitrosamines could be formed.

When diluting, always add the product to water. Never add

water to the product.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Observe label precautions.

No smoking.

Prevent unauthorized access.

Electrical installations / working materials must comply with

the technological safety standards.

Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Further information on storage stability

No decomposition if stored and applied as directed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-diethylaminoethanol	100-37-8	TWA	2 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z-1
		TWA	10 ppm 50 mg/m3	OSHA P0
Morpholine	110-91-8	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m3	NIOSH REL
		ST	30 ppm 105 mg/m3	NIOSH REL
		TWA	20 ppm 70 mg/m3	OSHA Z-1
		TWA	20 ppm 70 mg/m3	OSHA P0
		STEL	30 ppm 105 mg/m3	OSHA P0

## **Engineering measures**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

# Personal protective equipment

Respiratory protection

In the case of vapour formation use a respirator with an

approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not

provide adequate protection.

Hand protection

Strong bonds. Trusted solutions.	Page: 7
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is

potential for exposure of the eyes or face to liquid, vapor or

mist.

Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:

Impervious clothing Chemical resistant apron

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (consult your safety equipment

supplier).

Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Wash hands before breaks and immediately after handling

the product.

When using do not eat or drink.

Ensure that eyewash stations and safety showers are close

to the workstation location. When using do not smoke.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : brown

clear

Odour : amine-like

Odour Threshold : No data available

pH : 12.3

Melting point/freezing point : -0.40 °F / -18 °C

Boiling point/boiling range : 203 °F / 95 °C

Flash point : 187 °F / 86 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Strong bonds. Trusted solutions.	Page: 8
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Lower explosion limit / Lower : No data available

flammability limit

Vapour pressure No data available

Relative vapour density No data available

0.99 (77 °F / 25 °C) Relative density

Density No data available

Solubility(ies)

Water solubility soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic 25 mPa.s (77 °F / 25 °C)

Viscosity, kinematic No data available

Oxidizing properties No data available

## **SECTION 10. STABILITY AND REACTIVITY**

No decomposition if stored and applied as directed. Reactivity Chemical stability Stable under recommended storage conditions. Vapours may form explosive mixture with air. Possibility of hazardous

reactions

Conditions to avoid excessive heat

> Heat, flames and sparks. Exposure to moisture Heat, flames and sparks.

Incompatible materials Acids

> acrylates Alcohols Aldehydes aluminum glycols

halogenated hydrocarbons

isocyanates Ketones Metals nitrates

nitrites and other nitrosating agents

organic anhydrides organic solvent peroxides

Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

phenols

Strong oxidizing agents

Aqueous solutions of this product corrode steel.

Hazardous decomposition

products

Carbon monoxide Carbon dioxide (CO2)

Nitrogen oxides (NOx) nitrogen compounds

Ammonia

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Harmful in contact with skin.

Toxic if inhaled.

#### **Components:**

## 2-diethylaminoethanol:

Acute oral toxicity : LD50 (Rat): 1,320 mg/kg ca.

Acute inhalation toxicity : LC50 (Rat): ca. 4.6 mg/l

Exposure time: 4 h Test atmosphere: vapour

: LD50 (Guinea pig): ca. 885 mg/kg Acute dermal toxicity

Morpholine:

Acute oral toxicity LD50 (Rat): ca. 1,900 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 8 mg/l

Exposure time: 8 h

Test atmosphere: vapour

Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : LD50 (Rabbit): ca. 500 mg/kg

## Skin corrosion/irritation

Causes severe burns.

**Product:** 

Remarks : Causes severe skin burns and eye damage.

## **Components:**

## 2-diethylaminoethanol:

**Species** Rabbit

Result Corrosive after 3 minutes to 1 hour of exposure

Strong bonds. Trusted solutions.	Page: 10
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Morpholine:

Result : Corrosive after 3 minutes to 1 hour of exposure

## Serious eye damage/eye irritation

Causes serious eye damage.

**Product:** 

Remarks : May cause irreversible eye damage.

**Components:** 

2-diethylaminoethanol:

Species : Rabbit

Result : Corrosive to eyes

Morpholine:

Result : Corrosive to eyes

# Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

## **Components:**

## 2-diethylaminoethanol:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## 2-diethylaminoethanol:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Strong bonds. Trusted solutions.	Page: 11
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Morpholine:

Genotoxicity in vitro : Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: positive

## Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

May cause respiratory irritation.

## **Components:**

#### 2-diethylaminoethanol:

Target Organs : Respiratory system

## STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Strong bonds. Trusted solutions.	Page: 12
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Remarks No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

**Product:** 

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 622 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

NOEC (Pimephales promelas (fathead minnow)): 330 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity Not classified based on available information.

**Components:** 

2-diethylaminoethanol:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 147 mg/l

> Exposure time: 96 h Test Type: static test Method: DIN 38412

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 83.6 mg/l

Exposure time: 48 h Test Type: static test

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 5 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test Method: DIN 38412

Strong bonds. Trusted solutions.	Page: 13
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

EC50 (Desmodesmus subspicatus (green algae)): 44 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test Method: DIN 38412

Toxicity to microorganisms EC20 (activated sludge): > 1,000 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

# Persistence and degradability

#### **Components:**

# 2-diethylaminoethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95 % Exposure time: 28 d

Method: OECD Test Guideline 301A

GLP: yes

Morpholine:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 92.6 % Exposure time: 22 d

Method: OECD Test Guideline 301E

## **Bioaccumulative potential**

# **Components:**

# 2-diethylaminoethanol:

Bioaccumulation : Bioconcentration factor (BCF): 0.85

Partition coefficient: n-

log Pow: 0.21 (73 °F / 23 °C) octanol/water Method: OECD Test Guideline 107

Morpholine:

Partition coefficient: n-

: log Pow: -0.86

octanol/water

Mobility in soil No data available

#### Other adverse effects

# **Product:**

Additional ecological

information

: No data available

Strong bonds. Trusted solutions.	Page: 14
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Dispose of in accordance with all applicable local, state and

federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

IATA-DGR

**UN** number : UN 2922

Proper shipping name Corrosive liquid, toxic, n.o.s. (DIETHYL ETHANOLAMINE,

MORPHOLINE)

Class 8 Subsidiary risk 6.1 Packing group Ш Packing instruction (cargo 855

aircraft)

Packing instruction : 851

(passenger aircraft)

**IMDG-Code** 

**UN** number UN 2922

Proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S. (DIETHYL

ETHANOLAMINE, MORPHOLINE)

Class Subsidiary risk 6.1 Packing group Ш **EmS Code** F-A, S-B

Marine pollutant no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**49 CFR** 

UN 2922 UN number

Proper shipping name Corrosive liquids, toxic, n.o.s. (DIETHYL ETHANOLAMINE,

MORPHOLINE)

Class 8 Subsidiary risk 6.1

Strong bonds. Trusted solutions.	Page: 15
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

Packing group : II ERG Code : 154 Marine pollutant : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

## The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

#### **TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

Strong bonds. Trusted solutions.	Page: 16
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

No substances are subject to a Significant New Use Rule.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

Revision Date : 10/22/2021

#### **Full text of H-Statements**

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed. H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage
Flam. Liq. : Flammable liquids
Skin Corr. : Skin corrosion

STOT SE : Specific target organ toxicity - single exposure ACGIH : USA. ACGIH Threshold Limit Values (TLV) NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA P0 / STEL : Short-term exposure limit OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

Strong bonds. Trusted solutions.	Page: 17
SAFETY DATA SHEET	Revision Date: 10/22/2021
	Print Date: 10/26/2021
	SDS Number: 000000261900
Amercor™ CNA6250 CORROSION INHIBITOR  ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries  885511	Version: 2.0

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN