

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 5/31/2016

# **SECTION 1: IDENTIFICATION**

Product Identifier

Product Form: Beads Product Name: AFCO 0538 Product Code: AFCO 0538 Intended Use of the Product Use of the Substance/Mixture: Caustic CIP Cleaner. For professional use only. Name, Address, and Telephone of the Responsible Party

#### Company

Alex C. Fergusson, LLC. 800 Development Avenue Chambersburg, PA 17201 T 800-345-1329 www.afcocare.com

#### **Emergency Telephone Number**

Emergency number : 1-800-424-9300 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

Clas	ssifi	catio	on of the	e Substance	or	<u>Mixture</u>
				- 1		

Classification (GHS-US)				
Met. Corr. 1	H290			
Acute Tox. 4 (Dermal)	H312			
Skin Corr. 1A	H314			
Eye Dam. 1	H318			
Aquatic Acute 3 H402				
Lahel Flements				

### Label Elements

GHS-US Labeling Hazard Pictograms (GHS-US)	HS05 HS07
Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	<ul> <li>H290 - May be corrosive to metals</li> <li>H312 - Harmful in contact with skin</li> <li>H314 - Causes severe skin burns and eye damage</li> <li>H318 - Causes serious eye damage</li> <li>H402 - Harmful to aquatic life</li> </ul>
Precautionary Statements (GHS-US)	

Version: 1.1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P310 Immediately call a POISON CENTER or doctor/physician.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P321 Specific treatment (see section 4).
- P363 Wash contaminated clothing before reuse.
- P390 Absorb spillage to prevent material damage.
- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

#### **Other Hazards**

#### Other Hazards Not Contributing to the Classification:

**Other Hazards:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Contact with metals may evolve flammable hydrogen gas.

#### Unknown Acute Toxicity (GHS-US) Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Name	Product identifier	% (w/w)	Classification (GHS-US)
Sodium hydroxide	(CAS No) 1310-73-2	90 - 100	Met. Corr. 1, H290
			Acute Tox. 4 (Dermal), H312
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			Aquatic Acute 3, H402

#### Full text of H-phrases: see section 16

#### **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention.

**Skin Contact:** Immediately flush skin with plenty of water for at least 60 minutes. Get immediate medical advice/attention. Wash contaminated clothing before reuse.

**Eye Contact:** Seek medical attention immediately. Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage. Corrosive to eyes and skin.

Inhalation: None under normal and intended conditions of use.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

Chronic Symptoms: Not available

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## SECTION 5: FIRE-FIGHTING MEASURES

#### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Explosion Hazard:** Product is not explosive.

**Reactivity:** Thermal decomposition generates : Corrosive vapors. When heated to decomposition, emits toxic fumes. Corrosive to metals. Contact with soft metals may evolve flammable hydrogen gas.

#### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Toxic fumes are released. Sodium oxides.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not allow product to spread into the environment. Do NOT breathe dust. Do not get in eyes, on skin, or on clothing.

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cautiously neutralize spilled liquid.

Methods for Cleaning Up: Recover the product by vacuuming, shovelling or sweeping. Avoid dust generation. Contact competent authorities after a spill.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Corrosive vapors are released. Contact with soft metals may evolve flammable hydrogen gas.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

#### **Conditions for Safe Storage, Including Any Incompatibilities**

Technical Measures: Comply with applicable regulations. May be corrosive to metals.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from incompatible materials.

Incompatible Materials: Acids. Soft metals. Moisture.

Special Rules on Packaging: Keep only in original container.

#### Specific End Use(s)

Caustic CIP cleaner. For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

Sodium hydroxide (1310-73-2)				
Mexico	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>		
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m <sup>3</sup>		

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Québec	PLAFOND (mg/m³)	2 mg/m <sup>3</sup>

#### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. If user operations generates dust, fumes, vapor, spray, or mist, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommeded or statutory limits. **Personal Protective Equipment:** Protective goggles. Protective clothing. Gloves. Face shield.



Materials for Protective Clothing: Chemically resistant materials and fabrics. Corrosionproof clothing.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: A respirator is not needed under normal and intended conditions of product use.

Other Information: When using, do not eat, drink or smoke.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties			
Physical State	:	Solid	
Appearance	:	Off white beads	
Odor	:	Odorless	
Odor Threshold	:	Not available	
рН	:	13.5 (1%)	
Relative Evaporation Rate (butylacetate=1)	:	Not available	
Melting Point	:	Not available	
Freezing Point	:	Not available	
Boiling Point	:	Not available	
Flash Point	:	Not flammable	
Auto-ignition Temperature	:	Not available	
Decomposition Temperature	:	Not available	
Flammability (solid, gas)	:	Not flammable	
Lower Flammable Limit	:	Not available	
Upper Flammable Limit	:	Not available	
Vapor Pressure	:	Not available	
Relative Vapor Density at 20 °C	:	Not available	
Specific Gravity	:	Not available	
Solubility	:	Complete.	
Partition coefficient: n-octanol/water	:	Not available	
Viscosity	:	Not available	
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.	
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Thermal decomposition generates : Corrosive vapors. When heated to decomposition, emits toxic fumes. Corrosive to metals. Contact with soft metals may evolve flammable hydrogen gas.

**Chemical Stability:** Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**Conditions to Avoid:** Incompatible materials.

Incompatible Materials: Acids. Soft metals. Moisture.

Hazardous Decomposition Products: Thermal decomposition generates : Corrosive vapors. Sodium oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage. pH: 13.5 (1%)

Serious Eye Damage/Irritation: Causes serious eye damage. pH: 13.5 (1%)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: None under normal and intended conditions of use.

Symptoms/Injuries After Skin Contact: Causes severe skin burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

## Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Sodium hydroxide (1310-73-2)			
LD50 Dermal Rabbit	1350 mg/kg		
SECTION 12: ECOLOGICAL INF	ORMATION		
<u>Toxicity</u>			
Ecology - General: Harmful to aqua	tic life with long lasting effects.		
AFCO 0538			
LC50 Fish	40 mg/l (Exposure time: 48 h - Species: Fathead minnow		
EC50 Daphnia	100mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Sodium hydroxide (1310-73-2)			
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
Persistence and Degradability			
AFCO 0538			
Persistence and Degradability	May cause long-term adverse effects in the environment.		
<b>Bioaccumulative Potential</b>			
AFCO 0538			
Bioaccumulative Potential	Not established.		
Mobility in Soil Not available			
Other Adverse Effects			
Other Information: Avoid release to	the environment		

Other Information: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION					
14.1 In Accordance with DOT					
Proper Shipping Name	: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)				
Hazard Class	: 8				
Identification Number	: UN3262				
Label Codes	: 8				
Packing Group	: 11				
ERG Number	: 154				
14.2 In Accordance with IMI	6				
Proper Shipping Name	: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)				
Hazard Class	: 8				
Identification Number	: UN3262				
Packing Group	: 11				
Label Codes	: 8				
EmS-No. (Fire)	: F-A				
EmS-No. (Spillage)	: S-B				
14.3 In Accordance with IAT					
Proper Shipping Name	: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)				
Packing Group	: 11				
Identification Number	: UN3262				
Hazard Class	: 8				
Label Codes	: 8				
ERG Code (IATA)	: 8L				
14.4 In Accordance with TDC					
Proper Shipping Name	: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)				
Packing Group	: 11				
Hazard Class	: 8				
Identification Number	: UN3262				
Label Codes	: 8				
	~				

# SECTION 15: REGULATORY INFORMATION

US Federal Regulations

AFCO 0538

SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard

#### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **US State Regulations**

### Sodium hydroxide (1310-73-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Canadian Regulations	
AFCO 0538	
WHMIS Classification	Class E - Corrosive Material
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Sodium hydroxide (1310-7	3-2)
Listed on the Canadian DSL	(Domestic Substances List) inventory.
Listed on the Canadian Ingr	
IDL Concentration 1 %	
WHMIS Classification	Class E - Corrosive Material
This product has been class contains all of the informat	ified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS ion required by CPR.
SECTION 16: OTHER INF	FORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION
Revision date	: 5/19/20
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA
	Hazard Communication Standard 29 CFR 1910.1200.
GHS Full Text Phrases:	
Acute Tox. 4 (Derma	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H290	May be corrosive to metals
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H402	Harmful to aquatic life
NFPA Health Hazard	: 3 - Short exposure could cause serious temporary or
	residual injury even though prompt medical attention was
	given.
NFPA Fire Hazard	: 0 - Materials that will not burn.
NFPA Reactivity	: 1 - Normally stable, but can become unstable at elevated
	temperatures and pressures or may react with water with
HMIS III Rating	some release of energy, but not violently.
-	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is
Flammability	given : 0 Minimal Hazard
Flammability Physical	: 1 Slight Hazard
	Preparation of This Document
Alex C. Fergusson, LLC.	
800 Development Avenue	
Chambersburg, PA 17201	
800-345-1329	

#### Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS