		Page: 1
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Amercor™ CF6725
CORROSION INHIBITOR
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Paper auxiliary

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) EHSProductSafetyTeam@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION


GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Category 1

Serious eye damage : Category 1


Specific target organ toxicity : Category 1
- repeated exposure (Oral)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

 SOLENIS Strong bonds. Trusted solutions.		Page: 2
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

Precautionary statements : **Prevention:**

P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P314 Get medical advice/ attention if you feel unwell.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.


SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
N-OLEYL-1,3-PROPANEDIAMINE	7173-62-8	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 1; H372	>= 5 - < 10
AMINE DERIVATIVE	Trade Secret	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 1 - < 1.5

Actual concentration is withheld as a trade secret

	Page: 3
SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Causes serious eye damage.
Causes damage to organs through prolonged or repeated exposure if swallowed.
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical

SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0


- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
carbon dioxide and carbon monoxide
nitrogen oxides (NO_x)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

		Page: 5
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.


Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Chemical resistant apron
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).
 Discard gloves that show tears, pinholes, or signs of wear.


Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 Ensure that eyewash stations and safety showers are close to the workstation location.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

	Page: 6
SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

Colour : off-white
 Odour : No data available
 Odour Threshold : No data available
 pH : 11
 Melting point/freezing point : No data available
 Boiling point/boiling range : 212 °F / 100 °C
 Flash point : does not flash
 Evaporation rate : No data available
 Flammability (solid, gas) : No data available
 Self-ignition : No data available
 Upper explosion limit / Upper flammability limit : No data available
 Lower explosion limit / Lower flammability limit : No data available
 Vapour pressure : No data available
 Relative vapour density : No data available
 Relative density : 0.994 (70 °F / 21 °C)
 Density : No data available
 Solubility(ies)
 Water solubility : No data available
 Solubility in other solvents : No data available
 Partition coefficient: n-octanol/water : No data available
 Decomposition temperature : No data available
 Viscosity
 Viscosity, dynamic : < 30 mPa.s (70 °F / 21 °C)
 Viscosity, kinematic : No data available

	Page: 7
SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

Oxidizing properties : No data available

Metal corrosion rate : Not corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : aluminum
bronze
Copper
Strong acids
Strong oxidizing agents

Hazardous decomposition products : Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

N-OLEYL-1,3-PROPANEDIAMINE:

Acute oral toxicity : LD50 (Rat, female): ca. 500 mg/kg
Method: OECD Test Guideline 423

AMINE DERIVATIVE:

Acute oral toxicity : LD50 (Rat): > 500 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Causes severe skin burns and eye damage.

SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

Components:**N-OLEYL-1,3-PROPANEDIAMINE:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

AMINE DERIVATIVE:

Result : Corrosive to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:**AMINE DERIVATIVE:**

Result : Corrosive to eyes
Remarks : Information given is based on data obtained from similar substances.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity


Not classified based on available information.

Components:**N-OLEYL-1,3-PROPANEDIAMINE:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster fibroblasts

	Page: 9
SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 473
 Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure if swallowed.

Components:

N-OLEYL-1,3-PROPANEDIAMINE:

Exposure routes : Ingestion

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available


SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.03 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0.36 mg/l
 Exposure time: 48 h
 Test Type: static test

		Page: 10
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

Method: OECD Test Guideline 202

Ecotoxicology Assessment

- Acute aquatic toxicity : Acute aquatic toxicity Category 2; Toxic to aquatic life.
- Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.

Components:

N-OLEYL-1,3-PROPANEDIAMINE:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.1 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.025 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.506 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l
Exposure time: 21 d
Test Type: semi-static test
- M-Factor (Chronic aquatic toxicity) : 1

AMINE DERIVATIVE:

Ecotoxicology Assessment


- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

N-OLEYL-1,3-PROPANEDIAMINE:

- Biodegradability : Result: Readily biodegradable.

		Page: 11
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

N-OLEYL-1,3-PROPANEDIAMINE:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0.03 (78.3 °F / 25.7 °C)
pH: 6.8

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 2735
Proper shipping name : Amines, liquid, corrosive, n.o.s. (N-OLEYL-1,3-PROPANEDIAMINE)

SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

Class : 8
Packing group : III
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 2735
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S. (N-OLEYL-1,3-PROPANEDIAMINE)
Class : 8
Packing group : III
EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN number : UN 2735
Proper shipping name : Amines, liquid, corrosive, n.o.s. (N-OLEYL-1,3-PROPANEDIAMINE)
Class : 8
Packing group : III
ERG Code : 153
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act


SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

		Page: 13
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : All components are listed on the inventory, regulatory obligations/restrictions apply
- DSL : All components of this product are on the Canadian DSL
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


Revision Date : 03/18/2022

Full text of H-Statements

- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.
- H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.

Full text of other abbreviations

Acute Tox. : Acute toxicity

		Page: 14
SAFETY DATA SHEET		Revision Date: 03/18/2022
		Print Date: 04/04/2022
		SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026		Version: 2.0

Eye Dam. : Serious eye damage
Skin Corr. : Skin corrosion
STOT RE : Specific target organ toxicity - repeated exposure

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet


Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

	Page: 15
SAFETY DATA SHEET	Revision Date: 03/18/2022
	Print Date: 04/04/2022
	SDS Number: 000000262554
Amercor™ CF6725 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 874026	Version: 2.0

US / EN