		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 02/08/2023
		SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187		Version: 1.3

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : Magnafloc™ LT-7990  
COAGULANT  
™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries

### Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Industrial chemical

<b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  EHSProductSafetyTeam@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

### Other hazards

Material can create slippery conditions.


## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES


	Page: 2
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)
- Notes to physician : No hazards which require special first aid measures.

---

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO2)  
nitrogen oxides (NOx)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Material can create slippery conditions.  
Water may cause extremely slippery conditions.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

	Page: 3
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	SDS Number: R1201892 Version: 1.3

for firefighters

---


## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : For small spills, quickly contain and remove the spilled material using absorbent pads, socks, kitty litter, sawdust etc, then appropriately dispose. Do not leave absorbents to sit overnight, as they will become hard and difficult to remove. The remaining residue or film can be treated with dilute caustic (2%) or dilute liquid bleach (2–5%), allowed to soak for up to one hour, and clean with warm water (between 49C – 54C (120F – 130 F)) or flushed to a sewer using high volumes of water taking into account local guidelines. Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid spillage on floor as the product can become very slippery. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

	Page: 4
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	SDS Number: R1201892 Version: 1.3

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.4 mm  
Protective index : Class 6

Material : polyvinyl chloride  
Break through time : > 480 min  
Glove thickness : 0.7 mm  
Protective index : Class 6

Material : Chloroprene  
Break through time : > 480 min  
Glove thickness : 0.5 mm  
Protective index : Class 6

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.


**Skin and body protection** : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

**Hygiene measures** : General industrial hygiene practice.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

	Page: 5
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

Colour : yellow

Odour : amine-like

Odour Threshold : No data available

pH : ca. 6

Melting point/freezing point : < 41 °F / < 5 °C

Boiling point/boiling range : > 212 °F / > 100 °C

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : does not ignite

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 2.3 kPa (68 °F / 20 °C)

Relative vapour density : No data available

Relative density : 1.0 - 1.2

Density : ca. 1.14 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)

Water solubility : miscible

Solubility in other solvents : completely miscible

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 600 - 900 cps (77 °F / 25 °C)

Viscosity, kinematic : No data available

<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

Explosive properties : Not explosive  
 Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.  
 Chemical stability : Stable under recommended storage conditions.  
 Possibility of hazardous reactions : Product will not undergo hazardous polymerization.  
 Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.  
 Freezing temperatures.  
 Incompatible materials : aluminum  
 Copper  
 Iron  
 strong mineral acids  
 Strong oxidizing agents  
 Hazardous decomposition products : Carbon monoxide  
 Carbon dioxide (CO<sub>2</sub>)  
 Nitrogen oxides (NO<sub>x</sub>)

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

#### Product:


Species : Rabbit  
 Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
 Result : No eye irritation

	Page: 7
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

Remarks : Unlikely to cause eye irritation or injury.

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks : No data available


**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish : LC50 (Fish): > 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 mg/l  
Exposure time: 48 h

	Page: 8
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

Test Type: static test

**Ecotoxicology Assessment**

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.

**Persistence and degradability**

**Product:**

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION**


**International Regulations**

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**



	Page: 9
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	SDS Number: R1201892 Version: 1.3

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards


**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

Proposition 65 warnings are not required for this product based on the results of a risk assessment performed on the product as delivered and when used as intended.

**The components of this product are reported in the following inventories:**

- NZIoC : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory
- DSL : All components of this product are on the Canadian DSL
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- TCSI : On the inventory, or in compliance with the inventory

	Page: 10
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION


### Further information

Revision Date : 08/22/2022

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet  
Key literature references and sources of data

 <small>Strong bonds. Trusted solutions.</small>	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 02/08/2023
	SDS Number: R1201892
Magnafloc™ LT-7990 COAGULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932187	Version: 1.3

SOLENIS Internal data  
SOLENIS internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN