

C-9

Section: 1. PRODUCT AND	CO	MPANY IDENTIFICATION
Product name	:	C-9
Other means of identification	:	Not applicable.
Recommended use	:	CORROSION INHIBITOR
Restrictions on use	:	Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.
Company	:	Nalco Company 1601 W. Diehl Road Naperville, Illinois 60563-1198 USA TEL: (630)305-1000
Emergency telephone number	:	(800) 424-9300 (24 Hours) CHEMTREC
Issuing date	:	08/22/2016

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals	:	Category 1
Acute toxicity (Oral)		Category 4
Acute toxicity (Inhalation)		Category 4
Skin corrosion	:	Category 1
Serious eye damage	:	Category 1
		1.

GHS Label element

Hazard pictograms



Signal Word

Danger Danger

:

Hazard Statements Harmful if swallowed. : Causes severe skin burns and eye damage. Toxic if inhaled. May be corrosive to metals. Harmful if swallowed or if inhaled Causes severe skin burns and eye damage.

Precautionary Statements Prevention: :

	Do not mix with bleach or other chlorinated products – will cause Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin after handling. Do not eat, drink or smoke when using this produc outdoors or in a well-ventilated area. Wear protective gloves/ prot eye protection/ face protection. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin after handling. Use only outdoors or in a well-ventilated area. Wea gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician i unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (or hair): Remove/ Take off immediately all contaminated clothing with water/ shower. IF INHALED: Remove victim to fresh air and I a position comfortable for breathing. IF IN EYES: Rinse cautiously several minutes. Remove contact lenses, if present and easy to d rinsing. Immediately call a POISON CENTER or doctor/ physician i unwell. Rinse mouth.IF SWALLOWED: Rinse mouth. Do NOT induce vonting. Immediately call a POISON CENTER or doctor/ physician i unwell. Rinse mouth.IF SWALLOWED: Rinse mouth. Do NOT indi vomiting.IF ON SKIN (or hair): Take off immediately all contamina Rinse skin with water/shower.IF INHALED: Remove person to fre keep comfortable for breathing. Immediately all a POISON CENT IN EYES: Rinse cautiously with water for several minutes. Remov lenses, if present and easy to do. Continue rinsing. Immediately c CENTER or doctor/ physician. Wash contaminated clothing before reuse. Storage: Store in a well-ventilated place. Keep container tightly closed. Sto Disposal: Dispose of contents/ container to an approved waste disposal pla		ay. Wash skin thoroughly ng this product. Use only ve gloves/ protective clothing/ ay. Wash skin thoroughly ated area. Wear protective tection. for/ physician if you feel duce vomiting. IF ON SKIN nated clothing. Rinse skin fresh air and keep at rest in inse cautiously with water for and easy to do. Continue ctor/ physician. Wash for/ physician if you feel h. Do NOT induce v all contaminated clothing. e person to fresh air and POISON CENTER/doctor.IF inutes. Remove contact Immediately call a POISON	
Other hazards	: Do no	ot mix with bleach or other ch	lorinated product	s – will cause chlorine gas.
Section: 3. COMPOSITIO	/INFORMAT	TION ON INGREDIENTS		
Pure substance/mixture	: Mixtu	re		
Chemical Name Phosphoric Acid Zinc Chloride			CAS-No. 7664-38-2 7646-85-7	Concentration: (%) 30 - 60 10 - 30
Section: 4. FIRST AID ME	SURES			
In case of eye contact	minut	e immediately with plenty of w es. Remove contact lenses, i nedical attention immediately	if present and eas	
In case of skin contact	soap	off immediately with plenty of if available. Wash clothing be Get medical attention imme	efore reuse. Thore	
If swallowed		e mouth with water. Do NOT i n to an unconscious person.		

C-9		
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention immediately.
Protection of first-aiders	:	In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	:	None known.	
Specific hazards during firefighting	:	Not flammable or combustible.	
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus	
Special protective equipment for firefighters	:	Use personal protective equipment.	
Specific extinguishing methods		Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.	

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in
		eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

C-9		
		with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions for safe storage	:	Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
Suitable material	:	The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.
Unsuitable material	:	not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric Acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
Zinc Chloride	7646-85-7	TWA (Fumes)	1 mg/m3	OSHA Z1
		TWA (Fumes)	1 mg/m3	ACGIH
		STEL (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	1 mg/m3	NIOSH REL
		STEL (Fumes)	2 mg/m3	NIOSH REL

Engineering measures		Effective exhaust ventilation system. Maintain air concentrations below
		occupational exposure standards.

Personal protective equipment

Eye protection	:	Safety goggles Face-shield
Hand protection		Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection :		When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures		Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid
Colour	:	colourless
Odour	:	odourless
Flash point	:	> 93.3 °C
рН	:	< 1.0, 100 %, (25 °C)
Odour Threshold	:	no data available
Melting point/freezing point	:	FREEZING POINT: -20 °C, ASTM D-1177
Initial boiling point and boiling range	:	> 100 °C
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	similar to water
Relative vapour density	:	no data available
Relative density	:	1.56 - 1.6, (25 °C),
Density	:	13.3 lb/gal
Water solubility	:	completely soluble
Solubility in other solvents	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	0 %, EPA Method 24

Section: 10. STABILITY A	REACTIVITY	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine	gas.
	Do not mix with bleach or other chlorinated products – will cause chlorine	gas.
Conditions to avoid	: None known.	

ACETY DATA QUEET

C-9		
Incompatible materials	:	Strong bases
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
Section: 11. TOXICOLOGIC	CAL I	NFORMATION
Information on likely routes c exposure	of :	Inhalation, Eye contact, Skin contact
Potential Health Effects		
Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns.
Ingestion	:	Harmful if swallowed. Causes digestive tract burns.
Inhalation	:	Toxic if inhaled. Harmful if inhaled. May cause nose, throat, and lung irritation
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human ex	posu	re
Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Corrosion
Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough
Toxicity		
Product		
Acute oral toxicity	:	LD50 rat: 1,530 mg/kg Test substance: Hazardous component
		LD50 rat: 350 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 2.55 mg/l Exposure time: 4 h
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Pospiratory or skip		no data available

:	no data available
:	no data available
	······································

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects :	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Product	
Toxicity to fish	LC50 Lepomis macrochirus (Bluegill sunfish): 2.86 - 3.78 mg/l Exposure time: 96 hrs
	LC50 Inland Silverside: > 5,000 mg/l Exposure time: 96 hrs Test substance: Product
	LC50 Lepomis macrochirus (Bluegill sunfish): 3.8 - 8.8 mg/l Exposure time: 96 hrs Test substance: Hazardous component
	LC50 Zebra Danio: 18.18 mg/l Exposure time: 96 hrs Test substance: Hazardous component
	LC50 Pimephales promelas (fathead minnow): 27 mg/l Exposure time: 96 hrs Test substance: Product Test Type: Static
	NOEC Pimephales promelas (fathead minnow): 3.1 mg/l Exposure time: 96 hrs Test substance: Product Test Type: Static
Toxicity to daphnia and other : aquatic invertebrates	LC50 Mysid Shrimp (Mysidopsis bahia): 4.8 mg/l Exposure time: 96 hrs Test substance: Product
	LC50 Daphnia magna (Water flea): 0.158 mg/l Exposure time: 48 hrs Test substance: Hazardous component
	LC50 Daphnia magna (Water flea): 10.3 mg/l Exposure time: 48 hrs

	Test substance: Product Test Type: Static
	NOEC Daphnia magna (Water flea): 1.3 mg/l Exposure time: 48 hrs Test substance: Product Test Type: Static
Components	
Toxicity to algae :	Phosphoric Acid EC50 Desmodesmus subspicatus (green algae): > 100 mg/l Exposure time: 72 h
Persistence and degradability	
no data available	
Mobility	
no data available	
Bioaccumulative potential	
no data available	
Other information	
and the second states	

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste:	:	D002
Disposal methods	:	The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name Technical name(s) UN/ID No.	 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ZINC CHLORIDE, PHOSPHORIC ACID UN 3264
Transport hazard class(es)	: 8
Packing group	: W
Reportable Quantity (per	: 3,730 lbs
package)	
RQ Component	: ZINC CHLORIDE

Air transport (IATA)

Proper shipping name	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Technical name(s)	: Zinc Chloride, Phosphoric Acid
UN/ID No.	: UN 3264
Transport hazard class(es)	: 8
Packing group	: 111
Reportable Quantity (per	: 3,730 lbs
package)	
RQ Component	: ZINC CHLORIDE

Sea transport (IMDG/IMO)

Proper shipping name	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Technical name(s)	: ZINC CHLORIDE, PHOSPHORIC ACID
UN/ID No.	: UN 3264
Transport hazard class(es)	: 8
Packing group	: 111
*Marine pollutant	: ZINC CHLORIDE

*Note: This product is regulated as a Marine Pollutant when shipped by Rail, Highway (in bulk quantities), or Air (if no other hazard class applies), and when shipped by water in all quantities.

Section: 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Zinc Chloride	7646-85-7	1000	3734

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

C-9	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	 The following components are subject to reporting levels established by SARA Title III, Section 313: Zinc Chloride 7646-85-7 10 - 30 %

California Prop 65


This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS :

TOXIC SUBSTANCES CONTROL ACT (TSCA) The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).



Revision Date	:	08/22/2016
Version Number	:	1.1
Prepared By	:	Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.