

PRODUCT

3D TRASAR® 3DT208 ~

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:

3D TRASAR® 3DT208

APPLICATION:

MULTIFUNCTIONAL COOLING WATER TREATMENT

COMPANY IDENTIFICATION:

Naico Company 1601 W. Diehl Road Naperville, Illinois 60563-1198

EMERGENCY TELEPHONE NUMBER(S):

(800) 424-9300 (24 Hours) CHEMTREC

NFPA 704M/HMIS RATING

HEALTH: 2/2

1/1 FLAMMABILITY:

INSTABILITY:

0/0

OTHER:

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme * = Chronic Health Hazard

2. COMPOSITION/INFORMATION ON INGREDIENTS

Our hazard evaluation has identified the following chemical substance(s) as hazardous. Consult Section 15 for the nature of the hazard(s).

Hazardous Substance(s)	CAS NO	% (w/w)
Substituted aromatic amine	Proprietary	1.0 - 5.0
Substituted carboxylic acid	Proprietary	1.0 - 5.0
Sodium salt of phosphonomethylated diamine	Proprietary	1.0 - 5.0

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING

Irritating to eyes and skin. May cause sensitization by skin contact.

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water.

Wear suitable protective clothing.

May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of phosphorus (POx) under fire conditions. May evolve oxides of nitrogen (NOx) and sulfur (SOx) under fire conditions.

PRIMARY ROUTES OF EXPOSURE:

Eye, Skin

HUMAN HEALTH HAZARDS - ACUTE:

EYE CONTACT:

Irritating, and may injure eye tissue if not removed promptly.



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

SKIN CONTACT:

Can cause moderate irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

INGESTION:

Not a likely route of exposure. There may be irritation to the gastro-intestinal tract.

INHALATION:

Not a likely route of exposure. Elevated temperatures or mechanical action may form vapors, mists or fumes which may be irritating to the eyes, nose, throat and lungs.

4. FIRST AID MEASURES

EYE CONTACT:

Immediately flush eye with water for at least 15 minutes while holding eyelids open. If symptoms develop, seek medical advice.

SKIN CONTACT:

Seek medical advice with urgency. For a large splash, flood body under a shower. Immediately wash with plenty of soap and water. If symptoms develop, seek medical advice.

INGESTION:

Get medical attention. Do not induce vomiting without medical advice. If conscious, washout mouth and give water to drink.

INHALATION:

Remove to fresh air, treat symptomatically. If symptoms develop, seek medical advice.

NOTE TO PHYSICIAN:

Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

5. FIRE FIGHTING MEASURES

FLASH POINT:

> 200 °F / > 93.3 °C

EXTINGUISHING MEDIA:

This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable. Use exlinguishing media appropriate for surrounding fire.

FIRE AND EXPLOSION HAZARD:

May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of phosphorus (POx) under fire conditions. May evolve oxides of nitrogen (NOx) and sulfur (SOx) under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Notify appropriate government, occupational health and safety and environmental authorities.

METHODS FOR CLEANING UP:

SMALL SPILLS: Soak up spill with absorbent material. Place residues in a suitable, covered, properly labeled container. Wash affected area. LARGE SPILLS: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Clean contaminated surfaces with water or aqueous cleaning agents. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

ENVIRONMENTAL PRECAUTIONS:

Do not contaminate surface water.

7. HANDLING AND STORAGE

HANDLING:

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Do not breathe vapors/gases/dust. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Ensure all containers are labeled.

STORAGE CONDITIONS:

Store in suitable labeled containers. Store the containers tightly closed.

SUITABLE CONSTRUCTION MATERIAL:

Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

This product does not contain any substance that has an established exposure limit.

ENGINEERING MEASURES:

General ventilation is recommended.

RESPIRATORY PROTECTION:

Where concentrations in air may exceed the limits given in this section, the use of a half face filter mask or air supplied breathing apparatus is recommended. A suitable filter material depends on the amount and type of chemicals being handled. Consider the use of filter type: Multi-contaminant cartridge, with a Particulate pre-filter. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

HAND PROTECTION:

When handling this product, the use of chemical gauntlets is recommended. The choice of work glove depends on work conditions and what chemicals are handled, but we have positive experience under light handling conditions using gloves made from PVC. Gloves should be replaced immediately if signs of degradation are observed. Breakthrough time not determined as preparation, consult PPE manufacturers.

SKIN PROTECTION:

When handling this product, the use of a chemical resistant suit and rubber boots is recommended,

EYE PROTECTION:

When handling this product, the use of splash chemical goggles is recommended.

HYGIENE RECOMMENDATIONS:

Use good work and personal hygiene practices to avoid exposure. Keep an eye wash fountain available. Keep a safety shower available. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE

Liquid

APPEARANCE

Brown

ODOR

None

SPECIFIC GRAVITY

1.1538 @ 77 °F / 25 °C

DENSITY

9.6 lb/gal

SOLUBILITY IN WATER

Complete

pH (100.0%)

3.2

VOC CONTENT

0 % EPA Melhod 24

Note: These physical properties are typical values for this product and are subject to change.

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

HAZARDOUS POLYMERIZATION:

Hazardous polymerization will not occur.

CONDITIONS TO AVOID:

Avoid extremes of temperature.



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

MATERIALS TO AVOID:

Bases Contact with strong alkalies (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS:

Under fire conditions:

Oxides of carbon, Oxides of phosphorus, Oxides of nilrogen, Oxides of sulfur

11. TOXICOLOGICAL INFORMATION

No toxicity studies have been conducted on this product.

SENSITIZATION:

Repeated or prolonged contact may cause skin sensitization.

CARCINOGENICITY:

None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

12. | ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL EFFECTS:

The following results are for the product.

Acute Fish Results:

Species	Exposure	Test Type	Value	Test Descriptor
Fathead Minnow	96 hrs	LC50	2,106 mg/l	Product

ACUTE INVERTEBRATE RESULTS:

MODIE HANCILLEDIVALE VEG	UL.1U.			
Species	Exposure	Test Type	Value	Test Descriptor
Danhoja magna	48 hrs	EC50	917 mg/l	Product

PERSISTENCY AND DEGRADATION:

Total Organic Carbon (TOC): 87,000 mg/l

Chemical Oxygen Demand (COD): 310,000 mg/l

Biological Oxygen Demand (BOD):

Incubation Period	Value	Test Descriptor
5 d	< 200 mg/l	Product

The organic portion of this preparation is expected to be inherently biodegradable.



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

MOBILITY:

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	Water	Soil/Sediment
<5%	30 - 50%	50 - 70%

The portion in water is expected to be soluble or dispersible.

BIOACCUMULATION POTENTIAL

This preparation or material is not expected to bioaccumulate.

If released into the environment, see CERCLA/SUPERFUND in Section 15.

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

As a non-hazardous waste, it is not subject to federal regulation. Consult state or local regulation for any additional handling, treatment or disposal requirements. For disposal, contact a properly licensed waste treatment, storage, disposal or recycling facility.

14. TRANSPORT INFORMATION

The Information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

LAND TRANSPORT:

Proper Shipping Name:

PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

AIR TRANSPORT (ICAO/IATA):

Proper Shipping Name:

PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

MARINE TRANSPORT (IMDG/IMO):

Proper Shipping Name:

PRODUCT IS NOT REGULATED DURING

TRANSPORTATION



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

REGULATORY INFORMATION 15.

This section contains additional information that may have relevance to regulatory compliance. The information in this section is for reference only. It is not exhaustive, and should not be relied upon to take the place of an individualized compliance or hazard assessment. Nalco accepts no liability for the use of this information.

NATIONAL REGULATIONS, USA:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following substance(s) in this product is/are hazardous and the reason(s) is/are shown below.

Substituted aromatic amine: Eye irritant

Substituted carboxylic acid: Corrosive, Dermal Sensilizer Sodium salt of phosphonomethylated diamine: Eye irritant

CERCLA/SUPERFUND, 40 CFR 302:

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312, AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 AND 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370) :

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following indicated EPA hazard categories:

Immediate (Acute) Health Hazard

X

Delayed (Chronic) Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

Reactive Hazard

Under SARA 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are: 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain substances on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

NSF NON-FOOD COMPOUNDS REGISTRATION PROGRAM (former USDA List of Proprietary Substances &

Non-Food Compounds):

NSF Registration number for this product is: 141308



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

This product is acceptable for treatment of cooling and retort water (G5) in and around food processing areas. This product is acceptable for treating boilers, steam lines, and/or cooling systems (G7) where neither the treated water nor the steam produced may contact edible products in and around food processing areas.

This product has been certified as KOSHER/PAREVE for year-round use INCLUDING THE PASSOVER SEASON by the CHICAGO RABBINICAL COUNCIL.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 / formerly Sec. 307, 40 CFR 116.4 / formerly Sec. 311 :

This product may contain trace levels (<0.1% for carcinogens, <1% all other substances) of the following substance(s) listed under the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
Phosphoric Acid	Sec. 311

CLEAN AIR ACT, Sec. 112 (Hazardous Air Pollutants, as amended by 40 CFR 63), Sec. 602 (40 CFR 82, Class I and II Ozone Depleting Substances):

This product may contain trace levels (<0.1% for carcinogens, <1% all other substances) of the following substance(s) listed under the regulation. Additional components may be unintentionally present at trace levels.

Substance(s)	Citations
Methanol	Sec. 111, Sec. 112

CALIFORNIA PROPOSITION 65:

Substances listed under California Proposition 65 are not intentionally added or expected to be present in this product.

MICHIGAN CRITICAL MATERIALS:

Substances listed under this regulation are not intentionally added or expected to be present in this product. Listed components may be present at trace levels.

STATE RIGHT TO KNOW LAWS:

The following substances are disclosed for compliance with State Right to Know Laws:

Substituted aromatic amine

Proprietary

Phosphoric Acid

7664-38-2

Methanol

67-56-1

INTERNATIONAL CHEMICAL CONTROL LAWS:

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

EUROPE

The substance(s) in this preparation are included in or exempted from the EINECS or ELINCS inventories

16. OTHER INFORMATION

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

REFERENCES

Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices, American Conference of Governmental Industrial Hygienists, OH., (Ariel Insight™ CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Hazardous Substances Data Bank, National Library of Medicine, Bethesda, Maryland (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.

IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

Integrated Risk Information System, U.S. Environmental Protection Agency, Washington, D.C. (TOMES CPS™ CD-ROM Version),
Micromedex, Inc., Englewood, CO.

Annual Report on Carcinogens, National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service.

Title 29 Code of Federal Regulations, Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA), (Arlel Insight** CD-ROM Version), Ariel Research Corp., Bethesda, MD.

Registry of Toxic Effects of Chemical Substances, National Institute for Occupational Safety and Health, Cincinnati, OH, (TOMES CPSTM CD-ROM Version), Micromedex, Inc., Englewood, CO.

Ariel Insight[™] (An integrated guide to industrial chemicals covered under major regulatory and advisory programs), North American Module, Western European Module, Chemical Inventories Module and the Generics Module (Ariel Insight[™] CD-ROM Version), Ariel Research Corp., Bethesda, MD.

The Teratogen Information System, University of Washington, Seattle, WA (TOMES CPS™ CD-ROM Version), Micromedex, Inc., Englewood, CO.



PRODUCT

3D TRASAR® 3DT208

EMERGENCY TELEPHONE NUMBER(S) (800) 424-9300 (24 Hours) CHEMTREC

Prepared By: Product Safety Department Date issued: 03/26/2012

Version Number: 1.7