



Material Safety Data Sheet

Issue Date: 18-SEP-2013
Supersedes: 23-JUN-2009

CONTINUUM AT201

1 Identification

Identification of substance or preparation
CONTINUUM AT201

Product Application Area
Corrosion inhibitor/dispersant.

Company/Undertaking Identification
GE Betz, Inc.
4636 Somerton Road
Trevose, PA 19053
T 215 355-3300, F 215 953 5524

Emergency Telephone
(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 18-SEP-2013

2 Hazard(s) identification

EMERGENCY OVERVIEW

WARNING

May cause slight irritation to the skin. Severe irritant to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

DOT hazard is not applicable
Odor: Mild; Appearance: Yellow To Amber, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

POTENTIAL HEALTH EFFECTS

ACUTE SKIN EFFECTS:

Primary route of exposure; May cause slight irritation to the skin.

ACUTE EYE EFFECTS:

Severe irritant to the eyes.

ACUTE RESPIRATORY EFFECTS:

Mists/aerosols may cause irritation to upper respiratory tract.

INGESTION EFFECTS:

May cause slight gastrointestinal irritation.

TARGET ORGANS:

Prolonged or repeated exposures may cause toxicity to the lung.

MEDICAL CONDITIONS AGGRAVATED:

Not known.

SYMPTOMS OF EXPOSURE:

May cause redness or itching of skin, irritation, and/or tearing of eyes (direct contact).

3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation. This product is subject to the Pennsylvania and New Jersey Worker and Community Right to Know Law.

HAZARDOUS INGREDIENTS:

Cas#	Chemical Name	Range (w/w%)
2809-21-4	PHOSPHONIC ACID, (1-HYDROXYETHYLIDINE) BIS- (HEDP) Corrosive (eyes)	5-10
29385-43-1	METHYL-1H-BENZOTRIAZOLE (TTA)	3-7
1310-73-2	SODIUM HYDROXIDE Corrosive	1-5
64-02-8	ETHYLENE DIAMINE TETRAACETIC ACID, TETRASODIUM SALT Corrosive (eyes); irritant (skin)	1-5

NON-HAZARDOUS INGREDIENTS:

CAS#	CHEMICAL NAME
7732-18-5	WATER
78266-09-2	2-PROPENOIC ACID POLYMER WITH 2-HYDROXY-3-(2-PROPENYLOXY)-1-PROPANE SULFONIC ACID, SODIUM SALT

4 First-aid measures

SKIN CONTACT:

Wash thoroughly with soap and water. Get medical attention if irritation develops or persists.

EYE CONTACT:

URGENT! Immediately flush eyes with plenty of low-pressure water for at least 20 minutes while removing contact lenses. Hold eyelids apart. Get immediate medical attention.

INHALATION:

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

INGESTION:

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician.

Dilute contents of stomach using 2-8 fluid ounces (60-240 mL) of milk or water.

NOTES TO PHYSICIANS:

No special instructions

5 Fire-fighting measures

FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

EXTINGUISHING MEDIA:

dry chemical, carbon dioxide, foam or water

HAZARDOUS DECOMPOSITION PRODUCTS:

elemental oxides

FLASH POINT:

> 200F > 93C P-M(CC)

6 Accidental release measures

PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container.

Flush area with water. Wet area may be slippery. Spread sand/grit.

DISPOSAL INSTRUCTIONS:

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

7 Handling and storage

HANDLING:

Alkaline. Do not mix with acidic material.

STORAGE:

Keep containers closed when not in use. Do not freeze. If frozen, thaw and mix completely prior to use.

8 Exposure controls / personal protection

EXPOSURE LIMITS

CHEMICAL NAME

PHOSPHONIC ACID, (1-HYDROXYETHYLIDINE) BIS- (HEDP)

PEL (OSHA): LIMITS HAVE NOT BEEN ESTABLISHED BY US OSHA.

TLV (ACGIH): LIMITS HAVE NOT BEEN ESTABLISHED BY ACGIH.

METHYL-1H-BENZOTRIAZOLE (TTA)

PEL (OSHA): LIMITS HAVE NOT BEEN ESTABLISHED BY US OSHA.

TLV (ACGIH): LIMITS HAVE NOT BEEN ESTABLISHED BY ACGIH.

SODIUM HYDROXIDE

PEL (OSHA): 2 MG/M3

TLV (ACGIH): TWA (Ceiling) = 2 MG/M3

ETHYLENE DIAMINE TETRAACETIC ACID, TETRASODIUM SALT

PEL (OSHA): LIMITS HAVE NOT BEEN ESTABLISHED BY US OSHA.
TLV (ACGIH): LIMITS HAVE NOT BEEN ESTABLISHED BY ACGIH.

ENGINEERING CONTROLS:

Adequate ventilation to maintain air contaminants below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I

RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.
USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.
If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

SKIN PROTECTION:

neoprene gloves-- Wash off after each use. Replace as necessary.

EYE PROTECTION:

splash proof chemical goggles

9 Physical and chemical properties

Spec. Grav. (70F,21C)	1.218	Vapor Pressure (mmHG)	~ 18.0
Freeze Point (F)	18	Vapor Density (air=1)	< 1.00
Freeze Point (C)	-8		
Viscosity(cps 70F,21C)	64	% Solubility (water)	100.0

Odor	Mild
Appearance	Yellow To Amber
Physical State	Liquid
Flash Point	P-M(CC) > 200F > 93C
pH As Is (approx.)	13.5
Evaporation Rate (Ether=1)	< 1.00
Percent VOC:	0.0

NA = not applicable ND = not determined

10 Stability and reactivity

CHEMICAL STABILITY:

Stable under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS:

Contact with strong acids may cause a violent reaction releasing heat.

INCOMPATIBILITIES:

May react with strong oxidizers.

DECOMPOSITION PRODUCTS:

elemental oxides

11 Toxicological information

Oral LD50 RAT: >2,000 mg/kg
NOTE - Estimated value
Dermal LD50 RABBIT: >2,000 mg/kg
NOTE - Estimated value

12 Ecological information

AQUATIC TOXICOLOGY

Daphnia magna 48 Hour Static Renewal Bioassay (pH adjusted)
LC50= 1590; No Effect Level= 890 mg/L
Fathead Minnow 96 Hour Static Renewal Bioassay (pH adjusted)
LC50= 860; No Effect Level= 375 mg/L

BIODEGRADATION

BOD-28 (mg/g): 33
BOD-5 (mg/g): 8
COD (mg/g): 281
TOC (mg/g): 86

13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is :
D002=Corrosive(pH).

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

14 Transport information

Transportation Hazard: Not Applicable

DOT: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE;
SODIUM MOLYBDATE)
8, UN3266, PG III

DOT EMERGENCY RESPONSE GUIDE #: 154

Note: Some containers may be DOT exempt, please check BOL for exact container classification

IATA: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE;
SODIUM MOLYBDATE)
8, UN3266, PG III

IMDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE;
SODIUM MOLYBDATE)
8, UN3266, PG III

15 Regulatory information

TSCA:

All components of this product are included on or are in compliance with the U.S. TSCA regulations.

CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):

4,695 gallons due to SODIUM HYDROXIDE;

NSF Registered and/or meets USDA (according to 1998 Guidelines):

Registration number: 139013

Category Code(s):

- G7 Boiler treatment products - all food processing areas/nonfood contact
- G5 Cooling and retort water treatment products - all food processing areas

SARA SECTION 312 HAZARD CLASS:

Immediate(acute);Delayed(Chronic)

SARA SECTION 302 CHEMICALS:

No regulated constituent present at OSHA thresholds

SARA SECTION 313 CHEMICALS:

No regulated constituent present at OSHA thresholds

CALIFORNIA REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC

ENFORCEMENT ACT (PROPOSITION 65):

No regulated constituents present

MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

16 Other information

HMIS vII

CODE TRANSLATION

Health	2	Moderate Hazard
Fire	1	Slight Hazard
Reactivity	0	Minimal Hazard
Special	ALK	pH above 12.0
(1) Protective Equipment	B	Goggles,Gloves

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

CHANGE LOG

	EFFECTIVE DATE	REVISIONS TO SECTION:	SUPERCEDES
	-----	-----	-----
MSDS status:	23-APR-1997		** NEW **
	16-JAN-2002	3,4	23-APR-1997
	26-MAY-2006	8	16-JAN-2002
	24-SEP-2007	3,5,14	26-MAY-2006
	23-JUN-2009	4,8,10,15	24-SEP-2007
	18-SEP-2013	14	23-JUN-2009