

LUBRI-KLENZ S

## Section 1. Chemical product and company identification

**Product name** : LUBRI-KLENZ S  
**Recommended use and restrictions** : Lubricant  
 Use only for the purpose on the product label.

**Product dilution information** : Up to 0.512 oz/gal or 4 mL/L in water

**Supplier's information** : Ecolab Inc. Food & Beverage Division  
 370 N. Wabasha Street  
 St. Paul, MN 55102  
 1-800-392-3392

**Code** : 996892-01

**Date of issue** : 26 Jul 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026  
 Outside United States and Canada CALL 1-651-222-5352 (in USA)

## Section 2. Hazards identification

**GHS Classification** : **Product AS SOLD**  
 SKIN CORROSION/IRRITATION - Category 2  
 SERIOUS EYE DAMAGE/ EYE IRRITATION -  
 Category 1

### GHS label elements

**Signal word** : Danger

**Symbol** :



**Hazard statements** : Causes serious eye damage.  
 Causes skin irritation.

### Precautionary statements

**Prevention** : Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling.

**Response** : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

**Storage** : No other specific measures identified.

**Disposal** : See section 13 for waste disposal information.

**Other hazards** : None known.

### Product AT USE DILUTION

Not classified.

No signal word.

No known significant effects or critical hazards.

Wash thoroughly after handling.

Get medical attention if symptoms appear.

No other specific measures identified.

See section 13 for waste disposal information.

None known.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

### Product AS SOLD

Hazardous ingredients	Concentration Range (%)	CAS number
POTASSIUM HYDROXIDE	<1	1310-58-3
alcohols, c12-16, ethoxylated	5 - 20	68551-12-2
HEXYLENE GLYCOL	5 - 20	107-41-5
1,3-propanediamine, n-9-octadecenyl-, (z)-, diacetate	5 - 20	7173-67-3
amines, n-coco alkyltrimethylenedi-, acetates	1 - 5	61791-64-8
OLEAMINE	<1.0	112-90-3

### Product AT USE DILUTION

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

## Section 4. First aid measures

	Product AS SOLD	Product AT USE DILUTION
<b>Eye contact</b>	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.	No known effect after eye contact. Rinse with water for a few minutes.
<b>Skin contact</b>	: Take off contaminated clothing. Wash with plenty of soap and water. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.	No known effect after skin contact. Rinse with water for a few minutes.
<b>Inhalation</b>	: No special measures required. Treat symptomatically.	No special measures required. Treat symptomatically.
<b>Ingestion</b>	: Get medical attention if symptoms occur.	Get medical attention if symptoms occur.
<b>Protection of first-aiders</b>	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	
<b>Notes to physician</b>	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	

See toxicological information (section 11)

## Section 5. Fire-fighting measures

### Product AS SOLD

<b>Suitable fire extinguishing media</b>	: Use water spray, fog or foam.
<b>Specific hazards arising from the chemical</b>	: In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
<b>Specific fire-fighting methods</b>	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

	<b>Product AS SOLD</b>	<b>Product AT USE DILUTION</b>
<b>Personal precautions</b>	: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.	Use personal protective equipment as required.
<b>Environmental precautions</b>	: Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.	Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.
<b>Methods for cleaning up</b>	: Use a water rinse for final clean-up.	Use a water rinse for final clean-up.

## Section 7. Handling and storage

	<b>Product AS SOLD</b>	<b>Product AT USE DILUTION</b>
<b>Handling</b>	: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.	Wash thoroughly after handling.
<b>Storage</b>	: Keep out of reach of children. Keep container tightly closed.  Store between the following temperatures: -10 and 40°C	Keep out of reach of children.

## Section 8. Exposure controls/personal protection

**Control parameters**

Ingredient name	Exposure limits
HEXYLENE GLYCOL	<b>ACGIH TLV (United States, 3/2012).</b> C: 121 mg/m <sup>3</sup> C: 25 ppm
POTASSIUM HYDROXIDE	<b>ACGIH TLV (United States, 3/2012).</b> C: 2 mg/m <sup>3</sup> <b>NIOSH REL (United States, 6/2009).</b> TWA: 2 mg/m <sup>3</sup> 10 hours.

	<b>Product AS SOLD</b>	<b>Product AT USE DILUTION</b>
<b>Appropriate engineering controls</b>	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
<b>Personal protection</b>		
<b>Eye protection</b>	: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.	No protective equipment is needed under normal use conditions.
<b>Hand protection</b>	: Use chemical-resistant, impervious gloves.	No protective equipment is needed under normal use conditions.
<b>Skin protection</b>	: No protective equipment is needed under normal use conditions.	No protective equipment is needed under normal use conditions.
<b>Respiratory protection</b>	: A respirator is not needed under normal and intended conditions of product use.	A respirator is not needed under normal and intended conditions of product use.

## Section 8. Exposure controls/personal protection

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

## Section 9. Physical and chemical properties

### Product AS SOLD

**Physical state** : Liquid.  
**Color** : Colorless to light yellow [Light]  
**Odor** : Amine-like  
**pH** : 8.4 to 10.1 (100%)  
**Flash point** : > 100°C  
**Explosion limits** : Not available.  
**Flammability (solid, gas)** : Not available.  
**Melting point** : Not available.  
**Boiling point** : Not available.  
**Evaporation rate (butyl acetate = 1)** : Not available.  
**Vapor pressure** : Not available.  
**Vapor density** : Not available.  
**Relative density** : 1.035 (Water = 1)  
**Solubility** : Not available.  
**Partition coefficient: n-octanol/water** : Not available.  
**Auto-ignition temperature** : Not available.  
**Decomposition temperature** : Not available.  
**Odor threshold** : Not available.  
**Viscosity** : Not available.

### Product AT USE DILUTION

Liquid.  
 Pale color  
 Faint odor  
 7.375 to 8.375  
 > 100°C

## Section 10. Stability and reactivity

### Product AS SOLD

**Stability** : The product is stable.  
**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.  
**Conditions to avoid** : No specific data.  
**Materials to avoid** : Not available.  
**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

**Route of exposure** : Skin contact, Eye contact, Inhalation, Ingestion

## Section 11. Toxicological information

### Product AS SOLD

#### Symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Inhalation** : No specific data.
- Ingestion** : No specific data.
- Acute toxicity**
- Eye contact** : Causes serious eye damage.
- Skin contact** : Causes skin irritation.
- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

### Product AT USE DILUTION

- No specific data.
- No specific data.
- No specific data.
- No specific data.
- No known significant effects or critical hazards.
- No known significant effects or critical hazards.
- No known significant effects or critical hazards.
- No known significant effects or critical hazards.

#### Toxicity data

##### Product/ingredient name

alcohols, c12-16, ethoxylated	LD50 Dermal	Rabbit	>2000 mg/kg
	LD50 Oral	Rat	1100 mg/kg
2-methylpentane-2,4-diol	LC50 Inhalation	Rat	>1.1 mg/l
	Dusts and mists		
	LD50 Dermal	Rat	>2000 mg/kg
	LD50 Oral	Rat	>2000 mg/kg
amines, n-coco alkyltrimethylenedi-, acetates	LD50 Dermal	Rat	15000 mg/kg
	LD50 Oral	Rat	1700 mg/kg
oleylamine	LD50 Oral	Rat	1689 mg/kg

#### Chronic toxicity

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

## Section 12. Ecological information

### Product AS SOLD

- Ecotoxicity** : This material is very toxic to aquatic life.

#### Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
alcohols, c12-16, ethoxylated	Acute LC50 1.5 mg/l	Fish	96 hours
2-methylpentane-2,4-diol	Acute EC50 2800 mg/l	Daphnia	48 hours
amines, n-coco alkyltrimethylenedi-, acetates	Acute EC50 0.16 mg/l	Daphnia	48 hours
oleylamine	Acute EC50 0.011 mg/l	Daphnia	48 hours
potassium hydroxide	Acute LC50 80 mg/l	Fish	96 hours

- Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Product AS SOLD**

**Disposal methods** : Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Product AT USE DILUTION

Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

## Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

### DOT

DOT Classification : Not regulated.

### IMO/IMDG

IMO/IMDG Classification : Not regulated.

For transport in bulk, see shipping documents for specific transportation information.

### Product AT USE DILUTION

Not intended for transport.

## Section 15. Regulatory information

### Product AS SOLD

#### U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance

SARA 302/304 emergency planning and notification: No listed substance

#### SARA 313

#### Product name

#### CAS number

#### Concentration

Form R - Reporting requirements : No listed substance

#### California Prop. 65

: No listed substance

## Section 16. Other information

### Product AS SOLD


**Hazardous Material Information System (U.S.A.)** :

Health	*	3
Flammability		0
Physical hazards		0

**National Fire Protection Association (U.S.A.)** :

### Product AT USE DILUTION

Health		0
Flammability		0
Physical hazards		0

**Section 16. Other information**

Date of issue : 26 Jul 2013  
Prepared by : Regulatory Affairs  
1-800-352-5326

**Notice to reader**

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

1948

1948

1948