Version: 5.1 Effective Date: 06/03/2014 Previous Date: 06/03/2014



# SAFETY DATA SHEET

# **SOLUS AP24**

### 1. Product and Company Identification

Material name SOLUS AP24

Version # 5.1

Revision date 06/03/2014
Supersedes date 06/03/2014
CAS # Mixture

**Product application** Internal boiler water treatment

### Company/undertaking identification

GE Betz, Inc.

4636 Somerton Road Trevose, PA 19053

T 215 355 3300, F 215 953 5524

### **Emergency telephone**

(800) 877 1940

### 2. Hazards Identification

Emergency overview CAUTION

May cause slight irritation to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

Non-hazardous to skin.

Potential health effects

**Eyes** May cause slight irritation to the eyes.

**Skin** Primary route of exposure Non-hazardous to skin.

**Inhalation** Mists/aerosols may cause irritation to upper respiratory tract.

**Ingestion** May cause slight gastrointestinal irritation with possible nausea, vomiting, abdominal discomfort and

diarrhea.

**Target organs** No evidence of potential chronic effects.

Signs and symptoms Inhalation may cause irritation of respiratory tract. May cause redness or itching of skin.

Medical conditions aggravated by

exposure

None known.

### 3. Composition / Information on Ingredients

Non-hazardous components	CAS#	
Water	7732-18-5	
2-Propenoic acid, polymer with 2-hydroxy-3-(2-propenyloxy)- 1-propanesulfonic acid monosodium salt and a-sulfo-w-(2-propenyloxy)poly (oxy-1,2-ethanediyl) ammonium salt, sodium salt	903573-39-7	

### Composition comments

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

#### 4. First Aid Measures

First aid procedures

**Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If easy to do remove contact lenses.

Hold eyelids apart. Get medical attention immediately.

**Skin contact** Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if

irritation develops and persists. Wash clothing separately before reuse.

**Inhalation** Remove to fresh air. Get medical attention if symptoms occur.

**Ingestion** Do not feed anything by mouth to an unconscious or convulsive victim. Do NOT induce vomiting!

Immediately contact a physician. If vomiting occurs naturally have victim lean forward to reduce risk of

aspiration.

**Notes to physician**No other instruction than the ones already informed.

Not available.

### 5. Fire Fighting Measures

Extinguishing media

**Suitable extinguishing media** Foam. Dry chemical powder. Carbon dioxide (CO2). Water.

Protection of firefighters

Protective equipment and precautions for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand

breathing apparatus, protective clothing and face mask.

Fire fighting

equipment/instructions

Hazardous combustion products

Oxides of carbon Oxides of nitrogen. Oxides of sulphur. Oxides of phosphorus

#### 6. Accidental Release Measures

Personal precautions Avoid inhalation of vapors and spray mists. Please refer also to section no. 8 'Exposure controls' for

further information.

**Methods for containment** Stop the flow of material, if this is without risk. Absorb spillage to prevent material damage. Scoop up

used absorbent into drums or other appropriate container. If sweeping of a contaminated area is

necessary use a dust suppressant agent which does not react with the product.

Methods for cleaning up Contain and recover by physical means. Absorb onto inert material and dispose of according to

Hazardous Waste Regulations. Clean with water. Spread sand/grit.

# 7. Handling and Storage

**Handling** Normal chemical handling.

**Storage** Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from strong

oxidizers

### 8. Exposure Controls / Personal Protection

**Engineering controls** Adequate ventilation to maintain air contaminants below exposure limits.

Personal protective equipment

**Eye / face protection** Splash proof chemical goggles.

**Skin protection** Rubber, butyl, viton or neoprene gloves. Wash off after each use. Replace as necessary.

Respiratory protection If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99,

N100, R95, R99, R100, P95, P99 or P100.

### 9. Physical & Chemical Properties

**Appearance** 

Physical stateLiquidColorAmber

Odor Slight ammonia
Odor threshold Not available.

pH (concentrated product) 12.3

pH in aqueous solution 11 (5% SOL.) Vapor pressure 18 mm Hg Vapor pressure temp. 70 °F (21 °C) Vapor density < 1 (Air = 1) Boiling point 220 °F (104 °C)

Material name: SOLUS AP24 Page: 2 / 5

Version number: 5.1

Melting point/Freezing point 28 °F (-2 °C)
Solubility (water) 100 %
Specific gravity (70°F, 21°C) 1.087

Flash point Not available.
Flammability limits in air, upper, Not available.
% by volume

Flammability limits in air, lower,

% by volume

Not available.

Auto-ignition temperature Not available. Evaporation rate < 1 (Ether = 1)

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Material is stable under normal conditions.

Conditions to avoid Not available.

**Incompatible materials** Strong oxidizing substances.

Hazardous decomposition

products

Oxides of carbon, nitrogen, phosphorus, and sulphur evolved in fire.

### 11. Toxicological Information

Acute effects This product contains no known ingredients that exhibit hazards that are required by the U.S. OSHA

HAZARD COMMUNICATION STANDARD or WHMIS to be listed. Refer to additional sections of this MSDS

for our assessment of the potential hazards of this formulation.

### 12. Ecological Information

#### **Ecotoxicity**

Product		Species	Test Results
SOLUS AP24 (CAS Mixture	e)		
	LC50	Fathead Minnow	> 5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour, (pH adjusted)
	NOEL	Fathead Minnow	5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour, (pH adjusted)
Crustacea	LC50	Daphnia magna	3674 mg/l, Static Acute Bioassay, 48 hour, (pH adjusted)
	NOEL	Daphnia magna	2500 mg/l, Static Acute Bioassay, 48 hour, (pH adjusted)
Other	LC50	Rainbow Trout	> 5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour, (pH adjusted)
	NOEL	Rainbow Trout	5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour, (pH adjusted)

### 13. Disposal Considerations

**Disposal instructions**Via an authorized waste disposal contractor to an approved waste disposal site, observing all local and

national regulations.

### 14. Transport Information

DOT

Not regulated as dangerous goods.

Some containers may be DOT exempt, please check BOL for exact container classification.

TDG

Not regulated as a dangerous good.

Material name: SOLUS AP24 Page: 3 / 5

Version number: 5.1

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

### 15. Regulatory Information

### **US federal regulations**

#### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

None listed.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA (Superfund) reportable quantity

None listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No Delayed Hazard - No

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous

No

chemical

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### State regulations

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-DIOXANE (CAS 123-91-1) Listed: January 1, 1988 Carcinogenic.

### US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

### US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

### US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

### US - Massachusetts RTK - Substance List

Not regulated.

### US - Pennsylvania RTK - Hazardous Substances

Not regulated.

#### US - Rhode Island RTK

Not regulated.

Material name: SOLUS AP24 Page: 4 / 5

#### 16. Other Information

**List of abbreviations** CAS: Chemical Abstract Service Registration Number

TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.

ACGIH: American Conference of Governmental Industrial Hygienists

NOEL: No Observed Effect Level STEL: Short Term Exposure Limit LC50: Lethal Concentration, 50% TWA: Time Weighted Average BOD: Biochemical Oxygen Demand COD: Chemical Oxygen Demand TOC: Total Organic Carbon

IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code

LD50: Lethal Dose, 50%

NFPA: National Fire Protection Association

HMIS® ratings
Health: 1
Flammability: 1

Physical hazard: 0 Personal protection: B

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Special hazards: NONE

This data sheet contains changes

from the previous version in

section(s):

Handling and Storage: Handling

Chemical Stability & Reactivity Information: Conditions to avoid

Prepared by This MSDS has been prepared by GE Water & Process Technologies Regulatory Department

(1-215-355-3300).

Material name: SOLUS AP24 Page: 5 / 5