

SAFETY DATA SHEET FOAMTROL* AF2050

1. Identification

Product identifier	FOAMTROL AF2050
Other means of identification	None.
Recommended use	Antifoam
Recommended restrictions	None known.

Company/undertaking identification

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

2. Hazara(s) identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 2
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
OSHA defined hazards	Not classified.	
Label elements		
Signal word Hazard statement	Danger Causes skin irritation. Causes serious eye irritatio	on. Fatal if inhaled. May cause respiratory irritation.
Precautionary statement		
Prevention	Do not breathe vapor. Wear eye/face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves. Wear respiratory protection.	
Response	breathing. If in eyes: Rinse cautiously with water and easy to do. Continue rinsing. Immediately co	Remove person to fresh air and keep comfortable for for several minutes. Remove contact lenses, if present all a poison center/doctor/. Specific treatment is urgent edical advice/attention. If eye irritation persists: Get d clothing and wash before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance wi	th local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures			
Components		CAS #	Percent
Oxirane, methyl-, polymer with oxirane, monobutyl ether		9038-95-3	20 - 40
*Designates that a specific chemica	l identity and/or percentage of composition has be	een withheld as a trade secre	et.
Composition comments	Information for specific product ingredients as r STANDARD is listed. Refer to additional sections of this formulation.		
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a respiration if needed. Do not use mouth-to-mou artificial respiration with the aid of a pocket mas respiratory medical device. Call a physician or p	th method if victim inhaled t sk equipped with a one-way	he substance. Induce valve or other proper
Skin contact	Wash thoroughly with soap and water. Remove medical advice/attention.	contaminated clothing. If sk	in irritation occurs: Get
Eye contact	Rinse immediately with plenty of water for at lea eyelids apart. Continue rinsing. Seek medical att		emove contact lenses. Kee
Ingestion	Do not feed anything by mouth to an unconscio Immediately contact a physician. Dilute content water.		
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, rednes irritation. May cause redness and pain.	s, swelling, and blurred visio	n. May cause respiratory
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat observation. Symptoms may be delayed.	symptomatically. Keep victin	n warm. Keep victim under
General information	Ensure that medical personnel are aware of the themselves. Show this safety data sheet to the c		e precautions to protect
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this v slippery.	vill spread the fire. Water wil	I make surfaces extremely
Specific hazards arising from the chemical	During fire, gases hazardous to health may be fo	ormed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	tective clothing must be wor	n in case of fire.
Specific methods	Use standard firefighting procedures and consid	ler the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release measu	res		
Personal precautions, protective	Keep unnecessary personnel away. Keep people areas. Do not breathe vapors or spray mist. Do r		

equipment and emergency procedures	areas. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling	Alkaline. Do not mix with acidic material. Do not breathe vapors or spray mist. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.
Conditions for safe storage, including any incompatibilities	Store locked up. Do not freeze. If frozen, thaw completely and mix thoroughly prior to use. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

··· • • • • • • • • • • • • • • • • • •		
Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measures, su	ch as personal protective equipment	
Eye/face protection	Splash proof chemical goggles.	
Skin protection		
Hand protection	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Glove selection must take into account any solvents and other hazards present.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

··· /··· · · · · · · · · ·	
Appearance	
Color	Colorless to light yellow
Physical state	Liquid
Odor	None
Odor threshold	Not available.
pH (concentrated product)	12.8
pH in aqueous solution	10.8 (5% SOL.)
Melting point/freezing point	27 °F (-3 °C)
Initial boiling point and boiling range	220 °F (104 °C)
Flash point	> 200 °F (> 93 °C) SETA(CC)
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not available.
Upper/lower flammability or explos	ive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	20 mm Hg
Vapor pressure temp.	70 °F (21 °C)
Vapor density	< 1 (Air = 1)
Relative density	1.04
Relative density temperature	70 °F (21 °C)

Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	54 cps
Viscosity temperature	70 °F (21 °C)
Other information	
Percent volatile	0 (Calculated)
Pour point	32 °F (0 °C)
Specific gravity	1.04
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Contact with water reactive compounds may cause fire or explosion. Contact with strong acids may cause a violent reaction releasing heat.
Conditions to avoid	Protect from freezing. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Oxides of carbon evolved in fire.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May cause slight gastrointestinal irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. May cause redness and pain.

Information on toxicological effects

Fatal if inhaled. May cause respiratory irritation. Acute toxicity

Product	Species	Test Results
FOAMTROL AF2050 (CAS Mixt	ure)	
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg, (Calculated according to GHS additivity formula)
Inhalation		
LC50	Rat	0.49 mg/l, 4 Hours, (Calculated according to GHS additivity formula)
Oral		
LD50	Rat	> 5000 mg/kg, (Calculated according to GHS additivity formula)
Components	Species	Test Results
Oxirane, methyl-, polymer wit	th oxirane, monobutyl ether (CAS 9038-95-3)	
Acute		
Dermal		
LD50	Rabbit	> 20000 mg/kg
Inhalation		
LC50	Rat	146.8 mg/m3, 4 Hour
Material name: FOAMTROL* AF20	050	Page: 4 / 8

Components	Species	Test Results
Oral		
LD50	Rat	48700 mg/kg
* Estimates for product may be	based on additional component d	ata not shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to c	ause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Eva	luation of Carcinogenicity	
Not available.		
OSHA Specifically Regulated Su	ıbstances (29 CFR 1910.1001-105	0)
Not listed.		
	m (NTP) Report on Carcinogens	
Not available.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Ecotoxicity

Product		Species	Test Results
FOAMTROL AF2050 (CA	AS Mixture)		
	LC50	Fathead Minnow	16600 mg/L, Acute Toxicity, 96 hour, (Estimated)
	NOEL	Fathead Minnow	16500 mg/L, Acute Toxicity, 96 hour, (Estimated)
Aquatic			
Crustacea	LC50	Daphnia magna	16530 mg/L, Acute Toxicity, 48 hour, (Estimated)
	NOEL	Daphnia magna	16640 mg/L, Acute Toxicity, 48 hour, (Estimated)

* Estimates for product may be based on additional component data not shown.

Bioaccumulative potential	Not bioaccumulating
Mobility in soil	No data available.
Other adverse effects	Not available.
Persistence and degradability	
- COD (mgO2/g)	627 (calculated data)
- BOD 5 (mgO2/g)	3 (calculated data)
- BOD 28 (mgO2/g)	11 (calculated data)
 Closed Bottle Test (% Degradation in 28 days) 	1 (calculated data)
- Zahn-Wellens Test (% Degradation in 28 days)	3 (calculated data)
- TOC (mg C/g)	159 (calculated data)

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.	
	~

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard

Superfund Amendments and Reauthorization Act of 1986 (SARA)

categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Beactivity Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Inventory status

Country(s) or region	Inventory name
Canada	Domestic Substances List (DSL)
Canada	Non-Domestic Substances List (NDSL)

Country(s) or region

Inventory name

Yes

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - Massachusetts RTK - Substance List

- Not regulated.
- US Pennsylvania RTK Hazardous Substances
 - Not regulated.
- US Rhode Island RTK

Not regulated.

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. New Jersey Worker and Community Right-to-Know Act

Not listed.

- US. Pennsylvania Worker and Community Right-to-Know Law
 - Not listed.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

- Listed: July 1, 1987 Ethylene oxide (oxirane) (CAS 75-21-8)
- US California Proposition 65 CRT: Listed date/Developmental toxin Ethylene oxide (oxirane) (CAS 75-21-8)
 - Listed: August 7, 2009
- US California Proposition 65 CRT: Listed date/Female reproductive toxin Ethylene oxide (oxirane) (CAS 75-21-8) Listed: February 27, 1987 US - California Proposition 65 - CRT: Listed date/Male reproductive toxin
 - Ethylene oxide (oxirane) (CAS 75-21-8) Listed: August 7, 2009

16. Other information, including date of preparation or last revision

Issue date	Nov-05-2014
Revision date	Aug-03-2015
Version #	2.0
List of abbreviations	
	CAS: Chemical Abstract Service Registration Number NFPA: National Fire Protection Association ACGIH: American Conference of Governmental Industrial Hygienists TWA: Time Weighted Average STEL: Short Term Exposure Limit LD50: Lethal Dose, 50% LC50: Lethal Concentration, 50% NOEL: No Observed Effect Level COD: Chemical Oxygen Demand BOD: Biochemical Oxygen Demand TOC: Total Organic Carbon TSRN indicates a Trade Secret Registry Number is used in place of the CAS number. IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code
References:	No data available
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Matorial pamo: EOAMTROL * AE2050	Dago: 7 / S

Revision Information	Composition/information on ingredients: Composition comments First-aid measures: Most important symptoms/effects, acute and delayed Handling and storage: Precautions for safe handling Toxicological information: Reproductive toxicity Toxicological information: Inhalation Toxicological information: Symptoms related to the physical, chemical and toxicological characteristics Transport Information: Material Transportation Information Other information, including date of preparation or last revision: Prepared by GHS: Classification
Prepared by	This SDS has been prepared by GE Water & Process Technologies Regulatory Department (1-215-355-3300).

* Trademark of General Electric Company. May be registered in one or more countries.