Version: 2.0

Effective Date: Nov-18-2015 Previous Date: Jul-31-2015



SAFETY DATA SHEET BETZ* MPH5000

1. Identification

Product identifier BETZ MPH5000

Other means of identification None.

Recommended use Membrane cleaner **Recommended restrictions** None known.

Company/undertaking identification

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053 T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. May cause respiratory

irritation.

Precautionary statement

Prevention Keep only in original container. Avoid breathing mist or vapor. Wash thoroughly after handling. Use

only outdoors or in a well-ventilated area. Wear protective gloves. Wear eye/face protection.

Response If on skin: Wash with plenty of water/. If inhaled: Remove person to fresh air and keep comfortable for

breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor// if you feel unwell. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent

material damage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant/ container

with a resistant inner liner.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified

(HNOC)

None known.

3. Composition/information on ingredients

Mixtures

| Components | CAS# | Percent |
|-------------|---------|---------|
| Citric acid | 77-92-9 | 40 - 60 |

Composition comments

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our assessment of the potential hazards of this formulation.

4. First-aid measures

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON Inhalation

CENTER or doctor/physician if you feel unwell.

Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. Seek Skin contact

medical attention.

Eye contact Immediately flush eyes with water for 15 minutes. Keep eyelids apart. Remove contact lenses. Continue

rinsing. Get medical attention if irritation develops and persists.

Do not feed anything by mouth to an unconscious or convulsive victim. Do NOT induce vomiting! Ingestion

Immediately give 1-2 glasses of water, if victim is fully conscious. Immediately contact a physician.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect

themselves.

5. Fire-fighting measures

Suitable extinguishing media Not available.

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and

precautions for firefighters

Fire fighting equipment/instructions

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

Avoid discharge into drains, water courses or onto the ground.

industrial hygiene practices.

Material name: BETZ* MPH5000 Page: 2 / 8 Conditions for safe storage. including any incompatibilities

Store locked up. Store in corrosive resistant container with a resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain girborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Splash proof chemical goggles.

Skin protection

Hand protection

Chemical resistant gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Glove selection must take

into account any solvents and other hazards present.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance

Colorless Color Physical state Liauid Mild Odor

Not available. Odor threshold

pH (concentrated product)

Melting point/freezing point 20 °F (-7 °C) Initial boiling point and boiling 225 °F (107 °C)

range

> 212 °F (> 100 °C) P-M(CC) Flash point

< 1(Ether = 1) **Evaporation rate** Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Not available. Flammability limit - upper

(%)

Not available Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure 18 mm Hg

Vapor pressure temp. 70 °F (21 °C) Vapor density < 1 (Air = 1)

1.24 Relative density

Relative density temperature 70 °F (21 °C)

Solubility(ies)

Solubility (water) 100 %

Page: 3 / 8 Material name: BETZ* MPH5000

Partition coefficient Not available. (n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

70 °F (21 °C)

Other information

Percent volatile 0 (Calculated)
Pour point 25 °F (-4 °C)
Specific gravity 1.24

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Avoid contact with strong oxidizers. Avoid contact with strong bases.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Oxides of carbon evolved in fire.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion May cause slight gastrointestinal irritation.

Symptoms related to the physical,

chemical and toxicological characteristics

May cause redness and pain. May cause respiratory irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity May cause respiratory irritation.

| Product | Species | Test Results |
|---------------------------|---------|---|
| BETZ MPH5000 (CAS Mixture | e) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg, (Calculated according to GHS additivity formula) |
| Inhalation | | |
| LC50 | Rat | > 20 mg/l, 4 Hour, (Calculated according to GHS additivity formula) |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg, (Calculated according to GHS additivity formula) |
| Components Species | | Test Results |
| Citric acid (CAS 77-92-9) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Oral | | |
| LD50 | Rat | 5400 mg/kg |

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Material name: BETZ* MPH5000 Page: 4 / 8

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or

genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Aspiration of this product may cause the same corrosiveness/irritation impacts as if it were ingested.

12. Ecological information

Ecotoxicity No data available

| Product | | Species | Test Results |
|---------------------|----------|----------------|--|
| BETZ MPH5000 (CAS M | lixture) | | |
| | LC50 | Ceriodaphnia | 1510 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted) |
| | | Fathead Minnow | 5940 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted) |
| | NOEL | Ceriodaphnia | 720 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted) |
| | | Fathead Minnow | 2500 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted) |
| Aquatic | | | |
| Crustacea | LC50 | Daphnia magna | 2120 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted) |
| | NOEL | Daphnia magna | 1160 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted) |

^{*} Estimates for product may be based on additional component data not shown.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Citric acid -1.64

Bioconcentration factor (BCF)

Citric acid 3

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential,

endocrine disruption, global warming potential) are expected from this component.

Persistence and degradability

No data available

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: BETZ* MPH5000 Page: 5 / 8

Version number: 2.0

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste disposal

company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since

emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN3265

UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CITRIC ACID)

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ERG number 153

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container

classification.

IATA

UN number UN3265

8

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CITRIC ACID)

Class Subsidiary risk

Packing group III
Environmental hazards No.

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3265

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CITRIC ACID)

Class 8
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant No.

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



Material name: BETZ* MPH5000 Page: 6 / 8

Version number: 2.0



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29

CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - Massachusetts RTK - Substance List

Not regulated.

US - Pennsylvania RTK - Hazardous Substances

Not regulated.

Material name: BETZ* MPH5000 Page: 7 / 8

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

US - Rhode Island RTK

Not regulated.

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

16. Other information, including date of preparation or last revision

Issue dateNov-16-2014Revision dateNov-18-2015

Version # 2.0

List of abbreviations CAS: Chemical Abstract Service Registration Number

TWA: Time Weighted Average STEL: Short Term Exposure Limit LD50: Lethal Dose, 50%

LC50: Lethal Concentration, 50% NOEL: No Observed Effect Level COD: Chemical Oxygen Demand BOD: Biochemical Oxygen Demand

TOC: Total Organic Carbon

IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods Code

ACGIH: American Conference of Governmental Industrial Hygienists

TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.

NFPA: National Fire Protection Association

References: No data available

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

any process, unless specified in the text.

Revision information Physical & Chemical Properties: Multiple Properties

Prepared by This SDS has been prepared by GE Water & Process Technologies Regulatory Department

(1-215-355-3300).

Material name: BETZ* MPH5000 Page: 8 / 8

^{*} Trademark of General Electric Company. May be registered in one or more countries.