Material Safety Data Sheet



Sonar SRP Aquatic Herbicide

1. Product and company identification

Product name : Sonar SRP Aquatic Herbicide

EPA Registration Number : 67690-3

Material uses : Aquatic plant herbicide.

Supplier/Manufacturer : SePRO Corporation

11550 North Meridian Street

Suite 600

Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-428-4577

Monday - Friday, 8am to 5pm E.S.T.

www.sepro.com

Responsible name : Atrion Regulatory Services, Inc.

In case of emergency : INFOTRAC - 24-hour service 1-800-535-5053

Hazards identification

Physical state : Solid. [Pellets.]

Odor : Faint earthy/musty.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for

employees and other users of this product.

Emergency overview : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN

THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin

and clothing.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

Ingestion : No known significant effects or critical hazards.
 Skin : No known significant effects or critical hazards.
 Eyes : No known significant effects or critical hazards.

Potential chronic health effects

Chronic effects
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.Medical conditions: None known.

aggravated by over-

exposure

See toxicological information (section 11)

* indicates trademark of SePRO Corporation. Page: 1/6 Date of issue: 01/15/2009





Composition/information on ingredients 3.

United States

Name CAS number %

4(1h)-pyridinone, 1-methyl-3-phenyl-5-[3-(trifluoromethyl)phenyl]- 59756-60-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

First aid measures

: Check for and remove any contact lenses. In case of contact with eyes, rinse immediately Eye contact with plenty of water. Get medical attention if symptoms occur.

: Wash with soap and water. Get medical attention if symptoms occur. Skin contact

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical

attention if symptoms appear.

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get

medical attention if symptoms appear.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Fire-fighting measures

Flammability of the product : Non-flammable.

Extinguishing media

Suitable : Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Hazardous thermal : Decomposition products may include the following materials: carbon dioxide decomposition products

carbon monoxide nitrogen oxides halogenated compounds

Special protective : Fire-fighters should wear appropriate protective equipment and self-contained breathing equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions : No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment (see section 8).

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

: Move containers from spill area. Approach release from upwind. Prevent entry into Large spill sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for

waste disposal.

* indicates trademark of SePRO Corporation. Page: 2/6 Date of issue: 01/15/2009



Handling and storage **7** .

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Exposure controls/personal protection 8.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Applicators should refer to the product label for personal protective clothing and equipment.

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Eyes : Safety glasses. Skin : Lab coat.

Respiratory A respirator is not needed under normal and intended conditions of product use.

Disposable vinyl gloves. **Hands**

Personal protective equipment (Pictograms)



HMIS Code/Personal protective equipment

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Physical and chemical properties

Physical state : Solid. [Pellets.] Color : Brown to gray. [Dark] Odor : Faint earthy/musty. : 4.45 [Conc. (% w/w): 50%] pН

Relative density : 40 to 84 lbs/cu. Ft. (20C), depending on carrier.

Solubility : Insoluble; pellets disintegrates in water.





10. Stability and reactivity

Stability: The product is stable.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data.

Materials to avoid : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Acute toxicity

Product/ingredient name	Species	Dose	Result	Exposure
4(1h)-pyridinone, 1-methyl-3-phenyl-5-[3-	Rat	>10 g/kg	LD50 Oral	-
(trifluoromethyl)phenyl]-				
Sonar SRP Aquatic Herbicide	Rabbit	>2000 mg/kg	LD50 Dermal	-
	Rat	>5000 mg/kg	LD50 Oral	-

Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be

delayed following exposure.

Ingestion : No known significant effects or critical hazards.
 Skin : No known significant effects or critical hazards.
 Eyes : No known significant effects or critical hazards.

12. Ecological information

Environmental effects : No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name **Test Species Exposure** Result 4(1h)-pyridinone, 1-methyl-3-phenyl-5-[3-Daphnia 48 hours Acute EC50 3.9 mg/L (trifluoromethyl)phenyl]-Daphnia 48 hours Acute EC50 3.6 mg/L Fish 96 hours Acute LC50 4.5 mg/L Fish 96 hours Acute LC50 4.25 mg/L Fish 96 hours Acute LC50 4.2 mg/L

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

AERG : Not applicable.

Regulatory information

DOT/ IMDG/ IATA : Not regulated.

* indicates trademark of SePRO Corporation. Page: 4/6 Date of issue: 01/15/2009





15. Regulatory information

United States

HCS Classification

: Not regulated.

U.S. Federal regulations

: United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification : No

products were found.

Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations

: Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are

listed.

Louisiana Reporting: None of the components are listed.
Louisiana Spill: None of the components are listed.
Massachusetts Spill: None of the components are listed.
Massachusetts Substances: None of the components are listed.
Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Release Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: None of the components are listed.

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65
United States inventory
(TSCA 8b)

No products were found.

International regulations

International lists

: United States inventory (TSCA 8b): All components are listed or exempted.

: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16. Other information

Label requirements

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.)

Health

Fire hazard

Physical Hazard

Personal protection

O

A

HAZARD RATINGS

4- Extreme 3- Serious 2- Moderate 1- Slight 0- Minimal

See section 8 for more detailed information on personal protection.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)







: ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. -References 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous

Materials, UN#, Proper Shipping Names, PG.

: 01/15/2009 Date of issue Date of previous issue : 12/15/2008

Version : 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The data in this MSDS relates only to the specific material designated herein. Possible adverse effects (see Section 2, 11 and 12) may occur if this material is not handled in the recommended manner.



* indicates trademark of SePRO Corporation. Date of issue : 01/15/2009