

## ***SAFETY DATA SHEET***

### ***Section 1. Chemical Product and Company Identification***

---

**Product Name:** ChemTreat BL124  
**Product Use:** Boiler Water Treatment  
**Supplier's Name:** ChemTreat, Inc.  
**Emergency Telephone Number:** (800) 424-9300 (Toll Free)  
(703) 527-3887  
**Address (Corporate Headquarters):** 5640 COX ROAD  
Glen Allen, VA 23060  
**Telephone Number for Information:** (800) 648-4579  
**Date of MSDS:** December 4, 2013

### ***Section 2. Hazard(s) Identification***

---



**Signal Word:** WARNING

**Hazard Statement(s):** Causes eye irritation.  
Causes skin irritation.  
Harmful if inhaled.  
May be harmful if swallowed.

**Precautionary Statement(s):** Wear protective gloves/clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.

### ***Section 3. Composition/Hazardous Ingredients***

---

Component	CAS Registry #	Wt. %
Sodium bisulfite	7631-90-5	15 - 40

## ***Section 4. First Aid Measures***

---

<b>Inhalation:</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
<b>Eyes:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
<b>Skin:</b>	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs, seek medical advice/attention.
<b>Ingestion:</b>	DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Notes to Physician:</b>	N/A
<b>Additional First Aid Remarks:</b>	N/A

## ***Section 5. Fire Fighting Measures***

---

<b>Flammability of the Product:</b>	Not flammable.
<b>Suitable Extinguishing Media:</b>	Use extinguishing media suitable to surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Use water spray to keep containers cool.
<b>Protective Equipment:</b>	If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.

## ***Section 6. Accidental Release Measures***

---

<b>Personal Precautions:</b>	Use appropriate Personal Protective Equipment (PPE).
<b>Environmental Precautions:</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
<b>Methods for Cleaning up:</b>	Contain and recover liquid when possible. Flush spill area with water spray.
<b>Other Statements:</b>	If RQ (Reportable Quantity) is exceeded, report to National

Spill Response Office at 1-800-424-8802.

## Section 7. Handling and Storage

---

**Handling:** Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.

**Storage:** Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Do not store below 30°F.

## Section 8. Exposure Controls/Personal Protection

---

### Exposure Limits

Component	Source	Exposure Limits
Sodium bisulfite	ACGIH TLV	5 mg/m <sup>3</sup> TWA

### Carcinogenicity Category

Component	Source	Code	Brief Description
Sodium bisulfite			N/E

**Engineering Controls:** Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.

### Personal Protection

**Eyes:** Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.

**Skin:** Maintain quick-drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.

**Respiratory:** If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

## Section 9. Physical and Chemical Properties

---

<b>Physical State and Appearance:</b>	Liquid, Colorless – Straw, Clear
<b>Specific Gravity:</b>	1.235 @ 20°C
<b>pH:</b>	3.9 @ 20°C, 100.0%
<b>Freezing Point:</b>	30°F
<b>Flash Point:</b>	N/D
<b>Odor:</b>	Strong
<b>Melting Point:</b>	N/A
<b>Boiling Point:</b>	212°F
<b>Solubility in Water:</b>	Complete
<b>Evaporation Rate:</b>	<1
<b>Vapor Density:</b>	N/D
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	<100 CPS @ 20°C
<b>Flammable Limits:</b>	N/A
<b>Autoignition Temperature:</b>	N/A
<b>Density:</b>	10.30 lb/ga
<b>Vapor Pressure:</b>	<17.5
<b>% VOC:</b>	N/D

## Section 10. Stability and Reactivity

---

<b>Chemical Stability:</b>	Stable at normal temperatures and pressures.
<b>Incompatibility with Various Substances:</b>	Strong oxidizers, Strong bases, Strong acids
<b>Hazardous Decomposition Products:</b>	Sulfur dioxide gas
<b>Possibility of Hazardous Reactions:</b>	None known.

## Section 11. Toxicological Information

---

Chemical Name	Exposure	Type of Effect	Concentration	Species
Sodium bisulfite	Oral	LD50	2000 mg/kg	Rat

**Comments:** None.

## Section 12. Ecological Information

Species	Duration	Type of Effect	Test Results
Sheepshead Minnow	96h	LC50	100 mg/l
Mysid Shrimp	48h	LC50	70.7 mg/l
Fathead Minnow	96h	LC50	>1000 mg/l
	96h	LC50	849 mg/l
	7d	NOEC	600 mg/l
	7d	LOEC	1200 mg/l
	7d	IC25	750 mg/l
Ceriodaphnia dubia	48h	LC50	390.4 mg/l
	48h	LC50	459 mg/l
	7d	NOEC	300 mg/l
	7d	LOEC	600 mg/l
	7d	IC25	420 mg/l

Comments: None.

## Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

## Section 14. Transport Information

### DOT

**Proper Shipping Name:** BISULFITES, AQUEOUS SOLUTIONS, N.O.S.  
**Technical Name:** (SODIUM BISULFITE)  
**Hazard Class:** Corrosive  
**UN/NA#:** UN2693  
**Packing Group:** PGIII

### Over 1618 GA

**Proper Shipping Name:** RQ BISULFITES, AQUEOUS SOLUTIONS, N.O.S.  
**Technical Name:** (SODIUM BISULFITE)  
**Hazard Class:** Corrosive  
**UN/NA#:** UN2693  
**Packing Group:** PGIII

**IMDG**

**Proper Shipping Name:** BISULFITES, AQUEOUS SOLUTIONS, N.O.S.  
**Technical Name:** (SODIUM BISULFITE)  
**Hazard Class:** Corrosive  
**UN/NA#:** UN2693  
**Packing Group:** PGIII

**TDG**

**Proper Shipping Name:** BISULFITES, AQUEOUS SOLUTIONS, N.O.S.  
**Technical Name:** (SODIUM BISULFITE)  
**Hazard Class:** Corrosive  
**UN/NA#:** UN2693  
**Packing Group:** PGIII

**ICAO**

**Proper Shipping Name:** BISULFITES, AQUEOUS SOLUTIONS, N.O.S.  
**Technical Name:** (SODIUM BISULFITE)  
**Hazard Class:** Corrosive  
**UN/NA#:** UN2693  
**Packing Group:** PGIII

## ***Section 15. Regulatory Information***

---

**Inventory Status**

**United States (TSCA):** All ingredients listed.  
**Canada (DSL/NDSL):** All ingredients listed.

**Federal Regulations**

**SARA Title III Rules**

**Sections 311/312 Hazard Classes**

<b>Fire Hazard:</b>	No
<b>Reactive Hazard:</b>	No
<b>Release of Pressure:</b>	No
<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No

### Other Sections

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Sodium bisulfite	N/A	N/A	5000

**Comments:** None.

### State Regulations

**California Proposition 65:** None known.

### Special Regulations

Component	States
Sodium bisulfite	MA, MN, NY, PA, WA

### International Regulations

#### Canada

**WHMIS Classification:** D2B (Toxic Material)  
E (Corrosive Material)

**Controlled Product Regulations (CPR):** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## Section 16. Other Information

---

### HMIS Hazard Rating

**Health:** 2  
**Flammability:** 0  
**Physical Hazard:** 0  
**PPE:** X

**Notes:** The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.  
The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.

**NSF:** This product conforms to the requirements of the NSF Nonfood



Compounds Registration Program, Registration #148827; Category G6, G7.

**FDA/USDA/GRAS:** All ingredients in this product are authorized in 21 CFR 173.310 for use as "Boiler Water Additives" where the steam may contact food.

**KOSHER:** This product is certified by the Orthodox Union as kosher pareve. Only when prepared by the following ChemTreat facilities: Ashland, VA; Eldridge, IA; Nederland, TX; Vernon, CA.

**FIFRA:** N/A

**Other:** None

### Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

**Prepared by: Product Compliance Department;  
ProductCompliance@chemtreat.com**

### Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.