

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : C-9

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630)305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC


Issuing date : 07/16/2014

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 3  
Skin corrosion : Category 1A  
Serious eye damage/eye irritation : Category 1

**GHS Label element**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Toxic if inhaled.

Precautionary Statements : **Prevention:**  
Do not mix with bleach or other chlorinated products – will cause chlorine gas. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all

# SAFETY DATA SHEET

C-9

contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Phosphoric Acid	7664-38-2	30 - 60
Zinc Chloride	7646-85-7	10 - 30

## SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

**See toxicological information (Section 11)**

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

# SAFETY DATA SHEET

C-9

- Hazardous combustion products : Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not mix with bleach or other chlorinated products – will cause chlorine gas. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.
- Unsuitable material : not determined

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric Acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	3 ppm	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		STEL	3 mg/m <sup>3</sup>	NIOSH REL

# SAFETY DATA SHEET

C-9

		TWA	1 mg/m <sup>3</sup>	OSHA Z1
Zinc Chloride	7646-85-7	TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	2 mg/m <sup>3</sup>	ACGIH
		TWA (Fumes)	1 mg/m <sup>3</sup>	NIOSH REL
		STEL (Fumes)	2 mg/m <sup>3</sup>	NIOSH REL
		TWA (Fumes)	1 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Colorless  
Clear

Odour : None

Flash point : > 93.3 °C

pH : < 1.0, 100 %  
(25 °C)

Odour Threshold : no data available

Melting point/freezing point : FREEZING POINT: -20 °C, ASTM D-1177

Initial boiling point and boiling range : > 100 °C

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

# SAFETY DATA SHEET

C-9

Lower explosion limit	: no data available
Vapour pressure	: similar to water
Relative vapour density	: no data available
Relative density	: 1.56 - 1.6 (25 °C)
Density	: 13.3 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: Carbon oxides
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
VOC	: 0 %

## SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors. Contact with strong alkalies (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors. Metals
Hazardous decomposition products	: Oxides of phosphorus HCl Zinc Oxide

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Harmful if swallowed. Causes digestive tract burns.
Inhalation	: Toxic if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

# SAFETY DATA SHEET

C-9

## Experience with human exposure

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

## Toxicity

### Product

Acute oral toxicity : LD50 rat: 1,530 mg/kg  
Test substance: Hazardous component

LD50 rat: 350 mg/kg

Acute inhalation toxicity : Acute toxicity estimate : 7.96 mg/l  
Exposure time: 4 h

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

## Components

Acute dermal toxicity : Phosphoric Acid  
LD50 rabbit: > 2,000 mg/kg

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

# SAFETY DATA SHEET

C-9

Environmental Effects : Very toxic to aquatic life with long lasting effects.

## **Product**

Toxicity to fish : LC50 Bluegill Sunfish: 2.86 - 3.78 mg/l  
Exposure time: 96 hrs

LC50 Inland Silverside: > 5,000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Bluegill Sunfish: 3.8 - 8.8 mg/l  
Exposure time: 96 hrs  
Test substance: Hazardous component

LC50 Zebra Danio: 18.18 mg/l  
Exposure time: 96 hrs  
Test substance: Hazardous component

LC50 Fathead Minnow: 27 mg/l  
Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Mysid Shrimp (Mysidopsis bahia): 4.8 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Daphnia magna: 10.3 mg/l  
Exposure time: 48 hrs  
Test substance: Product

Toxicity to algae : no data available

## **Persistence and degradability**

no data available

## **Mobility**

no data available

## **Bioaccumulative potential**

no data available

## **Other information**

no data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: : D002

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose

# SAFETY DATA SHEET

C-9

of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : ZINC CHLORIDE, PHOSPHORIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 3,730 lbs  
RQ Component : ZINC CHLORIDE

### Air transport (IATA)

The presence of an RQ component (Reportable Quantity for U.S. EPA and DOT) in this product causes it to be regulated with an additional description of RQ for road, or as a class 9 for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : ZINC CHLORIDE, PHOSPHORIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 3,730 lbs  
RQ Component : ZINC CHLORIDE

### Sea Transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : ZINC CHLORIDE, PHOSPHORIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8  
Packing group : III

\*Marine pollutant : ZINC CHLORIDE

\*Note: This product is regulated as a Marine Pollutant when shipped by Rail, Highway (in bulk quantities), or Air (if no other hazard class applies), and when shipped by water in all quantities.

## SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act



# SAFETY DATA SHEET

**C-9**

## CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Zinc Chloride	7646-85-7	1000	3734

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc Chloride	7646-85-7	26.7835 %
---------------	-----------	-----------

## California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS :

## TOXIC SUBSTANCES CONTROL ACT (TSCA)


The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

## CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## SECTION 16. OTHER INFORMATION

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 07/16/2014  
Version Number : 1.0  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

## **SAFETY DATA SHEET**

**C-9**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit [www.nalco.com](http://www.nalco.com) and request access.