24-hour Concentration Values

EPA Codes Site -		Site Name	Pollutant	Date	Concentration	Units
BEAVER VALLEY						
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/2/2020	0.003	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/8/2020	0.002	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/14/2020	0.004	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/20/2020	0.002	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/26/2020	0.003	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/1/2020	0.004	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/7/2020	0.002	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/13/2020	0.003	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/19/2020	0.002	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/25/2020	0.003	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/31/2020	0.005	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/6/2020	0.007	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/12/2020	0.004	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/18/2020	0.003	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/24/2020	0.005	μg/m³
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/30/2020	0.002	μg/m³
<u>CHESTER</u>						
42-045-0002	1	CHESTER	Lead (LC)	7/2/2020	0.005	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	7/8/2020	0.003	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	7/14/2020	0.003	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	7/20/2020	0.005	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	7/26/2020	0.005	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/1/2020	0.003	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/7/2020	0.006	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/13/2020	0.004	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/19/2020	0.003	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/25/2020	0.004	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	8/31/2020	0.004	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	9/6/2020	0.003	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	9/18/2020	0.004	$\mu g/m^3$
42-045-0002	1	CHESTER	Lead (LC)	9/24/2020	0.008	μg/m³
42-045-0002	1	CHESTER	Lead (LC)	9/30/2020	0.002	μg/m³
CONEMAUGH						
42-129-0009	1	CONEMAUGH	Lead (LC)	7/2/2020	0.002	μg/m³

24-hour Concentration Values

EPA Codes Site -		Site Name	Pollutant	Date	Concentration	Units
42-129-0009	1	CONEMAUGH	Lead (LC)	7/8/2020	0.002	$\mu g/m^3$
42-129-0009	1	CONEMAUGH	Lead (LC)	7/14/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	7/20/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	7/26/2020	0.003	μg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/1/2020	0.003	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/7/2020	0.003	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/13/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/19/2020	0.002	μg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/25/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	8/31/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	9/6/2020	0.003	μg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	9/12/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	9/18/2020	0.002	μg/m³
42-129-0009	1	CONEMAUGH	Lead (LC)	9/24/2020	0.004	μg/m ³
ELLWOOD CITY						
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/2/2020	0.003	μg/m³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/8/2020	0.005	μg/m³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/14/2020	0.004	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/20/2020	0.003	μg/m³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/26/2020	0.007	μg/m³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/1/2020	0.019	μg/m³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/7/2020	0.003	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/13/2020	0.007	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/19/2020	0.003	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/25/2020	0.007	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/31/2020	0.017	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/6/2020	0.013	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/12/2020	0.025	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/24/2020	0.01	μg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/30/2020	0.016	μg/m ³
LAURELDALE NO	RTH_					
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	7/2/2020	0.009	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	7/8/2020	0.008	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	7/14/2020	0.007	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	7/20/2020	0.004	μg/m³

24-hour Concentration Values

EPA Codes Site -		Site Name	Pollutant	Date	Concentration	Units
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	7/26/2020	0.004	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/1/2020	0.007	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/7/2020	0.002	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/13/2020	0.013	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/19/2020	0.007	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/25/2020	0.004	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	8/31/2020	0.012	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	9/6/2020	0.005	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	9/18/2020	0.004	μg/m ³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	9/24/2020	0.022	μg/m³
42-011-0020	1	LAURELDALE NORTH	Lead (LC)	9/30/2020	0.005	μg/m ³
AURELDALE SO	<u>UTH</u>					
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/2/2020	0.019	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/8/2020	0.006	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/14/2020	0.01	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/20/2020	0.003	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/26/2020	0.003	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/1/2020	0.007	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/7/2020	0.005	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/19/2020	0.009	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/25/2020	0.005	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/31/2020	0.009	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/6/2020	0.004	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/12/2020	0.003	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/18/2020	0.018	μg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/24/2020	0.021	μg/m³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/30/2020	0.002	μg/m³
ONS BORO						
42-011-0021	1	LYONS BORO	Lead (LC)	7/2/2020	0.135	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/8/2020	0.008	μg/m³
42-011-0021	1	LYONS BORO	Lead (LC)	7/14/2020	0.012	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/20/2020	0.019	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/26/2020	0.108	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/1/2020	0.01	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/7/2020	0.004	μg/m ³

24-hour Concentration Values

EPA Codes						
Site -	I	Site Name	Pollutant	Date	Concentration	Units
42-011-0021	1	LYONS BORO	Lead (LC)	8/13/2020	0.005	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/19/2020	0.003	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/25/2020	0.062	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/31/2020	0.006	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/6/2020	0.006	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/12/2020	0.002	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/18/2020	0.004	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/24/2020	0.029	μg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/30/2020	0.039	μg/m ³
LYONS PARK						
42-011-0022	1	LYONS PARK	Lead (LC)	7/2/2020	0.182	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/8/2020	0.005	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/14/2020	0.009	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/20/2020	0.012	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/26/2020	0.044	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/1/2020	0.008	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/7/2020	0.003	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/13/2020	0.005	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/19/2020	0.003	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/25/2020	0.043	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/31/2020	0.004	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/6/2020	0.004	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/12/2020	0.003	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/18/2020	0.004	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/24/2020	0.021	μg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/30/2020	0.026	μg/m ³
MT JOY						
42-071-0009	1	MT JOY	Lead (LC)	7/2/2020	0.018	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	7/8/2020	0.002	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	7/14/2020	0.015	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	7/20/2020	0.057	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	7/26/2020	0.026	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	8/1/2020	0.009	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	8/7/2020	0.002	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	8/13/2020	0.005	μg/m ³

24-hour Concentration Values

EPA Codes Site -		Site Name	Pollutant	Date	Concentration	Units
42-071-0009	1	MT JOY	Lead (LC)	8/19/2020	0.016	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	8/25/2020	0.073	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	8/31/2020	0.007	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	9/6/2020	0.006	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	9/12/2020	0.003	μg/m³
42-071-0009	1	MT JOY	Lead (LC)	9/18/2020	0.005	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	9/24/2020	0.016	μg/m ³
42-071-0009	1	MT JOY	Lead (LC)	9/30/2020	0.018	μg/m³
<u>ALMERTON</u>						
42-025-0214	1	PALMERTON	Lead (LC)	7/2/2020	0.016	μg/m³
42-025-0214	1	PALMERTON	Lead (LC)	7/26/2020	0.02	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	8/19/2020	0.005	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	8/25/2020	0.013	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	8/31/2020	0.004	μg/m³
42-025-0214	1	PALMERTON	Lead (LC)	9/6/2020	0.03	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	9/12/2020	0.004	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	9/18/2020	0.006	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	9/24/2020	0.036	μg/m ³
42-025-0214	1	PALMERTON	Lead (LC)	9/30/2020	0.01	μg/m ³
ALMERTON HIG	SH SCH	<u>100L</u>				
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/2/2020	0.011	μg/m³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/8/2020	0.008	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/14/2020	0.007	μg/m³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/20/2020	0.003	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/26/2020	0.005	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/1/2020	0.004	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/7/2020	0.007	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/13/2020	0.002	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/19/2020	0.005	μg/m³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/25/2020	0.003	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/6/2020	0.01	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/12/2020	0.009	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/18/2020	0.003	μg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/24/2020	0.019	μg/m³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/30/2020	0.002	μg/m ³

24-hour Concentration Values

EPA Codes Site -		Site Name	Pollutant	Date	Concentration	Units
POTTER TOWNSH	HIP	Site Nume	Tonatunt	Date	Concentration	Offics
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/2/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/8/2020	0.002	μg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/14/2020	0.003	μg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/20/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/26/2020	0.003	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/1/2020	0.003	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/7/2020	0.003	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/13/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/19/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/25/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/31/2020	0.003	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/6/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/12/2020	0.004	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/18/2020	0.002	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/24/2020	0.005	μg/m³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/30/2020	0.002	μg/m³
<u>VANPORT</u>						
42-007-0505	1	VANPORT	Lead (LC)	7/2/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	7/8/2020	0.002	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	7/14/2020	0.002	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	7/20/2020	0.002	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	7/26/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/1/2020	0.004	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/7/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/13/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/19/2020	0.002	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/25/2020	0.002	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	8/31/2020	0.004	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	9/6/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	9/12/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	9/18/2020	0.003	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	9/24/2020	0.005	μg/m³
42-007-0505	1	VANPORT	Lead (LC)	9/30/2020	0.002	μg/m ³