

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

April 2023 - June 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
<b>BEAVER VALLEY</b>							
42-007-0007	1	BEAVER VALLEY		Lead (LC)	4/6/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	4/12/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	4/24/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	4/30/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	5/6/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	5/12/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	5/18/2023	0.004	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	5/24/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	6/5/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	6/11/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	6/17/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	6/29/2023	0.003	µg/m <sup>3</sup>
<b>CHESTER</b>							
42-045-0002	1	CHESTER		Lead (LC)	4/6/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	4/12/2023	0.014	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	4/18/2023	0.007	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	4/24/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	4/30/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	5/6/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	5/12/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	5/18/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	6/5/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	6/11/2023	0.006	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	6/17/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	6/29/2023	0.004	µg/m <sup>3</sup>
<b>CONEMAUGH</b>							
42-129-0009	1	CONEMAUGH		Lead (LC)	4/6/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	4/12/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	4/24/2023	0.002	µg/m <sup>3</sup>

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

April 2023 - June 2023

Note: The Palmerton High School monitor is currently suspended

### EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-129-0009	1	CONEMAUGH	Lead (LC)	4/30/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	5/6/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	5/12/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	5/18/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	5/24/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	5/30/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	6/5/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	6/11/2023	0.003	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	6/17/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	6/29/2023	0.003	µg/m <sup>3</sup>

### ELLWOOD CITY

42-073-0011	1	ELLWOOD CITY	Lead (LC)	4/6/2023	0.004	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	4/24/2023	0.006	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	4/30/2023	0.005	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	5/6/2023	0.021	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	5/12/2023	0.012	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	5/18/2023	0.015	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	5/24/2023	0.006	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	5/30/2023	0.011	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	6/5/2023	0.003	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	6/11/2023	0.012	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	6/17/2023	0.004	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	6/29/2023	0.009	µg/m <sup>3</sup>

### LAURELDALE SOUTH

42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	4/6/2023	0.01	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	4/12/2023	0.005	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	4/24/2023	0.01	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	4/30/2023	0.007	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	5/6/2023	0.004	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	5/12/2023	0.006	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	5/18/2023	0.005	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	5/24/2023	0.008	µg/m <sup>3</sup>

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

April 2023 - June 2023

Note: The Palmerton High School monitor is currently suspended

### EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	6/5/2023	0.007	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	6/11/2023	0.004	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	6/17/2023	0.003	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	6/23/2023	0.004	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	6/29/2023	0.005	µg/m <sup>3</sup>

### LYONS BORO

42-011-0021	1	LYONS BORO	Lead (LC)	4/6/2023	0.026	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	4/12/2023	0.041	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	4/18/2023	0.024	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	4/24/2023	0.022	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	4/30/2023	0.004	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	5/6/2023	0.008	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	5/12/2023	0.026	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	5/18/2023	0.006	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	5/24/2023	0.017	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	6/5/2023	0.021	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	6/11/2023	0.008	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	6/17/2023	0.036	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	6/29/2023	0.018	µg/m <sup>3</sup>

### LYONS PARK

42-011-0022	1	LYONS PARK	Lead (LC)	4/6/2023	0.018	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	4/12/2023	0.028	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	4/18/2023	0.016	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	4/24/2023	0.022	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	4/30/2023	0.002	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	5/6/2023	0.006	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	5/12/2023	0.018	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	5/18/2023	0.003	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	5/24/2023	0.01	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	6/5/2023	0.017	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	6/11/2023	0.008	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	6/17/2023	0.031	µg/m <sup>3</sup>

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

April 2023 - June 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-011-0022	1	LYONS PARK	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>	
42-011-0022	1	LYONS PARK	Lead (LC)	6/29/2023	0.015	µg/m <sup>3</sup>	
<b>MT JOY</b>							
42-071-0009	1	MT JOY	Lead (LC)	4/6/2023	0.015	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	4/12/2023	0.167	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	4/18/2023	0.02	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	4/24/2023	0.022	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	5/6/2023	0.009	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	5/12/2023	0.04	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	5/18/2023	0.005	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	5/24/2023	0.011	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	5/30/2023	0.002	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	6/5/2023	0.013	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	6/11/2023	0.006	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	6/17/2023	0.01	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	6/29/2023	0.016	µg/m <sup>3</sup>	
<b>PALMERTON</b>							
42-025-0214	1	PALMERTON	Lead (LC)	4/6/2023	0.05	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	4/12/2023	0.037	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	4/18/2023	0.009	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	4/24/2023	0.034	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	4/30/2023	0.005	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	5/6/2023	0.064	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	5/12/2023	0.061	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	5/18/2023	0.033	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	6/5/2023	0.057	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	6/11/2023	0.086	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	6/17/2023	0.039	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	6/29/2023	0.024	µg/m <sup>3</sup>	
<b>POTTER TOWNSHIP</b>							
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	4/6/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	4/12/2023	0.003	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	4/24/2023	0.002	µg/m <sup>3</sup>	

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

April 2023 - June 2023

Note: The Palmerton High School monitor is currently suspended

### EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	5/6/2023	0.003	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	5/12/2023	0.003	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	5/18/2023	0.003	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	5/24/2023	0.003	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	6/5/2023	0.002	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	6/11/2023	0.002	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	6/17/2023	0.002	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	6/29/2023	0.004	µg/m <sup>3</sup>

### VANPORT

42-007-0505	1	VANPORT	Lead (LC)	4/6/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	4/18/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	4/24/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	4/30/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	5/6/2023	0.003	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	5/12/2023	0.004	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	5/18/2023	0.005	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	5/24/2023	0.004	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	5/30/2023	0.003	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	6/5/2023	0.003	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	6/11/2023	0.004	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	6/17/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	6/23/2023	0.002	µg/m <sup>3</sup>
42-007-0505	1	VANPORT	Lead (LC)	6/29/2023	0.004	µg/m <sup>3</sup>