



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
AIR QUALITY PROGRAM**

STATE ONLY SYNTHETIC MINOR OPERATING PERMIT

Issue Date:	March 19, 2021	Effective Date:	December 12, 2023
Revision Date:	December 12, 2023	Expiration Date:	March 18, 2026
Revision Type:	Amendment		

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 41-00017

Synthetic Minor

Federal Tax Id - Plant Code: 46-1340475-8

Owner Information

Name: SUNOCO MIDSTREAM LLC
Mailing Address: 7 N DELAWARE ST
PAULSBORO, NJ 08066-1038

Plant Information

Plant: SUNOCO MIDSTREAM LLC/WILLIAMSPORT - SUNOCO LLC
Location: 41 Lycoming County 41907 Armstrong Township
SIC Code: 4226 Trans. & Utilities - Special Warehousing And Storage, Nec

Responsible Official

Name: CRAIG KUMPEL
Title: SR DIR PIPELINE & TRM OPS
Phone: (856) 579 - 5060 Email: craig.kumpel@sunoco.com

Permit Contact Person

Name: SCOTT STEEL
Title: TERMINAL MANAGER
Phone: (570) 764 - 6178 Email: scott.steele@sunoco.com

[Signature] _____
MUHAMMAD Q. ZAMAN, ENVIRONMENTAL PROGRAM MANAGER, NORTHCENTRAL REGION



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation of Sources
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

- E-I: Restrictions



SECTION A. Table of Contents

- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements
- E-V: Reporting Requirements
- E-VI: Work Practice Standards
- E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)


- F-I: Restrictions
- F-II: Testing Requirements
- F-III: Monitoring Requirements
- F-IV: Recordkeeping Requirements
- F-V: Reporting Requirements
- F-VI: Work Practice Standards
- F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous














**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput	Fuel/Material
031	XXTH CENTURY BOILER	0.100 MMBTU/HR	
		0.750 Gal/HR	#2 Oil
P101	TANK 101	N/A	ETHANOL
P102	TANK 102	N/A	DIESEL
P103	TANK 103	N/A	GASOLINE
P104	TANK 104	N/A	GASOLINE
P105	TANK 105	N/A	GASOLINE
P106	TANK 106	N/A	DIESEL
P108	ADDITIVES TANKS		
P110	FUEL OIL STORAGE TANK		
P201A	GASOLINE LOADING OPERATION	35.000 Th Gal/HR	GASOLINE
P201B	DISTILLATE LOADING OPERATION		
P202	PUMPS, VALVES & FLANGES		
P203	OIL/WATER SEPARATOR		
P204	FACILITY FUGITIVE EMISSIONS		
C001	JOHN ZINK VAPOR RECOVERY SYSTEM		
C101	INTERNAL FLOATING ROOF		
C103	INTERNAL FLOATING ROOF		
C104	INTERNAL FLOATING ROOF		
C105	INTERNAL FLOATING ROOF		
FM001	FUEL OIL TANK		
S001	VAPOR RECOVERY SYSTEM STACK		
S031	BOILER STACK		
Z101	TANK 101 EMISSIONS		
Z102	TANK 102 EMISSIONS		
Z103	TANK 103 EMISSIONS		
Z104	TANK 104 EMISSIONS		
Z105	TANK 105 EMISSIONS		
Z106	TANK 106 EMISSIONS		
Z108	TANK 108 EMISSIONS		
Z110	TANK 110 EMISSIONS		
Z202	PUMPS, VALVES & FLANGES EMISSION		
Z203	OIL/WATER SEPARATOR EMISSION		
Z204	FACILITY FUGITIVE EMISSION		

PERMIT MAPS



PERMIT MAPS



**SECTION B. General State Only Requirements****#001 [25 Pa. Code § 121.1]****Definitions.**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]**Operating Permit Duration.**

(a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.

(b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]**Permit Renewal.**

(a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.

(b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

(c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.

(d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.

(e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).

(f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]**Operating Permit Fees under Subchapter I.**

(a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.

(1) For a synthetic minor facility, a fee equal to:

(i) Four thousand dollars (\$4,000) for calendar years 2021—2025.

(ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.

(iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.

**SECTION B. General State Only Requirements**

(2) For a facility that is not a synthetic minor, a fee equal to:

- (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
- (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
- (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.

(b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]**Transfer of Operating Permits.**

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]**Inspection and Entry.**

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]**Compliance Requirements.**

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

**SECTION B. General State Only Requirements**

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]**Need to Halt or Reduce Activity Not a Defense.**

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]**Duty to Provide Information.**

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]**Revising an Operating Permit for Cause.**

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]**Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:

**SECTION B. General State Only Requirements**

(b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.

(d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.

(e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]**Severability Clause.**

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]**De Minimis Emission Increases.**

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

(b) The Department may disapprove or condition de minimis emission increases at any time.

(c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO_x from a single source during the term of the permit and 5 tons of NO_x at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM₁₀ from a single source during the term of the permit and 3.0 tons of PM₁₀ at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

**SECTION B. General State Only Requirements**

(1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.

(2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.

(3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.

(4) Space heaters which heat by direct heat transfer.

(5) Laboratory equipment used exclusively for chemical or physical analysis.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:

(1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.

(2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.

(3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.

(f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.

(g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.

(h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]**Operational Flexibility.**

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

(1) Section 127.14 (relating to exemptions)

(2) Section 127.447 (relating to alternative operating scenarios)

(3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)

(4) Section 127.449 (relating to de minimis emission increases)

(5) Section 127.450 (relating to administrative operating permit amendments)

**SECTION B. General State Only Requirements**

(6) Section 127.462 (relating to minor operating permit modifications)

(7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11a]**Reactivation of Sources**

(a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).

(b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]**Health Risk-based Emission Standards and Operating Practice Requirements.**

(a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].

(b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]**Circumvention.**

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]**Reporting Requirements.**

(a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.

(b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.

(c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

(d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.

(e) Any records, reports or information submitted to the Department shall be available to the public except for such

**SECTION B. General State Only Requirements**

records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]**Sampling, Testing and Monitoring Procedures.**

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]**Recordkeeping.**

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]**Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]**Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

**SECTION B. General State Only Requirements****#023 [25 Pa. Code §135.3]****Reporting**

(a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]**Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

The permittee shall not permit the emission into the outdoor atmosphere of fugitive air contaminants from a source other than the following:

- (1) Construction or demolition of buildings or structures,
- (2) Grading, paving and maintenance of roads and streets,
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets,
- (4) Clearing of land,
- (5) Stockpiling of materials,
- (6) Open burning operations.
- (7) Blasting in open pit mines. Emissions from drilling are not considered emission from blasting.
- (8) Sources and classes of sources other than those identified above, for which the permittee has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - (a) The emissions are of minor significance with respect to causing air pollution,
 - (b) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

002 [25 Pa. Code §123.2]**Fugitive particulate matter**

The permittee shall not permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in Condition #001(1)-(8) above, if the emissions are visible at the point the emissions pass outside the person's property.

003 [25 Pa. Code §123.41]**Limitations**

The permittee shall not permit the emission of visible air contaminants into the outdoor atmosphere in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

004 [25 Pa. Code §123.42]**Exceptions**

The emission limitations of 25 Pa. Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations,
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions,
- (3) The emission results from sources specified in 25 Pa. Code Section 123.1(a)(1)-(9).

005 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from the permittee requesting this elective restriction]

- (a) The throughput of gasoline at the facility shall not exceed 205,000,000 gallons in any 12 consecutive month period.

**SECTION C. Site Level Requirements**

(b) The throughput of distillate products (e.g. kerosene, fuel oil) at the facility shall not exceed a combined total of 281,572,494 gallons in any 12 consecutive month period.

(c) The total emission of any hazardous air pollutant (individual HAP) from all sources at the facility shall not equal or exceed 10 tons in any 12 consecutive month period.

(d) The total emission of all hazardous air pollutants (total HAPs) from all sources at the facility shall not equal or exceed 25 tons in any 12 consecutive month period.

(e) The total emission of all volatile organic compounds (VOCs) from all sources at the facility shall not equal or exceed 50 tons in any 12 consecutive month period.

(f) The permittee shall not exceed the following parameters:

CF = 1.0 (The terminal shall handle reformulated /oxygenated gasoline containing 7.6 percent by volume or greater methyl tert-butyl ether (MBTE.), TF = 0 (All fixed roof gasoline storage tanks shall also have internal floating roofs.), TE = 0 (There shall be no external floating roof gasoline storage vessels with only primary seals.), TES = 0, (There will be no external floating roof gasoline storage tanks with primary and secondary seals.), TI = 5 (There shall be no more than 5 fixed roof gasoline storage tanks which contain an internal floating roof at this facility.), C = 642 (There shall be no more than 642 valves, pumps, connectors, loading arm valves and open ended lines in gasoline service.), $K=1.935e-7$, $Q = 3,596,900$ (The gasoline throughput at the facility shall not exceed 3,596,900 liters per day.), EF = 30 (The emission rate limitation on potential to emit for the gasoline cargo tank loading rack vapor processor outlet emissions shall not exceed 30 mg of total organic compounds per liter of gasoline loaded.), L = 13, (The vapor tightness test for cargo tank trucks shall not exceed 13 mg/l for gasoline.), OE = 1.224 (HAPS emission screening factor for bulk gasoline terminals.) ET = 0.99 (the emission screening factor for bulk gasoline storage terminal.)

$$ET = CF[0.59(TF)(1-CE) + 0.17(TE) + 0.08(TES) + 0.038(TI) + 8.5e-6(C) + KQ] + 0.04(OE)$$

II. TESTING REQUIREMENTS.**# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) To ensure the practical enforceability of the annual Hazardous Air Pollutant (HAP) emissions limit, the permittee shall, on a quarterly basis, perform tests of all petroleum liquids being stored and distributed at the facility in order to determine the HAP content of each.

(b) The quarterly testing of a petroleum liquid may be waived if the HAP content of the liquid can be demonstrated from documentation provided by the manufacturer (i.e. Material Safety and Data Sheets, manufacturer testing results, etc.).

007 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) Pursuant to 25 Pa. Code § 139.3, at least 90 calendar days prior to commencing a EPA reference method testing program, a test protocol shall be submitted to the Department for review and approval. One electronic copy shall be sent to the Northcentral Regional Office Air Quality Program Manager (RA-EPNCstacktesting@pa.gov) and one electronic copy shall be sent to the PSIMS Administrator in Central Office (RA-EPstacktesting@pa.gov). The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(b) Pursuant to 25 Pa. Code § 139.3, at least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the Northcentral Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.

(c) Within sixty (60) days of the completion of the stack tests required by this permit, an electronically submitted copy of the report in .pdf format shall be submitted to the Department. This report shall contain the results of the tests, a description of the testing and analytical procedures actually used in performance of the tests, all process and operating data collected

**SECTION C. Site Level Requirements**

during the tests, a copy of all raw data, and a copy of all calculations generated during data analysis.

(d) Pursuant to 25 Pa. Code § 139.53(b) a complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or noncompliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:

1. A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
2. Permit number(s) and condition(s) which are the basis for the evaluation.
3. Summary of results with respect to each applicable permit condition.
4. Statement of compliance or non-compliance with each applicable permit condition.

(e) Pursuant to 25 Pa. Code § 139.3, all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(f) All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.

(g) Pursuant to 25 Pa. Code §§ 139.53(a)(1) and 139.53(a)(3), one electronic copy of all submittals, besides notifications, shall be sent to the Northcentral Regional Office Air Quality Program Manager. In addition, one electronic copy shall be sent to the PSIMS Administrator in Central Office using the emails above when the file is 35 MB or less, or a flash drive when the file is over 35 MB.

(h) The permittee shall insure all federal reporting requirements contained in the applicable subpart of 40 CFR are followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between state and the federal, the most stringent provision, term, condition, method or rule shall be used by default.

008 [25 Pa. Code §139.1]**Sampling facilities.**

Upon the request of the Department, the permittee shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on a source. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

009 [25 Pa. Code §139.11]**General requirements.**

(1) As specified in 25 Pa. Code Section 139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.

(2) As specified in 25 Pa. Code Section 139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum, all of the following:

- (a) A thorough source description, including a description of any air cleaning devices and the flue.
- (b) Process conditions, for example, the charging rate of raw material or rate of production of final product, boiler pressure, oven temperature and other conditions which may effect emissions from the process.
- (c) The location of sampling ports.
- (d) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage of CO, CO₂, O₂ and N₂), static and barometric pressures.
- (e) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.
- (f) Laboratory procedures and results.
- (g) Calculated results.

**SECTION C. Site Level Requirements****III. MONITORING REQUIREMENTS.****# 010 [25 Pa. Code §123.43]****Measuring techniques**

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and qualified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

011 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall conduct a weekly inspection of the facility during daylight hours while the facility is operating, to detect visible emissions, visible fugitive emissions and malodors. Weekly inspections are necessary to determine:

- (1) the presence of visible emissions.
 - (2) the presence of visible fugitive emissions.
 - (3) the presence of malodors beyond the facility's property boundaries.
- (b) All detected visible emissions, visible fugitive emissions or malodors shall be reported to the manager of the facility.

IV. RECORDKEEPING REQUIREMENTS.**# 012 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of the amount of gasoline usage (throughput) at the facility per month to verify compliance with the gasoline usage (throughput) limitation in any 12 consecutive month period. The monthly throughputs are to be a total of the daily throughputs for the month.

(b) The permittee shall keep records of the amount of distillate usage (throughput) at the facility per month to verify compliance with the distillate usage (throughput) limitation in any 12 consecutive month period. The monthly throughputs are to be a total of the daily throughputs for the month.

(c) The permittee shall keep records of supporting calculations on a monthly basis to verify compliance with the individual HAPs and total HAPs emission limitations for all sources at the facility in any 12 consecutive month period.

(d) The permittee shall keep records of supporting calculations on a monthly basis to verify compliance with the VOCs emission limitation for all sources at the facility in any 12 consecutive month period.

(e) The permittee shall maintain records to verify compliance with the facility parameters including OE and ET as described in condition #005 of the Site Level Requirements.

(f) All records generated pursuant to this condition shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

013 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall maintain a logbook of the facility's weekly inspections performed. The logbook shall include the name of the company representative performing the inspection, the date and time of inspections, any instances of exceedances of visible emissions limitations, visible fugitive emissions limitations and malodorous air emissions limitations, and the name of the manager informed if a potential exceedance is observed. The permittee shall also record any and all corrective action(s) taken to abate each recorded deviation to prevent future occurrences.

(b) All records generated pursuant to this condition shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

**SECTION C. Site Level Requirements****# 014 [25 Pa. Code §135.5]****Recordkeeping**

(a) The permittee shall maintain such records including computerized records as may be necessary to comply with 25 Pa. Code Section 135.3. These may include records of production, fuel usage, equipment maintenance records, or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

(b) All records generated pursuant to this condition shall be retained for a minimum of five years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 015 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall submit all requested reports in accordance with the Department's suggested format.

016 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall submit reports to the Department on a semi-annual basis that include the following information:

(1) The records of amount of gasoline usage at the facility on a monthly basis to verify compliance with the gasoline usage (throughput) limitation in any 12 consecutive month period.

(2) The records of amount of distillate usage at the facility on a monthly basis to verify compliance with the distillate usage (throughput) limitation in any 12 consecutive month period.

(3) The records to verify compliance with the facility parameters including OE and ET as described in condition #005 of the Site Level Requirements.

(b) The semi-annual reports shall be submitted to the Department by no later than: September 1 and March 1 for the previous 12 consecutive month period.

017 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall submit reports to the Department on a semi-annual basis that include the following information:

(1) The supporting calculations used to verify compliance with the individual HAP emissions limitations for all sources at the facility in any 12 consecutive month period

(2) The supporting calculations used to verify compliance with the total HAPs emissions limitations for all sources at the facility in any 12 consecutive month period.

(3) The supporting calculations used to verify compliance with the VOCs emissions limitations for all sources at the facility in any 12 consecutive month period.

(b) The semi-annual reports shall be submitted to the Department by no later than: September 1, and March 1 for the previous 12 consecutive month period.

018 [25 Pa. Code §127.442]**Reporting requirements.**

(a) The permittee shall report malfunctions, emergencies or incidents of excess emissions to the Department. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. An emergency is any situation arising from sudden and reasonably unforeseeable events beyond the control of the owner or operator of a facility which requires immediate corrective action to restore normal operation and which causes the emission source to exceed emissions, due to unavoidable increases in emissions attributable to the situation. An emergency shall not include situations caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.

**SECTION C. Site Level Requirements**

(b) When the malfunction, emergency or incident of excess emissions poses an imminent danger to the public health, safety, welfare, or environment, it shall be reported to the Department and the County Emergency Management Agency by telephone within one (1) hour after the discovery of the malfunction, emergency or incident of excess emissions. The owner or operator shall submit a written or emailed report of instances of such malfunctions, emergencies or incidents of excess emissions to the Department within three (3) business days of the telephone report.

(c) The report shall describe the following:

1. name, permit or authorization number, and location of the facility,
2. nature and cause of the malfunction, emergency or incident,
3. date and time when the malfunction, emergency or incident was first observed,
4. expected duration of excess emissions,
5. estimated rate of emissions,
6. corrective actions or preventative measures taken.

(d) Any malfunction, emergency or incident of excess emissions that is not subject to the notice requirements of paragraph (b) of this condition shall be reported to the Department by telephone within 24 hours (or by 4:00 PM of the next business day, whichever is later) of discovery and in writing or by e-mail within five (5) business days of discovery. The report shall contain the same information required by paragraph (c), and any permit specific malfunction reporting requirements.

(e) During an emergency an owner or operator may continue to operate the source at their discretion provided they submit justification for continued operation of a source during the emergency and follow all the notification and reporting requirements in accordance with paragraphs (b)-(d), as applicable, including any permit specific malfunction reporting requirements.

(f) Reports regarding malfunctions, emergencies or incidents of excess emissions shall be submitted to the appropriate DEP Regional Office Air Program Manager.

(g) Any emissions resulted from malfunction or emergency are to be reported in the annual emissions inventory report, if the annual emissions inventory report is required by permit or authorization.

019 [25 Pa. Code §135.3]**Reporting**

(a) A person who owns or operates a source to which 25 Pa. Code Chapter 135 applies, and who has previously been advised by the Department to submit an annual Air Information Management Systems (AIMS) report, shall submit by March 1 of each year an annual AIMS report for the preceding calendar year. The report shall include information for all previously reported sources, new sources which were first operated during the preceding calendar year and sources modified during the same period which were not previously reported.

(b) A person who receives initial notification by the Department that an annual AIMS report is necessary shall submit an initial annual AIMS report within 60 days after receiving the notification or by March 1 of the year following the year for which the report is required, whichever is later.

(c) A source owner or operator may request an extension of time from the Department for the filing of an annual AIMS report, and the Department may grant the extension for reasonable cause.

VI. WORK PRACTICE REQUIREMENTS.**# 020 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

The permittee shall take all reasonable actions to prevent particulate matter from becoming airborne as specified in 25 Pa. Code Section 123.1 subsection(s) (a)(1)-(7) or (a)(9). These actions shall include, but not be limited to, the following:

(1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land,

(2) Application of asphalt, oil, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give

**SECTION C. Site Level Requirements**

rise to airborne dusts,

(3) Paving and maintenance of roadways,

(4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

021 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.62]

(a) Gasoline may not be spilled or discarded in sewers or stored in open containers or handled in a manner that would result in uncontrolled evaporation to the atmosphere.

(b) No person may permit the transfer of gasoline between the tank truck or trailer and a stationary storage tank unless the following conditions are met:

(1) The vapor balance system is in good working order and is designed and operated in a manner that prevents:

(i) Gauge pressure from exceeding 18 inches of water and vacuum from exceeding 6 inches of water in the gasoline tank truck.

(ii) A reading equal to or greater than 100% of the lower explosive limit (LEL), measured as propane, at 1 inch from points on the perimeter of a potential leak source when measured by the method referenced in 25 Pa. Code Section 139.14 (relating to emissions of VOCs) during loading or unloading operations.

(iii) Avoidable liquid leaks during loading or unloading operations.

(2) A truck, vapor balance system or vapor disposal system, if applicable, that exceeds the limits in (b)(1) is repaired and retested within 15 days.

(3) There are no visually- or audibly-detectable leaks in the tank truck's or trailer's pressure/vacuum relief valves and hatch covers, the tank trucks or storage tanks, or associated vapor and liquid lines during loading or unloading.

(4) The pressure and vacuum relief valves on storage vessels and tank trucks or trailers are set to release at no less than 0.7 psig of pressure or 0.3 psig of vacuum or the highest allowable pressure and vacuum as specified in State or local fire codes, the National Fire Prevention Association guidelines or other National consensus standards acceptable to the Department. Upon demonstration by the owner or operator of an underground small gasoline storage tank that the vapor balance system specified in (b)(1) will achieve a 90% vapor recovery efficiency without a pressure and vacuum relief system and that an interlock system, sufficient to ensure connection of the vapor recovery line prior to delivery of the gasoline, will be used - no pressure and vacuum relief valve is required. The vacuum setting on the pressure and vacuum relief valve on an underground storage tank may be set at the lowest vacuum setting which is sufficient to keep the vent closed at zero pressure and vacuum.

(c) A person may not allow a gasoline tank truck to be filled or emptied unless the gasoline tank truck:

(1) Has been tested by the owner or operator within the immediately preceding 12 months in accordance with 25 Pa. Code Section 139.14.

(2) Sustains a pressure change of no more than 3 inches of water in 5 minutes when pressurized to gauge pressure of 18 inches of water or evacuated to a gauge pressure of 6 inches of water during the testing required in (c)(1).

(3) Is repaired by the owner or operator and retested within 15 days of testing if it does not meet the criteria in (c)(2).

(4) Displays a clear marking near the Department of Transportation Certification plate required by 49 CFR 178.340 - 10b (relating to certification), which shows the most recent date upon which the gasoline tank truck passed the test required in this subsection.

**SECTION C. Site Level Requirements**

(d) Gasoline tank trucks with a rated capacity of less than 4,800 gallons are exempt from (c).

VII. ADDITIONAL REQUIREMENTS.**# 022 [25 Pa. Code §121.7]****Prohibition of air pollution.**

The permittee shall not permit air pollution as that term is defined in the Pennsylvania Air Pollution Control Act (35 P.S. Sections 4001 - 4015).

023 [25 Pa. Code §123.31]**Limitations**

The permittee shall not permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in a manner such that the malodors are detectable outside the property of the person on whose land the source is being operated.

024 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

This facility is subject to Subpart BBBB of the National Emission Standards for Hazardous Air Pollutants for Source Categories, 40 CFR 63.11080-63.11100 (National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities). The permittee shall comply with all applicable requirements specified in this Subpart, as well as any other applicable Subpart of the National Emission Standards for Hazardous Air Pollutants.

025 [25 Pa. Code §129.14]**Open burning operations**

The permittee shall not permit the open burning of material at this facility unless in accordance with 25 Pa. Code Section 129.14.

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.


**SECTION D. Source Level Requirements**

Source ID: 031

Source Name: XXTH CENTURY BOILER

Source Capacity/Throughput: 0.100 MMBTU/HR

0.750 Gal/HR #2 Oil

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.22]****Combustion units**

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 52.2020(c)(i)]

No person may permit the emission into the outdoor atmosphere of Sulfur Oxides, expressed as SO₂, from Source ID 031 in excess of the rate of 4 pounds per million Btu of heat input over any 1 hour period.

Fuel Restriction(s).**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) Source ID 031 shall be fired only on #2 fuel oil to which there has been no reclaimed or waste oil or other waste materials added.

(b) The sulfur content of the #2 oil fired in Source ID 031 shall not at any time, exceed 0.5% (by weight).

II. TESTING REQUIREMENTS.**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Upon request by the Department, the permittee shall provide fuel analyses and/or samples of the fuel being used in Source ID 031.

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of tests or fuel certification reports of the percent sulfur by weight for each delivery of the #2 fuel oil delivered to the facility to verify compliance with the 0.5% by weight sulfur content limitation,

OR

the permittee shall keep records of fuel certification reports obtained yearly from the #2 fuel oil supplier containing the name of the fuel oil supplier and stating that the sulfur percentage for each shipment of #2 fuel oil delivered to the facility during the year shall not exceed 0.5% sulfur by weight.

**SECTION D. Source Level Requirements**

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID 031 is a 0.10 MMBTU per hour XXth Century model 07 HE0105 #2 fuel oil fired Boiler.

**SECTION D. Source Level Requirements**


Source ID: P101

Source Name: TANK 101

Source Capacity/Throughput:

N/A

ETHANOL

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure of 11 psia or greater under actual storage conditions in Source ID P101.

(b) The internal floating roof (ID C101) associated with Source ID P101 must be fitted with a primary seal and shall comply with the following equipment requirements:

(1) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(2) There are no holes, tears or other openings in the seal or a seal fabric or materials.

(3) Openings, except stub drains, are equipped with covers, lids or seals such that:

(i) The cover, lid or seal is in the closed position at all times except when in actual use;

(ii) Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

(iii) Rim vents, if provided are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

The permittee shall perform routine annual inspections of the internal floating roof (ID C101) associated with Source ID P101 to ensure compliance with the following requirements:

(a) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(b) There shall be no holes, tears or other openings in the seal or a seal fabric or materials.

(c) Openings, except stub drains, shall be equipped with covers, lids or seals such that:

(1) The cover, lid or seal is in the closed position at all times except when in actual use.

(2) The automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

**SECTION D. Source Level Requirements**

(3) The rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) The permittee shall maintain records of the types of volatile petroleum liquids stored, the maximum true vapor pressure of the liquid as stored, and the results of the inspections.

(b) Copies of the records shall be retained by the owner or operator for a period of 5 years after the date on which the record was made and shall be made available to the Department upon written or verbal request at a reasonable time.

(c) For volatile organic compounds whose storage temperature is governed by ambient weather conditions, the vapor pressure under actual storage conditions shall be determined using a temperature which is representative of the average storage temperature for the hottest month of the year in which such storage takes place.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The internal floating roof (ID C101) associated with Source ID P101 shall be maintained in good condition and in compliance with all the applicable requirements of 25 Pa. Code Section 129.56.

VII. ADDITIONAL REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P101 (tank 101) is a 10,562 barrel above-ground ethanol storage tank, the air contaminant emissions from which shall be controlled by an internal floating roof incorporating mechanical shoe seals.

**SECTION D. Source Level Requirements**


Source ID: P102

Source Name: TANK 102

Source Capacity/Throughput:

N/A

DIESEL

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure greater than 1.5 psia (10.5 kilopascals) under actual storage conditions in Source ID P102.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall maintain comprehensive and accurate records of the following items for Source ID P102 on a monthly basis:

(1) Type of materials stored in Source ID P102.

(2) The true vapor pressure of the material.

(b) These records shall be retained for at least 5 years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P102 (tank 102) is a 10,566 barrel above-ground diesel storage tank.

**SECTION D. Source Level Requirements**


Source ID: P103

Source Name: TANK 103

Source Capacity/Throughput:

N/A

GASOLINE

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure of 11 psia or greater under actual storage conditions in Source ID P103.

(b) The internal floating roof (ID C103) associated with Source ID P103 must be fitted with a primary seal and shall comply with the following equipment requirements:

(1) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(2) There are no holes, tears or other openings in the seal or a seal fabric or materials.

(3) Openings, except stub drains, are equipped with covers, lids or seals such that:

(i) The cover, lid or seal is in the closed position at all times except when in actual use;

(ii) Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

(iii) Rim vents, if provided are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

The permittee shall perform routine annual inspections of the internal floating roof (ID C103) associated with Source ID P103 to ensure compliance with the following requirements:

(a) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(b) There shall be no holes, tears or other openings in the seal or a seal fabric or materials.

(c) Openings, except stub drains, shall be equipped with covers, lids or seals such that:

(1) The cover, lid or seal is in the closed position at all times except when in actual use.

(2) The automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

**SECTION D. Source Level Requirements**

(3) The rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) The permittee shall maintain records of the types of volatile petroleum liquids stored, the maximum true vapor pressure of the liquid as stored, and the results of the inspections.

(b) Copies of the records shall be retained by the owner or operator for a period of 5 years after the date on which the record was made and shall be made available to the Department upon written or verbal request at a reasonable time.

(c) For volatile organic compounds whose storage temperature is governed by ambient weather conditions, the vapor pressure under actual storage conditions shall be determined using a temperature which is representative of the average storage temperature for the hottest month of the year in which such storage takes place.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The internal floating roof (ID C103) associated with Source ID P103 shall be maintained in good condition and in compliance with all the applicable requirements of 25 Pa. Code Section 129.56.

VII. ADDITIONAL REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P103 (tank 103) is a 10,565 barrel above-ground storage tank, the air contaminant emissions from which shall be controlled by an internal floating roof.

**SECTION D. Source Level Requirements**


Source ID: P104

Source Name: TANK 104

Source Capacity/Throughput:

N/A

GASOLINE

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure of 11 psia or greater under actual storage conditions in Source ID P104.

(b) The internal floating roof (ID C104) associated with Source ID P104 must be fitted with a primary seal and shall comply with the following equipment requirements:

(1) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(2) There are no holes, tears or other openings in the seal or a seal fabric or materials.

(3) Openings, except stub drains, are equipped with covers, lids or seals such that:

(i) The cover, lid or seal is in the closed position at all times except when in actual use;

(ii) Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

(iii) Rim vents, if provided are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

The permittee shall perform routine annual inspections of the internal floating roof (ID C104) associated with Source ID P104 to ensure compliance with the following requirements:

(a) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(b) There shall be no holes, tears or other openings in the seal or a seal fabric or materials.

(c) Openings, except stub drains, shall be equipped with covers, lids or seals such that:

(1) The cover, lid or seal is in the closed position at all times except when in actual use.

(2) The automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

**SECTION D. Source Level Requirements**

(3) The rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) The permittee shall maintain records of the types of volatile petroleum liquids stored, the maximum true vapor pressure of the liquid as stored, and the results of the inspections.

(b) Copies of the records shall be retained by the owner or operator for a period of 5 years after the date on which the record was made and shall be made available to the Department upon written or verbal request at a reasonable time.

(c) For volatile organic compounds whose storage temperature is governed by ambient weather conditions, the vapor pressure under actual storage conditions shall be determined using a temperature which is representative of the average storage temperature for the hottest month of the year in which such storage takes place.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The internal floating roof (ID C104) associated with Source ID P104 shall be maintained in good condition and in compliance with all the applicable requirements of 25 Pa. Code Section 129.56.

VII. ADDITIONAL REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P104 (tank 104) is a 22,900 barrel above-ground storage tank, the air contaminant emissions from which shall be controlled by an internal floating roof incorporating mechanical shoe seals.

**SECTION D. Source Level Requirements**


Source ID: P105

Source Name: TANK 105

Source Capacity/Throughput:

N/A

GASOLINE

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure of 11 psia or greater under actual storage conditions in Source ID P105.

(b) The internal floating roof (ID C105) associated with Source ID P105 must be fitted with a primary seal and shall comply with the following equipment requirements:

(1) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(2) There are no holes, tears or other openings in the seal or a seal fabric or materials.

(3) Openings, except stub drains, are equipped with covers, lids or seals such that:

(i) The cover, lid or seal is in the closed position at all times except when in actual use;

(ii) Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

(iii) Rim vents, if provided are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

The permittee shall perform routine annual inspections of the internal floating roof (ID C105) associated with Source ID P105 to ensure compliance with the following requirements:

(a) A closure seal, or seals, to close the space between the roof edge and tank wall is used.

(b) There shall be no holes, tears or other openings in the seal or a seal fabric or materials.

(c) Openings, except stub drains, shall be equipped with covers, lids or seals such that:

(1) The cover, lid or seal is in the closed position at all times except when in actual use.

(2) The automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports.

**SECTION D. Source Level Requirements**

(3) The rim vents, if provided, are set to open when the roof is being floated off the roof leg supports or at the recommended setting of the manufacturer.

IV. RECORDKEEPING REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

(a) The permittee shall maintain records of the types of volatile petroleum liquids stored, the maximum true vapor pressure of the liquid as stored, and the results of the inspections.

(b) Copies of the records shall be retained by the owner or operator for a period of 5 years after the date on which the record was made and shall be made available to the Department upon written or verbal request at a reasonable time.

(c) For volatile organic compounds whose storage temperature is governed by ambient weather conditions, the vapor pressure under actual storage conditions shall be determined using a temperature which is representative of the average storage temperature for the hottest month of the year in which such storage takes place.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The internal floating roof (ID C105) associated with Source ID P105 shall be maintained in good condition and in compliance with all the applicable requirements of 25 Pa. Code Section 129.56.

VII. ADDITIONAL REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P105 (tank 105) is a 22,468 barrel above-ground storage tank, the air contaminant emissions from which shall be controlled by an internal floating roof incorporating mechanical shoe seals.

**SECTION D. Source Level Requirements**


Source ID: P106

Source Name: TANK 106

Source Capacity/Throughput:

N/A

DIESEL

**I. RESTRICTIONS.****Fuel Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.56]

No person may permit the placing, storing or holding of volatile organic compounds (VOCs) with a vapor pressure greater than 1.5 psia (10.5 kilopascals) under actual storage conditions in Source ID P106.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall maintain comprehensive and accurate records of the following items for Source ID P106 on a monthly basis:

(1) Type of materials stored in Source ID P106.

(2) The true vapor pressure of the material.

(b) These records shall be retained for at least 5 years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID P106 (tank 106) is a 55,679 barrel above-ground, fixed-roof storage tank.

**SECTION D. Source Level Requirements**

Source ID: P108

Source Name: ADDITIVES TANKS

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall not store any liquid containing volatile organic compounds (VOCs) with a vapor pressure greater than 1.5 psia (10 kilopascals) under actual storage conditions in the 3,000 gallon tank of Source ID P108.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep a record of the vapor pressure of the contents of the 3,000 gallon tank of Source ID P108.

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P108 (tank 108) consists of the following above-ground storage tanks:

(1) One 3,000 gallons gasoline additive tank.

(2) One 2,500 gallons diesel additive tank.

(3) One 275 gallons diesel additive tank.

**SECTION D. Source Level Requirements**


(4) One 550 gallons red dye tank.

**SECTION D. Source Level Requirements**

Source ID: P110

Source Name: FUEL OIL STORAGE TANK

Source Capacity/Throughput:

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P110 (tank 110) is a 550 gallon above-ground storage tank.

**SECTION D. Source Level Requirements**


Source ID: P201A

Source Name: GASOLINE LOADING OPERATION

Source Capacity/Throughput:

35.000 Th Gal/HR

GASOLINE

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from the permittee requesting the Synthetic Minor restriction]

[Compliance with the requirement specified in this streamline permit condition assures compliance with the 25 Pa. Code Section 129.59 limitation of no more than 0.0668 pounds (30.3 grams) of gasoline (measured as propane) emitted to the atmosphere for every 100 gallons (380 liters) of gasoline loaded]

The volatile organic compounds (VOCs) emission from vapor recovery system (ID C001) associated with Source ID P201A shall not exceed 30 milligrams per liter (0.00025 pounds per gallon) of gasoline loaded, at any time.

002 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.502]**Subpart XX - Standards of Performance for Bulk Gasoline Terminals****Standard for Volatile Organic Compound (VOC) emissions from bulk gasoline terminals.**

For one bottom loading gasoline arm (Arm/Meter #15) of Source ID P201A, the permittee shall comply with all the applicable requirements specified in 40 CFR Section 60.502(c).

Throughput Restriction(s).**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from the permittee requesting the Synthetic Minor restriction]

The throughput of gasoline shall not exceed 205,000,000 gallons in any 12 consecutive month period.

II. TESTING REQUIREMENTS.**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall conduct a stack test of the emission of gasoline from the John Zink vapor recovery system (ID C001) during gasoline loading operations no earlier than eighteen months prior to the expiration date of this operating permit and no later than twelve months prior to the expiration date of this operating permit to verify compliance with the Emission Restrictions for Source ID P201A.

(b) The permittee shall follow the Testing Requirements as specified in Section C, Site Level Requirements.

005 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.503]**Subpart XX - Standards of Performance for Bulk Gasoline Terminals****Test methods and procedures.**

For one bottom loading gasoline arm (Arm/Meter #15) of Source ID P201A, the permittee shall comply with all the applicable testing requirements specified in 40 CFR Section 60.503.

**SECTION D. Source Level Requirements****III. MONITORING REQUIREMENTS.****# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall comply with all the applicable monitoring requirements specified in 25 Pa. Code Sections 129.59 and 129.62.

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.59]

(a) The permittee shall keep records of supporting documentation and calculations used to verify compliance with the vapor recovery system's (ID C001) emission limits of 30 milligrams per liter of gasoline loaded for Source ID P201A.

(b) The permittee shall keep records of stack test reports.

(c) These records shall be retained for at least 5 years and shall be made available to the Department on request.

008 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.62]

(a) The owner or operator of a source of VOCs shall maintain records of certification testing and repairs. The records shall identify the gasoline tank truck, vapor collection system or vapor control system; the date of the test or repair; and, if applicable, the type of repair and the date of retest. The records shall be maintained in a legible, readily-available condition for 1 year after the date the testing or repair was completed.

(b) The records of certification tests shall contain:

(i) The gasoline tank truck tank serial number.

(ii) The initial test pressure and the time of the reading.

(iii) The final test pressure and the time of the reading.

(iv) The initial test vacuum and the time of the reading.

(v) The final test vacuum and the time of the reading.

(vi) At the top of each report page, the company name and the date and location of the tests on that page.

(vii) The name and title of the person conducting the test.

(c) Copies of records and reports under this subsection shall be made available to the Department upon verbal or written request at any reasonable time. A copy of the test results for each gasoline tank shall be kept with the truck.

(d) Gasoline tank trucks with a rated capacity of less than 4,800 gallons are exempt from the above recordkeeping requirements.

009 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.505]**Subpart XX - Standards of Performance for Bulk Gasoline Terminals****Reporting and recordkeeping.**

For one bottom loading gasoline arm (Arm/Meter #15) of Source ID P201A, the permittee shall comply with all the applicable recordkeeping requirements specified in 40 CFR Section 60.505.

V. REPORTING REQUIREMENTS.**# 010 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.505]****Subpart XX - Standards of Performance for Bulk Gasoline Terminals****Reporting and recordkeeping.**

For one bottom loading gasoline arm (Arm/Meter #15) of Source ID P201A, the permittee shall comply with all the applicable

**SECTION D. Source Level Requirements**

reporting requirements specified in 40 CFR Section 60.505.

VI. WORK PRACTICE REQUIREMENTS.**# 011 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.59]

A person may not cause or permit the loading of gasoline into a vehicular tank from a bulk gasoline terminal unless the gasoline loading racks are equipped with a loading arm with a vapor collection adaptor and pneumatic, hydraulic or other mechanical means to force a vapor-tight seal between the adaptor and the hatch of the tank. A means shall be provided to prevent gasoline drainage from the loading device when it is not connected to the hatch, and to accomplish complete drainage before the removal. When loading is effected through means other than hatches, loading and vapor lines shall be equipped with fittings which make vapor-tight connections and which will be closed upon disconnection.

VII. ADDITIONAL REQUIREMENTS.**# 012 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR Part 60 Section 500]

One bottom loading gasoline arm (Arm/Meter #15) of Source ID P201A is subject to 40 CFR Part 60, Subpart XX. The permittee shall comply with all the applicable requirements specified in 40 CFR Part 60, Sections 60.500 - 60.506. Additionally, the permittee shall label the subject loading arm as "Arm/Meter #15" in order to readily identify this arm.

013 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) Source ID P201A is a gasoline loading operation that consists three bottom loading gasoline arms in Bay 2 .


(b) The air contaminant emissions from Source ID P201A shall be controlled by a John Zink vapor recovery system (C001).

**SECTION D. Source Level Requirements**

Source ID: P201B

Source Name: DISTILLATE LOADING OPERATION

Source Capacity/Throughput:

**I. RESTRICTIONS.****Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from the permittee requesting the Synthetic Minor restriction]

The throughput of distillate products (e.g. kerosene, fuel oil) shall not exceed 281,572,494 gallons in any 12 consecutive month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) Source ID P201B is a distillate loading operation that consists of three bottom loading distillate arms in Bay 2.


(b) The air contaminant emissions from Source ID P201B shall be controlled by a John Zink vapor recovery system (ID C001).

**SECTION D. Source Level Requirements**

Source ID: P202

Source Name: PUMPS, VALVES & FLANGES

Source Capacity/Throughput:

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID P202 represents all the pumps, valves & flanges at this facility.

**SECTION D. Source Level Requirements**

Source ID: P203

Source Name: OIL/WATER SEPARATOR

Source Capacity/Throughput:

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID P203 is an oil/water separator.

**SECTION D. Source Level Requirements**

Source ID: P204

Source Name: FACILITY FUGITIVE EMISSIONS

Source Capacity/Throughput:

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



SECTION E. Source Group Restrictions.



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.

**SECTION G. Emission Restriction Summary.**

No emission restrictions listed in this section of the permit.



SECTION H. Miscellaneous.



***** End of Report *****
