



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
AIR QUALITY PROGRAM**

**STATE ONLY NATURAL MINOR OPERATING PERMIT**

Issue Date: April 29, 2026

Effective Date: April 29, 2026

Expiration Date: April 28, 2031

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

**State Only Permit No: 55-00014**

Natural Minor

Federal Tax Id - Plant Code: 23-1694390-1

**Owner Information**

Name: BINGAMAN & SON LUMBER INC

Mailing Address: PO BOX 247

KREAMER, PA 17833-0247

**Plant Information**

Plant: BINGAMAN & SON LUMBER/KREAMER LUMBER MILL

Location: 55 Snyder County

55911 Middlecreek Township

SIC Code: 5031 Wholesale Trade - Lumber, Plywood, And Millwork

**Responsible Official**

Name: CHRIS BINGAMAN

Title: OWNER/PRESIDENT

Phone: (570) 374 - 1108

Email: tyshields@bingamanlumber.com

**Permit Contact Person**

Name: TYLER SHIELDS

Title: COO

Phone: (570) 374 - 1108

Email: tyshields@bingamanlumber.com

[Signature] \_\_\_\_\_

MUHAMMAD Q. ZAMAN, ENVIRONMENTAL PROGRAM MANAGER, NORTHCENTRAL REGION



## SECTION A. Table of Contents

### Section A. Facility/Source Identification

Table of Contents  
Site Inventory List

### Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter F.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation of Sources
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Prohibition of Air Pollution
- #024 Reporting
- #025 Report Format

### Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

### Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

### Section E. Source Group Restrictions



## SECTION A. Table of Contents

- E-I: Restrictions
- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements
- E-V: Reporting Requirements
- E-VI: Work Practice Standards
- E-VII: Additional Requirements

### Section F. Alternative Operating Scenario(s)

- F-I: Restrictions
- F-II: Testing Requirements
- F-III: Monitoring Requirements
- F-IV: Recordkeeping Requirements
- F-V: Reporting Requirements
- F-VI: Work Practice Standards
- F-VII: Additional Requirements

### Section G. Emission Restriction Summary

### Section H. Miscellaneous











**SECTION A. Site Inventory List**

| Source ID | Source Name                                | Capacity/Throughput | Fuel/Material |
|-----------|--|---------------------|---------------|
| 033       | AFS 29.15 MMBTU BIOMASS BOILER             | 29.150 MMBTU/HR     |               |
| 034       | HURST 23.62 MMBTU NATURAL GAS FIRED BOILER | 23.620 MMBTU/HR     |               |
| P102      | GC#3 SAWS                                  |                     |               |
| P103      | WOOD HOG                                   |                     |               |
| P104      | STACKER 3 SAWS                             |                     |               |
| P105      | MEREEN-JOHNSON RIP SAW                     |                     |               |
| P106      | NEWMAN PLANER                              |                     |               |
| P107      | RAIMANN GANG RIP SAW VALU-RIP LINE         |                     |               |
| P108      | RAIMANN RIP SAW                            |                     |               |
| P109      | BARR MULLEN BRUTE CHOP SAW                 |                     |               |
| P110      | RERIP ROOM                                 |                     |               |
| P111      | VORTEX WOOD HOG                            |                     |               |
| P113      | S-12 EQUIPMENT                             |                     |               |
| P114      | DETROIT DIESEL-FIRED GENERATOR             |                     |               |
| P115      | GENERAC PROPANE-FIRED GENERATOR            |                     |               |
| P116      | PARTS WASHER                               |                     |               |
| C032      | MULTICLONE 2                               |                     |               |
| C033A     | MULTICLONE                                 |                     |               |
| C033C     | ELECTROSTATIC PRECIPITATOR                 |                     |               |
| C101      | DIXIE FABRIC COLLECTOR                     |                     |               |
| C102      | NORD-FAB FABRIC COLLECTOR                  |                     |               |
| C103      | DANTHERM FABRIC COLLECTOR                  |                     |               |
| C104      | NEEDERMAN FABRIC COLLECTOR                 |                     |               |
| C107      | 100 FT SILO W/ BINGAMAN FABRIC COLLECTOR   |                     |               |
| C108      | 60 FT SILO W/ NORD-FAB FABRIC COLLECTOR    |                     |               |
| FM001     | WOOD SHAVINGS & CHIPS                      |                     |               |
| FM002     | NATURAL GAS PIPELINE                       |                     |               |
| S033      | AFS BIOMASS BOILER STACK                   |                     |               |
| S034      | HURST BOILER STACK                         |                     |               |
| S102      | NORDFAB COLLECTOR EXHAUST                  |                     |               |
| S107      | BINGAMAN COLLECTOR EXHAUST                 |                     |               |
| S108      | NORD-FAB COLLECTOR EXHAUST                 |                     |               |
| S114      | DETROIT DIESEL-FIRED GENERATOR STACK       |                     |               |
| S115      | GENERAC PROPANE-FIRED GENERATOR STACK      |                     |               |
| Z001      | FUGITIVE EMISSIONS                         |                     |               |

**PERMIT MAPS**









### PERMIT MAPS





## PERMIT MAPS



**SECTION B. General State Only Requirements****#001 [25 Pa. Code § 121.1]****Definitions.**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

**#002 [25 Pa. Code § 127.446]****Operating Permit Duration.**

- (a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.
- (b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

**#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]****Permit Renewal.**

- (a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.
- (b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.
- (c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.
- (d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.
- (e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).
- (f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

**#004 [25 Pa. Code § 127.703]****Operating Permit Fees under Subchapter F.**

- (a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.
- (1) For a synthetic minor facility, a fee equal to:
- (i) Four thousand dollars (\$4,000) for calendar years 2021—2025.
  - (ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.
  - (iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.
- (2) For a facility that is not a synthetic minor, a fee equal to:

**SECTION B. General State Only Requirements**

- (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
- (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
- (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.

(b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

**#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]****Transfer of Operating Permits.**

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

**#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]****Inspection and Entry.**

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

**#007 [25 Pa. Code §§ 127.441 & 127.444]****Compliance Requirements.**

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

- (1) Enforcement action

**SECTION B. General State Only Requirements**

(2) Permit termination, revocation and reissuance or modification

(3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

**#008 [25 Pa. Code § 127.441]****Need to Halt or Reduce Activity Not a Defense.**

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

**#009 [25 Pa. Code §§ 127.442(a) & 127.461]****Duty to Provide Information.**

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

**#010 [25 Pa. Code § 127.461]****Revising an Operating Permit for Cause.**

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

**#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]****Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:

(b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless

**SECTION B. General State Only Requirements**

precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.

(d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.

(e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

**#012 [25 Pa. Code § 127.441]****Severability Clause.**

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

**#013 [25 Pa. Code § 127.449]****De Minimis Emission Increases.**

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

(b) The Department may disapprove or condition de minimis emission increases at any time.

(c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO<sub>x</sub> from a single source during the term of the permit and 5 tons of NO<sub>x</sub> at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM<sub>10</sub> from a single source during the term of the permit and 3.0 tons of PM<sub>10</sub> at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

(1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.

**SECTION B. General State Only Requirements**

- (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
- (4) Space heaters which heat by direct heat transfer.
- (5) Laboratory equipment used exclusively for chemical or physical analysis.
- (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
- (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
- (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

**#014 [25 Pa. Code § 127.3]****Operational Flexibility.**

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)
- (6) Section 127.462 (relating to minor operating permit modifications)
- (7) Subchapter H (relating to general plan approvals and general operating permits)

**SECTION B. General State Only Requirements****#015 [25 Pa. Code § 127.11a]****Reactivation of Sources**

- (a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).
- (b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

**#016 [25 Pa. Code § 127.36]****Health Risk-based Emission Standards and Operating Practice Requirements.**

- (a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].
- (b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

**#017 [25 Pa. Code § 121.9]****Circumvention.**

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

**#018 [25 Pa. Code §§ 127.402(d) & 127.442]****Reporting Requirements.**

- (a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.
- (b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.
- (c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:
- Regional Air Program Manager  
PA Department of Environmental Protection  
(At the address given in the permit transmittal letter, or otherwise notified)
- (d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.
- (e) Any records, reports or information submitted to the Department shall be available to the public except for such records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

**SECTION B. General State Only Requirements****#019 [25 Pa. Code §§ 127.441(c) & 135.5]****Sampling, Testing and Monitoring Procedures.**

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

**#020 [25 Pa. Code §§ 127.441(c) and 135.5]****Recordkeeping.**

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

**#021 [25 Pa. Code § 127.441(a)]****Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

**#022 [25 Pa. Code § 127.447]****Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

**#023 [25 Pa. Code § 121.7]****Prohibition of Air Pollution**

No person may permit air pollution as that term is defined in the Air Pollution Control Act (35 P.S. §§ 4001-4015).

**SECTION B. General State Only Requirements****#024 [25 Pa. Code §135.3]****Reporting**

(a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

**#025 [25 Pa. Code §135.4]****Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

No person may permit the emission into the outdoor atmosphere of fugitive air contaminants from a source other than the following:

- (1) Construction or demolition of buildings or structures.
- (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (4) Clearing of land.
- (5) Stockpiling of materials.
- (6) Open burning operations.
- (7) Sources and classes of sources other than those identified above, for which the permittee has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
  - (a) The emissions are of minor significance with respect to causing air pollution.
  - (b) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

**# 002 [25 Pa. Code §123.2]****Fugitive particulate matter**

No person may permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified above in Condition #001(1) - (7) if the emissions are visible at the point the emissions pass outside the person's property.

**# 003 [25 Pa. Code §123.41]****Limitations**

No person may permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

**# 004 [25 Pa. Code §123.42]****Exceptions**

The emission limitations of 25 Pa. Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations;
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions;
- (3) The emission results from sources specified in 25 Pa. Code Section 123.1(a)(1)-(9).

**II. TESTING REQUIREMENTS.****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) Pursuant to 25 Pa. Code § 139.3, at least 90 calendar days prior to commencing a EPA reference method testing program, a test protocol shall be submitted to the Department for review and approval. One electronic copy shall be sent to

**SECTION C. Site Level Requirements**

the Northcentral Regional Office Air Quality Program Manager and one electronic copy shall be sent to the PSIMS Administrator in Central Office. The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(b) Pursuant to 25 Pa. Code § 139.3, at least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be given to the Northcentral Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.

(c) If applicable, pursuant to 40 CFR § 60.8(a), 40 CFR § 61.13(f) and 40 CFR § 63.7(g), complete test reports shall be submitted to the Department no later than 60 calendar days after completion of the on-site testing portion of an EPA reference method test program.

(d) Pursuant to 25 Pa. Code § 139.53(b) a complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or noncompliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:

1. A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
2. Permit number(s) and condition(s) which are the basis for the evaluation.
3. Summary of results with respect to each applicable permit condition.
4. Statement of compliance or non-compliance with each applicable permit condition.

(e) Pursuant to 25 Pa. Code § 139.3, all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(f) All testing shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection.

(g) Pursuant to 25 Pa. Code §§ 139.53(a)(1) and 139.53(a)(3), electronic copies of all submittals, besides notifications, shall be sent to the Northcentral Regional Office Air Quality Program Manager, with deadlines verified. In addition, an electronic copy shall be sent to the PSIMS Administrator in Central Office. Email addresses are provided on the PA DEP website.

(h) The permittee shall ensure all federal reporting requirements contained in the applicable subpart of 40 CFR are followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between state and the federal, the most stringent provision, term, condition, method or rule shall be used by default.

**# 006 [25 Pa. Code §139.1]****Sampling facilities.**

Upon the request of the Department, the permittee shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such source. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

**# 007 [25 Pa. Code §139.11]****General requirements.**

(a) As specified in 25 Pa. Code Section 139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.

(b) As specified in 25 Pa. Code Section 139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum, all of the following:



## SECTION C. Site Level Requirements

- (1) A thorough source description, including a description of any air cleaning devices and the flue.
- (2) Process conditions, for example, the charging rate of raw material or rate of production of final product, boiler pressure, oven temperature and other conditions which may affect emissions from the process.
- (3) The location of sampling ports.
- (4) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage of CO, CO<sub>2</sub>, O<sub>2</sub> and N<sub>2</sub>), static and barometric pressures.
- (5) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.
- (6) Laboratory procedures and results.
- (7) Calculated results.

### III. MONITORING REQUIREMENTS.

#### # 008 [25 Pa. Code §123.43]

##### Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and certified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

#### # 009 [25 Pa. Code §127.441]

##### Operating permit terms and conditions.

(a) The permittee shall conduct a weekly inspection of the facility during daylight hours while the facility is operating to detect visible emissions, visible fugitive emissions and malodors. Weekly inspections are necessary to determine:

- (1) the presence of visible emissions,
- (2) the presence of visible fugitive emissions, and
- (3) the presence of malodors beyond the facility's property boundaries.

(b) All detected visible emissions, visible fugitive emissions or malodors that have the potential to exceed applicable limits shall be reported to the manager of the facility.

### IV. RECORDKEEPING REQUIREMENTS.

#### # 010 [25 Pa. Code §127.441]

##### Operating permit terms and conditions.

The permittee shall maintain a logbook of the weekly facility inspections and shall record instances of visible emissions, visible fugitive emissions and malodorous air emissions, the name of the company representative monitoring these instances, and the date and time of each occurrence. The permittee shall also record the corrective action(s) taken to abate each recorded deviation or to prevent future occurrences.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

### V. REPORTING REQUIREMENTS.

#### # 011 [25 Pa. Code §127.441]

##### Operating permit terms and conditions.

Upon request by the Department, the permittee shall submit all requested reports in accordance with the Department's

**SECTION C. Site Level Requirements**

suggested format.

**# 012 [25 Pa. Code §127.442]****Reporting requirements.**

Malfunctions, Emergencies or Incidents of Excess Emissions

(a) The permittee shall report malfunctions, emergencies or incidents of excess emissions to the Department. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. An emergency is any situation arising from sudden and reasonably unforeseeable events beyond the control of the owner or operator of a facility which requires immediate corrective action to restore normal operation and which causes the emission source to exceed emissions, due to unavoidable increases in emissions attributable to the situation. An emergency shall not include situations caused by improperly designed equipment, lack of preventive maintenance, careless or improper operation, or operator error.

(b) When the malfunction, emergency or incident of excess emissions poses an imminent danger to the public health, safety, welfare, or environment, it shall be reported to the Department and the County Emergency Management Agency by telephone within one (1) hour after the discovery of the malfunction, emergency or incident of excess emissions. The owner or operator shall submit a written or emailed report of instances of such malfunctions, emergencies or incidents of excess emissions to the Department within three (3) business days of the telephone report.

(c) The report shall describe the following:

1. name, permit or authorization number, and location of the facility,
2. nature and cause of the malfunction, emergency or incident,
3. date and time when the malfunction, emergency or incident was first observed,
4. expected duration of excess emissions,
5. estimated rate of emissions,
6. corrective actions or preventative measures taken.

(d) Any malfunction, emergency or incident of excess emissions that is not subject to the notice requirements of paragraph (b) of this condition shall be reported to the Department by telephone within 24 hours (or by 4:00 PM of the next business day, whichever is later) of discovery and in writing or by e-mail within five (5) business days of discovery. The report shall contain the same information required by paragraph (c), and any permit specific malfunction reporting requirements.

(e) During an emergency an owner or operator may continue to operate the source at their discretion provided they submit justification for continued operation of a source during the emergency and follow all the notification and reporting requirements in accordance with paragraphs (b)-(d), as applicable, including any permit specific malfunction reporting requirements.

(f) Reports regarding malfunctions, emergencies or incidents of excess emissions shall be submitted to the appropriate DEP Regional Office Air Program Manager.

(g) Any emissions resulting from malfunction or emergency are to be reported in the annual emissions inventory report, if the annual emissions inventory report is required by permit or authorization.

**VI. WORK PRACTICE REQUIREMENTS.****# 013 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

For any source specified in 25 Pa. Code Section 123.1 subsection(s) (a)(1)-(7) or (a)(9), the permittee shall take all reasonable actions to prevent particulate matter from becoming airborne. These actions shall include, but not be limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land.

**SECTION C. Site Level Requirements**

- (2) Application of asphalt, oil, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.
- (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

**VII. ADDITIONAL REQUIREMENTS.****# 014 [25 Pa. Code §121.7]****Prohibition of air pollution.**

No person may permit air pollution as that term is defined in the act (The Air Pollution Act (35 P.S. Sections 4001-4015)).

**# 015 [25 Pa. Code §123.31]****Limitations**

No person may permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

**# 016 [25 Pa. Code §129.14]****Open burning operations**

No person may permit the open burning of material at this facility unless in accordance with 25 Pa. Code Section 129.14.

**VIII. COMPLIANCE CERTIFICATION.**

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

**IX. COMPLIANCE SCHEDULE.**


No compliance milestones exist.

**SECTION D. Source Level Requirements**

Source ID: 033

Source Name: AFS 29.15 MMBTU BIOMASS BOILER

Source Capacity/Throughput: 29.150 MMBTU/HR

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Pursuant to the Best Available Technology (BAT) requirements of 25 Pa. Code Sections 127.1 and 127.12, the nitrogen oxide (NO<sub>x</sub>, expressed as NO<sub>2</sub>) emissions from the exhaust of C033B associated with Source ID 033 shall not exceed 0.22 pound per million British thermal unit (lb/MMBtu) of heat input and 28.08 tons in any 12 consecutive month period.

**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Compliance with this streamlined permit condition assures compliance with 25 Pa. Code Section 123.22]

Pursuant to the BAT requirements of 25 Pa. Code Sections 127.1 and 127.12, no person may permit the emission of sulfur oxides (SO<sub>x</sub>, expressed as SO<sub>2</sub>) into the outdoor atmosphere from the exhaust of C033B associated with Source ID 033 in excess of the rate of 0.025 lb/MMBtu of heat input and 3.19 tons in any 12 consecutive month period.

**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Pursuant to the BAT requirements of 25 Pa. Code Sections 127.1 and 127.12, the volatile organic compound emissions from the exhaust of C033B associated with Source ID 033 shall not exceed 0.017 lb/MMBtu of heat input and 2.17 tons in any 12 consecutive month period.

**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Pursuant to the BAT requirements of 25 Pa. Code Sections 127.1 and 127.12, the carbon monoxide emissions from the exhaust of C033B associated with Source ID 033 shall not exceed 0.33 lb/MMBtu of heat input and 42.13 tons in any 12 consecutive month period.

**# 005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.11201]****Subpart JJJJJJ - National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources****What standards must I meet?**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12. Compliance with this streamlined plan approval condition also assures compliance with 25 Pa. Code Section 123.11]

The particulate matter emissions from the exhaust of C033C associated with Source ID 033 shall not exceed 0.07 lb/MMBtu of heat input and 8.94 tons in any 12 consecutive month period.

**Fuel Restriction(s).****# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The only fuel to be fired in Source ID 033 shall be sawdust, shavings and chips generated from sawing and machining kiln

**SECTION D. Source Level Requirements**

dried lumber. No waste generated from wood products such as flakeboard, wood treated with any type of wood preservative, wood with laminate attached, wood glued with a chlorinated solvent-containing glue or any other material other than the sawdust, shavings and chips mentioned above may be burned in Source ID 033 under any circumstances.

**II. TESTING REQUIREMENTS.**

**# 007 [25 Pa. Code §127.441]**

**Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR §63.11220(a)]

The permittee shall conduct EPA reference method performance testing for emissions of filterable particulate matter from Source ID 033 on a triennial basis. Triennial performance tests must be completed no more than 37 months after the previous performance test.

**III. MONITORING REQUIREMENTS.**

**# 008 [25 Pa. Code §127.441]**

**Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The multiclone collector (Control Device ID C033A) shall be equipped with instrumentation to measure the pressure drop across the collector.

**# 009 [25 Pa. Code §127.441]**

**Operating permit terms and conditions.**

The electrostatic precipitator (Control Device ID C033C) shall be equipped with instrumentation to continuously monitor filterable particulate matter at the outlet of the control device. The monitoring system shall be operated in accordance with the requirements of 40 CFR §63.11224(d) and collect data as required by 40 CFR §63.11221.

**# 010 [25 Pa. Code §127.441]**

**Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR §§63.11205(c) and 63.11224(c)]

(a) For the continuous particulate matter monitoring system, the permittee shall develop, and submit to the Department for approval, a site-specific monitoring plan that addresses items (1) through (6) of this condition. The permittee shall submit this site-specific monitoring plan at least 60 days before the initial performance evaluation of the monitoring system.

(1) Installation of the continuous monitoring system sampling probe or other interface at a measurement location relative to each affected process unit such that the measurement is representative of control of the exhaust emissions;

(2) Performance and equipment specifications for the sample interface, the pollutant concentration or parametric signal analyzer, and the data collection and reduction systems; and

(3) Performance evaluation procedures and acceptance criteria (e.g., calibrations).

(4) Ongoing operation and maintenance procedures in accordance with the applicable general requirements of 40 CFR §63.8(c)(1)(ii), (c)(3), and (c)(4)(ii);

(5) Ongoing data quality assurance procedures in accordance with the applicable general requirements of 40 CFR §63.8(d); and

(6) Ongoing recordkeeping and reporting procedures in accordance with the applicable general requirements of 40 CFR §63.10(c), (e)(1), and (e)(2)(i).

(b) The permittee shall conduct a performance evaluation of the particulate matter monitoring system in accordance with the

**SECTION D. Source Level Requirements**

site-specific monitoring plan.

(c) The permittee shall operate and maintain the particulate matter monitoring system in continuous operation according to the site-specific monitoring plan.

**# 011 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall install, calibrate, maintain, and continuously operate the particulate matter monitoring system as specified in items (1) through (7) of this condition:

- (1) The permittee shall install and operate a particulate matter monitoring system for each exhaust stack of the electrostatic precipitator.
- (2) The particulate matter monitoring system must be installed, operated, calibrated, and maintained in a manner consistent with the manufacturer's written specifications and recommendations.
- (3) The particulate matter monitoring system must be certified by the manufacturer to be capable of detecting particulate matter emissions at concentrations of 10 milligrams per actual cubic meter or less.
- (4) The particulate matter monitoring system sensor must provide output of relative or absolute particulate matter loadings.
- (5) The particulate matter monitoring system must be equipped with a device to continuously record the output signal from the sensor.
- (6) The particulate matter monitoring system must be equipped with an audible or visual alarm system that will activate automatically when an increase in relative particulate matter emissions over a preset level is detected. The alarm must be located where it is easily heard or seen by plant operating personnel.
- (7) Where multiple particulate matter monitors are required, the system's instrumentation and alarm may be shared among monitors.

**IV. RECORDKEEPING REQUIREMENTS.****# 012 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR §§60.48c and 63.11225(b)]

- (a) The permittee shall keep accurate and comprehensive records of the following information for Source ID 033:
  - (1) A copy of each notification and report that was submitted to comply with Subpart JJJJJJ and all documentation supporting any Initial Notification or Notification of Compliance Status that was submitted.
  - (2) The permittee shall keep the following records to document conformance with the applicable work practices, emission reduction measures, and management practices requirements:
    - (i) Records of biennial tune-ups, including the date, the procedures followed for tune-up, and the manufacturer's specifications to which the boiler was tuned.
    - (ii) A copy of the energy assessment report required under Subpart JJJJJJ.
    - (iii) A copy of each stack test report.
    - (iv) Records of fuel use in Source ID 033 on no less frequent than a weekly basis.
    - (v) Records of the differential pressure across the multiclone (ID C033A) at least twice per week.

**SECTION D. Source Level Requirements**

- (vi) Records of the supporting calculations on a monthly basis used to verify compliance with the nitrogen oxide, carbon monoxide, sulfur oxide, volatile organic compound, and particulate matter emission limitations in any 12 consecutive month period.
- (3) Records of the occurrence and duration of each malfunction of Source ID 033, or of the associated air pollution control and monitoring equipment.
- (4) Records of actions taken during periods of malfunction to minimize emissions in accordance with the general duty to minimize emissions, including corrective actions to restore the malfunctioning boiler, air pollution control, or monitoring equipment to its normal or usual manner of operation.
- (5) Records of all inspection and monitoring data required by 40 CFR §§63.11221 and 63.11222, and the information identified in (i) through (vi) of this condition for each required inspection or monitoring.
  - (i) The date, place, and time of the monitoring event.
  - (ii) Person conducting the monitoring.
  - (iii) Technique or method used.
  - (iv) Operating conditions during the activity.
  - (v) Results, including the date, time, and duration of the period from the time the monitoring indicated a problem to the time that monitoring indicated proper operation.
  - (vi) Maintenance or corrective action taken (if applicable).
- (b) These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**V. REPORTING REQUIREMENTS.****# 013 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR §63.11225(b)]

The permittee shall prepare and submit to the Department by March 1 of each year an annual compliance certification report for the previous calendar year containing the information specified in items (1) through (5) of this condition:

- (1) Company name and address.
- (2) Statement by a responsible official, with the official's name, title, phone number, email address, and signature, certifying the truth, accuracy and completeness of the notification and a statement of whether the source has complied with all the relevant standards and other requirements of Subpart JJJJJ. The notification must include the following certification(s) of compliance, as applicable, and signed by a responsible official:
  - (i) "This facility complies with the requirements in 40 CFR §63.11223 to conduct a biennial or 5-year tune-up, as applicable, of each boiler."
  - (ii) "This facility complies with the requirement in 40 CFR §§63.11214(d) and 63.11223(g) to minimize the boiler's time spent during startup and shutdown and to conduct startups and shutdowns according to the manufacturer's recommended procedures or procedures specified for a boiler of similar design if manufacturer's recommended procedures are not available."
- (3) If the source experiences any deviations from the applicable requirements during the reporting period, include a description of deviations, the time periods during which the deviations occurred, and the corrective actions taken.

**SECTION D. Source Level Requirements**

(4) The total fuel use by Source ID 033, for each calendar month within the reporting period, including, but not limited to, a description of the fuel and the total fuel usage amount with units of measure.

(5) The supporting calculations on a monthly basis used to verify compliance with the nitrogen oxide, carbon monoxide, sulfur oxide, volatile organic compound, and particulate matter emission limitations in any 12 consecutive month period.

**# 014 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Within 60 days of the effective date of this operating permit revision, the permittee shall create and submit to the Department a report correlating the particulate matter emissions measured during the initial stack testing with the ESP (ID C033C) and the measurements made by the resistivity probe used to monitor the particulate matter concentration in the exhaust gases from the boiler. The report shall also include the specific value at which the alarm system is set to be activated as well as 30 days of resistivity probe measurement data that was recorded pursuant to Condition #011(5).

**VI. WORK PRACTICE REQUIREMENTS.****# 015 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.11201]****Subpart JJJJJJ - National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources****What standards must I meet?**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

(a) The permittee shall minimize the boiler's startup and shutdown periods and conduct startups and shutdowns according to the manufacturer's recommended procedures.

(b) The permittee shall conduct a tune-up of the boiler biennially utilizing the following procedure:

(1) As applicable, inspect the burner, and clean or replace any components of the burner as necessary (you may delay the burner inspection until the next scheduled unit shutdown, not to exceed 36 months from the previous inspection).

(2) Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specifications, if available.

(3) Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly (you may delay the inspection until the next scheduled unit shutdown, not to exceed 36 months from the previous inspection).

(4) Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available, and with any nitrogen oxide requirement to which the unit is subject.

(5) Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made (measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made). Measurements may be taken using a portable CO analyzer.

(6) Maintain on-site and submit, if requested by the Department, a report containing the information in paragraphs (b)(6)(i) through (iii) of this section.

(i) The concentrations of CO in the effluent stream in parts per million, by volume, and oxygen in volume percent, measured at high fire or typical operating load, before and after the tune-up of the boiler.

(ii) A description of any corrective actions taken as a part of the tune-up of the boiler.

(iii) The type and amount of fuel used over the 12 months prior to the tune-up of the boiler, but only if the unit was physically and legally capable of using more than one type of fuel during that period. Units sharing a fuel meter may estimate the fuel use by each unit.

**SECTION D. Source Level Requirements**

(7) If the unit is not operating on the required date for a tune-up, the tune-up must be conducted within 30 days of startup.

**VII. ADDITIONAL REQUIREMENTS.****# 016 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 033 is an AFS model WTFT-600-150 wood-fired boiler rated at 29.15 MMBtu/hr of heat input. The air contaminant emissions shall be controlled by an AFS-24-9CYT multiclone (Control Device ID C033A) and an R&R Beth model 300/1-F-4x3,5-9 Electrostatic Precipitator (Control Device ID C033C) operating in series.

**# 017 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR §63.11205(a)]

The permittee shall, at all times, operate and maintain Source ID 033, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require the permittee to make any further efforts to reduce emissions if levels required by this permit have been achieved.

**# 018 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.40c]****Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units  
Applicability and delegation of authority.**

Source ID 033 is subject to 40 CFR Part 60 Subpart Dc - Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The permittee shall comply with all applicable requirements of Subpart Dc.

**# 019 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.11194]****Subpart JJJJJJ - National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources****What is the affected source of this subpart?**


Source ID 033 is subject to 40 CFR Part 63 Subpart JJJJJJ - National Emissions Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The permittee shall comply with all applicable requirements of Subpart JJJJJJ.

**SECTION D. Source Level Requirements**

Source ID: 034

Source Name: HURST 23.62 MMBTU NATURAL GAS FIRED BOILER

Source Capacity/Throughput: 23.620 MMBTU/HR

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.11]****Combustion units**

No person may permit the emission into the outdoor atmosphere of particulate matter from Source ID 034 in excess of 0.40 pounds per million Btu of heat input.

**# 002 [25 Pa. Code §123.22]****Combustion units**

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 52.2020(c)]

No person may permit the emission of sulfur oxides (SO<sub>x</sub>), expressed as SO<sub>2</sub> into the outdoor atmosphere from Source ID 034 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

Emissions from Source ID 034 shall be equal to or less than:

- 30 ppm<sub>dv</sub> NO<sub>x</sub> corrected to 3% O<sub>2</sub>;
- 300 ppm<sub>dv</sub> CO corrected to 3% O<sub>2</sub>.

**Fuel Restriction(s).****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 034 shall only be fired on pipeline-quality natural gas.

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall install and maintain the necessary meter(s) to determine and to record the amount of fuel used in Source ID 034.

**SECTION D. Source Level Requirements****IV. RECORDKEEPING REQUIREMENTS.**

**# 006 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.48c]  
Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units  
Reporting and recordkeeping requirements.**

[Additional authority for this streamlined permit condition is also derived from 25 Pa. Code § 127.441]

(a) The permittee shall create and maintain records of the amount of natural gas combusted in Source ID 034 during each calendar month in accordance with 40 CFR 60.48c(g)(2).

(b) These records shall be kept for a minimum of 5 years and shall be made available to the Department upon request.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VII. ADDITIONAL REQUIREMENTS.**

**# 007 [25 Pa. Code §127.441]  
Operating permit terms and conditions.**

Source ID 034 is Hurst model EURO 600-150-G33 natural gas-fired boiler, rated at 23.62 million Btu per hour of maximum heat input. Source ID 034 was approved for construction via authorization GP1-55-069A on May 5, 2021.

**# 008 [25 Pa. Code §127.441]  
Operating permit terms and conditions.**

Source ID 034 is subject to 40 CFR Part 60, Subpart Dc - New Source Performance Standards for Small Industrial-Commercial-Institutional Steam Generating Units. The permittee shall comply with all applicable requirements of this Subpart.


**SECTION D. Source Level Requirements**

Source ID: P102

Source Name: GC#3 SAWS

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P102 consists of GC#3 saws used to cut wood.

The air contaminant emissions from Source ID P102 shall be controlled by a Dantherm fabric collector (Control Device ID C103), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P103

Source Name: WOOD HOG

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P103 consists of a WSM3232 wood hog used to shred wood.


The air contaminant emissions from Source ID P103 shall be controlled by a Neederman fabric collector (Control Device ID C104), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).

**SECTION D. Source Level Requirements**

Source ID: P104

Source Name: STACKER 3 SAWS

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

# 001 [25 Pa. Code §123.13]

**Processes**

Pursuant to 25 Pa. Code Section 123.13(c)(1)(i), no person may permit the emission into the outdoor atmosphere of particulate matter from the exhaust of C102 associated with Source IDs P104 in a manner that the concentration of particulate matter in the effluent gas exceeds 0.04 grain per dry standard cubic foot.

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.**

# 002 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

Control Device ID C102 associated with Source ID P104 shall be equipped with instrumentation to measure the pressure drop across the fabric collector.

**IV. RECORDKEEPING REQUIREMENTS.**

# 003 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

The permittee shall keep records of the supporting calculations used to verify compliance with the particulate matter emission limitation for Source ID P104.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

# 004 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

The pressure drop across the fabric collector (Control Device ID C102) associated with Source ID P104 shall be recorded at least twice each week.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.**

# 005 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for the fabric collector (Control Device ID C102) associated with Source ID P104 in order to be able to immediately replace any bags requiring replacement due to deterioration.

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P104 consists of Stacker #3 saws used to cut wood.

The air contaminant emissions from Source ID P104 shall be controlled by a Nord-Fab fabric collector (Control Device ID C102).


**SECTION D. Source Level Requirements**

Source ID: P105

Source Name: MEREEN-JOHNSON RIP SAW

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P105 consists of PR2000 gang rip saws used to cut wood.

The air contaminant emissions from Source ID P105 shall be controlled by a Neederman fabric collector (Control Device ID C104), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P106

Source Name: NEWMAN PLANER

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P106 consists of a Newman planer used to plane wood.

The air contaminant emissions from Source ID P106 shall be controlled by a Dantherm fabric collector (Control Device ID C103), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P107

Source Name: RAIMANN GANG RIP SAW VALU-RIP LINE

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P107 is a Raimann Gang Rip Saw that has 4 fixed blades and 6 movable blades and is used to rip lumber lengthwise to produce a product of different width. It has its own dust collection fan and piping to the fabric collectors.

The air contaminant emissions from Source ID P107 shall be controlled by a Neederman fabric collector (Control Device ID C104), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P108

Source Name: RAIMANN RIP SAW

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P108 is a Northtech Gang Rip Saw that has 1 fixed blade and 2 movable blades and is used to rip lumber lengthwise to produce a product of different width. It has its own dust collection fan and piping to the fabric collectors.

The air contaminant emissions from Source ID P108 shall be controlled by a Neederman fabric collector (Control Device ID C104), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P109

Source Name: BARR MULLEN BRUTE CHOP SAW

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P109 is a "jump saw" that is used for cross cutting boards in the defecting process. It has its own dust collection fan and piping to the fabric collectors.

The air contaminant emissions from Source ID P109 shall be controlled by a Neederman fabric collector (Control Device ID C104), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P110

Source Name: RERIP ROOM

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P110 consists of a single blade straight line saw and a manually operated jump saw. These are used to remanufacture pieces that do not meet the inspection specs as they were originally produced. This source has one fan that pulls dust from both machines at the same time.

The air contaminant emissions from Source ID P110 shall be controlled by a Dantherm fabric collector (Control Device ID C103), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).


**SECTION D. Source Level Requirements**

Source ID: P111

Source Name: VORTEX WOOD HOG

Source Capacity/Throughput:

Conditions for this source occur in the following groups: WOODWORKING

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**IV. RECORDKEEPING REQUIREMENTS.**

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**VII. ADDITIONAL REQUIREMENTS.****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P111 is a slow speed wood grinder that is used to grind wood waste into boiler fuel.


The air contaminant emissions from Source ID P111 shall be controlled by a Dantherm fabric collector (Control Device ID C103), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).

**SECTION D. Source Level Requirements**

Source ID: P113

Source Name: S-12 EQUIPMENT

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

Pursuant to 25 Pa. Code Section 123.13(c)(1)(i), no person may permit the emission into the outdoor atmosphere of particulate matter from each of the exhausts of C101, C107, and C108 associated with Source ID P113 in a manner that the concentration of particulate matter in the effluent gas exceeds 0.04 grain per dry standard cubic foot.

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.****# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Each fabric collector (Control Device IDs C101, C107, and C108) associated with Source ID P113 shall be equipped with instrumentation to measure the pressure drop across each fabric collector.

**IV. RECORDKEEPING REQUIREMENTS.****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall keep records of the supporting calculations used to verify compliance with the particulate matter emission limitation for Source ID P113.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The pressure drop across each fabric collector (Control Device IDs C101, C107, and C108) associated with Source ID P113 shall be recorded at least twice each week.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

**SECTION D. Source Level Requirements**

The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for the fabric collectors (Control Device IDs C101, C107, and C108) associated with Source ID P113 in order to be able to immediately replace any bags requiring replacement due to deterioration.

**VII. ADDITIONAL REQUIREMENTS.**

**# 006 [25 Pa. Code §127.441]**

**Operating permit terms and conditions.**

Source ID P113 consists of 2 manual chop saws, 2 moulders and a finger jointer. This source has a single trunk line coming off the fabric collector and then splitting off to the individual machines in order to collect dust.


The air contaminant emissions from Source ID P113 shall be controlled by a Dixie fabric collector (Control Device ID C101), a 100' silo w/ associated Bingaman fabric collector (Control Device ID C107), and a 60' silo w/ associated Nord-Fab fabric collector (Control Device ID C108).

**SECTION D. Source Level Requirements**

Source ID: P114

Source Name: DETROIT DIESEL-FIRED GENERATOR

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

# 001 [25 Pa. Code §123.13]

**Processes**

No person may permit the emission into the outdoor atmosphere of particulate matter from the exhaust of Source ID P114 in a manner that the concentration in the effluent gas exceeds 0.04 grains per dry standard cubic foot.

# 002 [25 Pa. Code §123.21]

**General**

No person may permit the emission into the outdoor atmosphere of sulfur oxides from the exhaust of Source ID P114 in a manner that the concentration of the sulfur oxides, expressed as SO<sub>2</sub>, in the effluent gas exceeds 500 parts per million, by volume, on a dry basis.

**Fuel Restriction(s).**

# 003 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

Source ID P114 shall only be fired on diesel fuel.

**Operation Hours Restriction(s).**

# 004 [25 Pa. Code §127.441]

**Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR § 63.6640(f)]

The permittee shall operate the emergency generator set included in Source ID P114 according to the requirements in paragraphs (1) through (4). Any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (1) through (4), is prohibited.

(1) There is no time limit on the use of Source ID P114 in emergency situations.

(2) The permittee may operate Source ID P114 for the purposes specified in paragraphs (3) and (4) for a combined maximum of 100 hours per calendar year.

(3) Source ID P114 may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The permittee may petition the Department for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the permittee maintains records indicating that federal, state, or local standards require maintenance and testing of Source ID P114 beyond 100 hours per calendar year.

(4) Source ID P114 may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year provided in paragraph (2). Except as provided in 40 CFR § 63.6640(f)(4)(ii), the 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to supply power to an electric grid or otherwise supply power as part of a financial arrangement with another entity.

**SECTION D. Source Level Requirements****II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.**

**# 005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my monitoring, installation, operation, and maintenance requirements?**

The reciprocating internal combustion engine included in Source ID P114 must be equipped with a non-resettable hour meter.

**IV. RECORDKEEPING REQUIREMENTS.**

**# 006 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6655]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What records must I keep?**

[Additional authority for this permit condition is also derived from 40 CFR §§63.6660]

(a) The permittee shall keep records of the maintenance conducted on Source ID P114 in order to demonstrate that it operated and maintained the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions or according to its own maintenance plan.

(b) The permittee shall keep records of the hours of operation of Source ID P114 that is recorded through the non-resettable hour meter. The permittee must document how many hours are spent for emergency operation, including what classified the operation as emergency and how many hours are spent for non-emergency operation.

(c) The permittee shall keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.**

**# 007 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6605]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my general requirements for complying with this subpart?**

At all times the permittee must operate and maintain the emergency generator included in Source ID P114, including associated monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions.

**# 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my monitoring, installation, operation, and maintenance requirements?**

The permittee shall operate and maintain the reciprocating internal combustion engine included in Source ID P114 according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engines in a manner consistent with good air pollution control practice for minimizing emissions.

**SECTION D. Source Level Requirements****# 009 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?**

[Additional authority for this permit condition is also derived from 40 CFR §§63.6603(a) and 63.6625(i)]

The permittee shall conduct the following maintenance on the emergency generator engine of Source ID P114:

- (a) Change oil and filter every 500 hours of operation or within 1 year + 30 days of the previous change, whichever comes first; unless the optional oil analysis program in 40 CFR §63.6625(i) indicates the oil does not need to be changed;
- (b) Inspect air cleaner every 1,000 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary; and
- (c) Inspect all hoses and belts every 500 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary.

**VII. ADDITIONAL REQUIREMENTS.****# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P114 is a Detroit Diesel Series 60 model 6011.IL diesel fired generator engine rated at 350 horsepower.

**# 011 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID P114 is subject to 40 CFR Part 63 Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The permittee shall comply with all applicable requirements of 40 CFR §§63.6580 through 63.6675.

**SECTION D. Source Level Requirements**

Source ID: P115

Source Name: GENERAC PROPANE-FIRED GENERATOR

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

No person may permit the emission into the outdoor atmosphere of particulate matter from the exhaust of Source ID P115 in a manner that the concentration in the effluent gas exceeds 0.04 grains per dry standard cubic foot.

**# 002 [25 Pa. Code §123.21]****General**

No person may permit the emission into the outdoor atmosphere of sulfur oxides from the exhaust of Source ID P115 in a manner that the concentration of the sulfur oxides, expressed as SO<sub>2</sub>, in the effluent gas exceeds 500 parts per million, by volume, on a dry basis.

**Fuel Restriction(s).****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P115 shall only be fired on propane.

**Operation Hours Restriction(s).****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 40 CFR § 63.6640(f)]

The permittee shall operate the emergency generator set included in Source ID P115 according to the requirements in paragraphs (1) through (4). Any operation other than emergency operation, maintenance and testing, and operation in non-emergency situations for 50 hours per year, as described in paragraphs (1) through (4), is prohibited.

(1) There is no time limit on the use of Source ID P115 in emergency situations.

(2) The permittee may operate Source ID P115 for the purposes specified in paragraphs (3) and (4) for a combined maximum of 100 hours per calendar year.

(3) Source ID P115 may be operated for maintenance checks and readiness testing, provided that the tests are recommended by federal, state or local government, the manufacturer, the vendor, the regional transmission organization or equivalent balancing authority and transmission operator, or the insurance company associated with the engine. The permittee may petition the Department for approval of additional hours to be used for maintenance checks and readiness testing, but a petition is not required if the permittee maintains records indicating that federal, state, or local standards require maintenance and testing of Source ID P115 beyond 100 hours per calendar year.

(4) Source ID P115 may be operated for up to 50 hours per calendar year in non-emergency situations. The 50 hours of operation in non-emergency situations are counted as part of the 100 hours per calendar year provided in paragraph (2). Except as provided in 40 CFR § 63.6640(f)(4)(ii), the 50 hours per year for non-emergency situations cannot be used for peak shaving or non-emergency demand response, or to generate income for a facility to supply power to an electric grid or otherwise supply power as part of a financial arrangement with another entity.

**SECTION D. Source Level Requirements****II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.**

**# 005 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my monitoring, installation, operation, and maintenance requirements?**

The reciprocating internal combustion engine included in Source ID P115 must be equipped with a non-resettable hour meter.

**IV. RECORDKEEPING REQUIREMENTS.**

**# 006 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6655]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What records must I keep?**

[Additional authority for this permit condition is also derived from 40 CFR §§63.6660]

(a) The permittee shall keep records of the maintenance conducted on Source ID P115 in order to demonstrate that it operated and maintained the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions or according to its own maintenance plan.

(b) The permittee shall keep records of the hours of operation of Source ID P115 that is recorded through the non-resettable hour meter. The permittee must document how many hours are spent for emergency operation, including what classified the operation as emergency and how many hours are spent for non-emergency operation.

(c) The permittee shall keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.**

**# 007 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6605]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my general requirements for complying with this subpart?**

At all times the permittee must operate and maintain the emergency generator included in Source ID P115, including associated monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions.

**# 008 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6625]**

**Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines**

**What are my monitoring, installation, operation, and maintenance requirements?**

The permittee shall operate and maintain the reciprocating internal combustion engine included in Source ID P115 according to the manufacturer's emission-related written instructions or develop its own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engines in a manner consistent with good air pollution control practice for minimizing emissions.

**SECTION D. Source Level Requirements****# 009 [40 CFR Part 63 NESHAPS for Source Categories §40 CFR 63.6640]****Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines****How do I demonstrate continuous compliance with the emission limitations, operating limitations, and other requirements?**

[Additional authority for this permit condition is also derived from 40 CFR §§63.6603(a) and 63.6625(j)]

The permittee shall conduct the following maintenance on the emergency generator engine of Source ID P115:

- (a) Change oil and filter every 500 hours of operation or within 1 year + 30 days of the previous change, whichever comes first; unless the optional oil analysis program in 40 CFR §63.6625(j) indicates the oil does not need to be changed;
- (b) Inspect spark plugs every 1,000 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary; and
- (c) Inspect all hoses and belts every 500 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary.

**VII. ADDITIONAL REQUIREMENTS.****# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P115 is a Generac generator powered by a propane-fired engine rated at 35 horsepower.

**# 011 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID P115 is subject to 40 CFR Part 63 Subpart ZZZZ - National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The permittee shall comply with all applicable requirements of 40 CFR §§63.6580 through 63.6675.

**SECTION D. Source Level Requirements**

Source ID: P116

Source Name: PARTS WASHER

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.63]

The vapor pressure of VOC containing solvent shall be less than 1.0 millimeter of mercury (mm Hg) measured at 20 degrees Celsius (68 degrees Fahrenheit).

**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Emissions of volatile organic compounds (VOCs) from Source ID P116 shall not exceed 2.7 tons in any 12 consecutive month period.

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.**

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**IV. RECORDKEEPING REQUIREMENTS.****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is also derived from 25 Pa. Code Section 129.63]

The permittee shall keep records of Certified Product Data Sheets (CPDSs) or Material Safety Data Sheets (MSDSs) that identify the volatile organic compound (VOC) and hazardous air pollutant (HAP) content of Source ID P116.

**# 004 [25 Pa. Code §129.63]****Degreasing operations**

The permittee shall maintain for a minimum of five (5) years and present to the Department upon request the following information:

- (1) The name and address of the solvent supplier,
- (2) The type of solvent including the product or vendor identification number,
- (3) The vapor pressure of the solvent measured in millimeters of mercury (mm Hg) at 68 degrees Fahrenheit.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.****# 005 [25 Pa. Code §129.63]****Degreasing operations**

Source ID P116 shall be operated in accordance with the following procedures:

- (1) Waste solvent shall be collected and stored in a closed container. The closed container may contain a device that allows pressure relief, but does not allow liquid solvent to drip from the container.
- (2) Flushing of parts using a flexible hose or other flushing device shall be performed only within the cold cleaning machine. The solvent spray shall be a solid fluid stream, not an atomized or shower spray.
- (3) Sponges, fabric, wood, leather, paper products, and other absorbent materials may not be cleaned in the cold cleaning machine.
- (4) Air agitated solvent baths may not be used.
- (5) Spills during solvent transfer and use of cold cleaning machine shall be cleaned up immediately.

**# 006 [25 Pa. Code §129.63]****Degreasing operations**

Source ID P116 shall be equipped with a cover that shall be closed at all times except during the cleaning of parts or the addition or removal of solvent.

**# 007 [25 Pa. Code §129.63]****Degreasing operations**

Source ID P116 shall have a freeboard ratio of 0.50 or greater.

**# 008 [25 Pa. Code §129.63]****Degreasing operations**

Source ID P116 shall have a permanent, conspicuous label summarizing all required operating procedures specified in Condition #005 for Source ID P116. In addition, the label shall include the following discretionary good operating practices:

- (1) Cleaned parts should be drained at least 15 seconds or until dripping ceases, whichever is longer. Parts having cavities or blind holes shall be tipped or rotated while the part is draining.
- (2) During the draining, tipping, or rotating, the parts should be positioned so that solvent drains directly back to the cold cleaning machine.
- (3) Work area fans should be located and positioned so that they do not blow across the opening of the degreaser unit.

**VII. ADDITIONAL REQUIREMENTS.****# 009 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P116 is a 20 gallon R&D Fountain Industries parts washer utilizing VOC-based solvents.

**# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P116 is subject to 25 Pa. Code Section 129.63(a) (Degreasing Operations - Cold Cleaning Machines). The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.63(a).

**SECTION E. Source Group Restrictions.**

Group Name: WOODWORKING

Group Description: Woodworking Equipment Requirements

Sources included in this group

| ID   | Name                               |
|------|------------------------------------|
| P102 | GC#3 SAWS                          |
| P103 | WOOD HOG                           |
| P105 | MEREEN-JOHNSON RIP SAW             |
| P106 | NEWMAN PLANER                      |
| P107 | RAIMANN GANG RIP SAW VALU-RIP LINE |
| P108 | RAIMANN RIP SAW                    |
| P109 | BARR MULLEN BRUTE CHOP SAW         |
| P110 | RERIP ROOM                         |
| P111 | VORTEX WOOD HOG                    |

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

Pursuant to 25 Pa. Code Section 123.13(c)(1)(i), no person may permit the emission into the outdoor atmosphere of particulate matter from each of the exhausts of C107 and C108 associated with Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112 in a manner that the concentration of particulate matter in the effluent gas exceeds 0.04 grain per dry standard cubic foot.

**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall not allow the emission into the outdoor atmosphere of particulate matter from each of the exhausts of C103 and C104 associated with Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112 in a manner that the concentration of particulate matter in the effluent gas exceeds 0.01 grain per dry standard cubic foot.

**II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**III. MONITORING REQUIREMENTS.****# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Each fabric collector (Control Device IDs C103, C104, C107, and C108) associated with Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112 shall be equipped with instrumentation to measure the pressure drop across each fabric collector.

**IV. RECORDKEEPING REQUIREMENTS.****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall keep records of the supporting calculations used to verify compliance with the particulate matter emission limitation for Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The pressure drop across each fabric collector (Control Device IDs C103, C104, C107, and C108) associated with Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112 shall be recorded at least twice each week.

**SECTION E. Source Group Restrictions.**

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**V. REPORTING REQUIREMENTS.**

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**VI. WORK PRACTICE REQUIREMENTS.****# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for the fabric collectors (Control Device IDs C103, C104, C107, and C108) associated with Source IDs P102, P103, P105, P106, P107, P108, P109, P110, P111, and P112 in order to be able to immediately replace any bags requiring replacement due to deterioration.

**VII. ADDITIONAL REQUIREMENTS.**

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



**SECTION F. Alternative Operation Requirements.**

No Alternative Operations exist for this State Only facility.

**SECTION G. Emission Restriction Summary.**

No emission restrictions listed in this section of the permit.



## SECTION H. Miscellaneous.

The following air contaminant sources are considered to be insignificant in regards to air contaminant emissions and have been determined by the Department to be exempt from permitting requirements. However, this determination does not exempt the sources from compliance with all applicable State and Federal regulations and all applicable air quality regulations specified in 25 Pa. Code Chapters 121-145:

- Fourteen (14) steam heated kilns and one (1) steam heated predryer used to dry hardwoods.



\*\*\*\*\* End of Report \*\*\*\*\*

---