



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
AIR QUALITY PROGRAM

STATE ONLY OPERATING PERMIT

Issue Date: May 23, 2002

Effective Date: May 23, 2002

Expiration Date: May 22, 2007

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each plan approval condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated as "State-Only" requirements.

State Only Permit No: 41-00004

Synthetic Minor

Federal Tax Id - Plant Code: 23-1115640-1

Owner Information

Name: ROCHELLE FURNITURE

Mailing Address: THOMAS AVE

MONTGOMERY, PA 17752

Plant Information

Plant: ROCHELLE FURNITURE / MONTGOMERY PLT

Location: 41 Lycoming County

41933 Montgomery Boro

SIC Code: 2511 Manufacturing - Wood Household Furniture

Responsible Official

Name: ROBERT C BROUSE

Title: GENERAL MANAGER

Phone: (717) 547 - 2341

Permit Contact Person

Name: ROBERT C BROUSE

Title: GENERAL MANAGER

Phone: (570) 547 - 2341

[Signature] _____

DAVID W ALDENDERFER, NORTHCENTRAL REGION AIR PROGRAM MANAGER



Section A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.

Section C. Site Level Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

- E-I: Restrictions
- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements



Section A. Table of Contents

E-V: Reporting Requirements
E-VI: Work Practice Standards
E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

F-I: Restrictions
F-II: Testing Requirements
F-III: Monitoring Requirements
F-IV: Recordkeeping Requirements
F-V: Reporting Requirements
F-VI: Work Practice Standards
F-VII: Additional Requirements

Section G. Emission Restriction Summary


Section H. Miscellaneous



Section A. Site Inventory List

Source ID	Source Name	Capacity/Throughput	Fuel/Material
031	BOILER	2.40 MMBTU / HR	
		2.35 MCF / HR	Natural Gas
P101	SEALER DIP TANK 1	N / A	SEALER
P102	SEALER DIP TANK 2	N / A	SEALER
P103	WHITE STAIN DIP TANK	N / A	WHITE WASH
P104	MAPLE STAIN DIP TANK	N / A	MAPLE STAIN
P105	ASH STAIN DIP TANK	N / A	ASH STAIN
P106	TOPCOAT DIP TANK	N / A	LACQUER
P107	CHERRY STAIN DIP TANK	N / A	CHERRY STAIN
P108	WHITE TOPCOAT SPRAY BOOTH	N / A	WHITE LACQUER
P109	CLEAR TOPCOAT SPRAY BOOTH	N / A	LACQUER
P110	CLEANING OPERATIONS	N / A	
C108	DRY PANEL FILTERS-WHITE LAQ		
C109	DRY PANEL FILTERS-LACQUER		
FM01	NATURAL GAS LINE		
S031	BOILER STACK		
S108	WHITE SPRAY BOOTH STACK		
S109	CLEAR SPRAY BOOTH STACK		
Z101	DIP SEALER 1 FUG EMISS		
Z102	DIP SEALER 2 FUG EMISS		
Z103	WHITE STAIN FUG EMISS		
Z104	MAPLE STAIN FUG EMISS		
Z105	ASH STAIN FUG EMISS		
Z106	TOPCOAT FUG EMISS		
Z107	CHERRY STAIN FUG EMISS		
Z108	WHITE SPRAY BOOTH FUG EMISS		
Z109	CLEAR SPRAY BOOTH FUG EMISS		
Z110	CLEANING FUG EMISS		

PERMIT MAPS



PROC
P104 → STAC
Z104

PROC
P105 → STAC
Z105

PROC
P106 → STAC
Z106

PROC
P107 → STAC
Z107

PROC
P108 → CNTL
C108 → STAC
S108
↓
STAC
Z108

PROC
P109 → CNTL
C109 → STAC
S109
↓
STAC
Z109

PROC
P110 → STAC
Z110



Section B. General State Only Requirements

#001 [25 Pa. Code § 121.1]

Definitions.

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]

Operating Permit Duration.

(a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.

(b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)&(c)]

Permit Renewal.

(a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.

(b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

(c) The permittee shall submit with the renewal application a fee for the processing of the application and an additional annual administrative fee as specified in 25 Pa. Code § 127.703(b) and (c). The fees shall be made payable to "The Commonwealth of Pennsylvania - Clean Air Fund" and shall be for the amount specified in the following schedule specified in 25 Pa. Code § 127.703(b) and (c).

(1) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.

(d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.

(e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).

(f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]

Operating Permit Fees under Subchapter I.

(a) The permittee shall pay fees according to the following schedule specified in 25 Pa. Code § 127.703(b):

(1) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.

This fee schedule shall apply to the processing of an application for an operating permit as well as the extension, modification, revision, renewal, and re-issuance of each operating permit or part thereof.



Section B. General State Only Requirements

(b) The permittee shall pay an annual operating permit administrative fee according to the fee schedule established in 25 Pa. Code § 127.703(c).

(1) Two hundred fifty dollars for applications filed during the 1995-1999 calendar years.

(2) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(3) Three hundred seventy-five dollars for applications filed during the years beginning in 2005.

(c) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania - Clean Air Fund".

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]

Transfer of Operating Permits.

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]

Inspection and Entry.

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]

Compliance Requirements.

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

(1) Enforcement action

(2) Permit termination, revocation and reissuance or modification



Section B. General State Only Requirements

(3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]

Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]

Duty to Provide Information.

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]

Revising an Operating Permit for Cause.

This operating permit may be modified, revoked, reopened and reissued or terminated for cause if one or more of the following applies:

(a) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.

(b) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.

(c) The permittee has failed to submit a report required by the operating permit or an applicable regulation.

(d) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450 & 127.462]

Operating Permit Modifications

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:

(b) Administrative Amendments. The permittee shall make administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall make minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.



Section B. General State Only Requirements

(d) Permit modifications which do not qualify as minor permit modifications under 25 Pa. Code § 127.541 will be treated as a significant operating permit revision subject to the public notification procedures in §§ 127.424 and 127.425.

#012 [25 Pa. Code § 127.441]

Severability Clause.

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]

De Minimis Emission Increases.

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

- (1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.
- (2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.
- (b) The Department may disapprove or condition de minimis emission increases at any time.
- (c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:
 - (1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.
 - (2) One ton of NOx from a single source during the term of the permit and 5 tons of NOx at the facility during the term of the permit.
 - (3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.
 - (4) Six-tenths of a ton of PM10 from a single source during the term of the permit and 3.0 tons of PM10 at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
 - (5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
- (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
- (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
- (4) Space heaters which heat by direct heat transfer.



Section B. General State Only Requirements

(5) Laboratory equipment used exclusively for chemical or physical analysis.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:

(1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.

(2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and /or the new source review requirements in Subchapter E.

(3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.

(f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.

(g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.

(h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]

Operational Flexibility.

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

(1) Section 127.14 (relating to exemptions)

(2) Section 127.447 (relating to alternative operating scenarios)

(3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)

(4) Section 127.449 (relating to de minimis emission increases)

(5) Section 127.450 (relating to administrative operating permit admendments)

(6) Section 127.462 (relating to minor operating permit modifications)

(7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11]

Reactivation

(a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).

(b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code §

**Section B. General State Only Requirements**

127.11a(b).

#016 [25 Pa. Code § 127.36]

Health Risk-based Emission Standards and Operating Practice Requirements.

(a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].

(b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]

Circumvention.

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]

Reporting Requirements.

(a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.

(b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.

(c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

(d) Any records or information including applications, forms, reports, or compliance certifications submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.

(e) Any records, reports or information submitted to the Department shall be available to the public except for such records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]

Sampling, Testing and Monitoring Procedures.

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the enhanced monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or

**Section B. General State Only Requirements**

permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]

Recordkeeping.

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]

Property Rights.

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]

Alternative Operating Scenarios.

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

No person may permit the emission into the outdoor atmosphere of fugitive air contaminants from a source other than the following:

- (1) Construction or demolition of buildings or structures.
- (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (4) Clearing of land.
- (5) Stockpiling of materials.
- (6) Open burning operations.
- (7) Sources and classes of sources other than those identified above, for which the permittee has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - (a) The emissions are of minor significance with respect to causing air pollution.
 - (b) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

002 [25 Pa. Code §123.2]

Fugitive particulate matter

No person may permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified above in Condition #001 if the emissions are visible at the point the emissions pass outside the person's property.

003 [25 Pa. Code §123.31]

Limitations

No person may permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

004 [25 Pa. Code §123.41]

Limitations

No person may permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

005 [25 Pa. Code §123.42]

Exceptions

The emission limitations of 25 Pa Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations;
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions;

**SECTION C. Site Level Requirements**

(3) The emissions results from sources specified in 25 Pa Code Section 123.1(a)(1)-(9).

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from the permittee requesting this elective restriction]

- (a) The combined hazardous air pollutant (HAP) emissions, from all sources at the facility, shall not equal or exceed 25 tons in any 12 consecutive month period.
- (b) The individual hazardous air pollutant (HAP) emissions, from all sources at the facility, shall not equal or exceed 10 tons in any 12 consecutive month period.
- (c) The combined volatile organic compound (VOC) emissions, from all sources at the facility, shall not equal or exceed 25 tons in any 12 consecutive month period.

007 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from Table I in 25 Pa. Code Section 129.52]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not apply coatings in the facility that have a VOC content in excess of the following standards:

- (1) Topcoats and enamels: 3.0 lbs VOC per lb coating solids
- (2) Washcoat: 14.3 lbs VOC per lb coating solids
- (3) Final Repair Coat: 3.3 lbs VOC per lb coating solids
- (4) Basecoats: 2.2 lbs VOC per lb coating solids
- (5) Cosmetic Specialty Coatings: 14.3 lbs VOC per lb coating solids
- (6) Sealers: 3.9 lbs VOC per lb coating solids

II. TESTING REQUIREMENTS.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The permittee shall conduct semiannual tests which determine through Method 24 of 40 CFR Part 60 and 25 Pa. Code Chapter 139 the VOC content (lbs VOC per lb coating solids) of all applied coatings used in Sealer Dip Tank 1 (Source ID P101), Sealer Dip Tank 2 (Source ID P102) and Topcoat Dip Tank (Source ID P106).
- (b) The permittee shall maintain documentation (certified product data sheets) from the supplier / manufacturer which determines through Method 24 of 40 CFR Part 60 and 25 Pa. Code Chapter 139 the VOC content (lbs VOC per lb coating solids) of all coatings, solvents and adhesives used at the facility.

009 [25 Pa. Code §127.441]

Operating permit terms and conditions.

- (a) The correlation(s) (at production temperature(s)) between the coating viscosity and VOC content, for Source IDs P101, P102 and P106, shall be constructed by using a #2 Zahn cup to measure viscosity and by using Method 24 of 40 CFR Part 60

**SECTION C. Site Level Requirements**

and 25 Pa. Code Chapter 139 to determine the VOC content in lbs VOC per lb coating solids. The correlation(s) shall be submitted to the Department for approval.

(b) The initial correlation(s) shall be submitted to the Department no later than March 1, 2003.

010 [25 Pa. Code §139.1]

Sampling facilities.

Upon the request of the Department, the person responsible for a source shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such source. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

011 [25 Pa. Code §139.11]

General requirements.

(a) As specified in 25 Pa. Code Section 139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.

(b) As specified in 25 Pa.. Code Section 139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum all of the following:

- (1) A thorough source description, including a description of any air cleaning devices and the flue.
- (2) Process conditions, for example, the charging rate of raw materials or the rate of production of final product, boiler pressure, oven temperature and other conditions which may effect emissions from the process.
- (3) The location of sampling ports.
- (4) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage CO, CO₂, O₂ and N₂), static and barometric pressures.
- (5) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.
- (6) Laboratory procedures and results.
- (7) Calculated results.

III. MONITORING REQUIREMENTS.

012 [25 Pa. Code §123.43]

Measuring techniques

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and certified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

**SECTION C. Site Level Requirements**

013 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) The permittee shall conduct a monthly inspection of the facility during daylight hours while the facility is operating, to detect visible emissions, visible fugitive emissions and malodors. Monthly inspections are necessary to determine:

- (1) the presence of visible emissions.
- (2) the presence of visible fugitive emissions.
- (3) the presence of malodors beyond the facility's property boundaries.

(b) All detected visible emissions, visible fugitive emissions or malodors that have the potential to exceed applicable limits shall be reported to the manager of the facility.

014 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain the viscosities of the coatings, used in Sealer Dip Tank 1 (Source ID P101), Sealer Dip Tank 2 (Source ID P102) and Topcoat Dip Tank (Source ID P106), that correlates to a VOC content that is less than or equal to the VOC content standards specified in Table I of 25 Pa. Code Section 129.52. The permittee shall demonstrate compliance by maintaining and using the correlation(s) (at production temperature(s)) between the viscosity and the VOC content (lbs VOC per lb coating solids) of each coating used in the abovementioned tanks. The permittee shall monitor the coating viscosity with a #2 Zahn cup each time solvent is added.

IV. RECORDKEEPING REQUIREMENTS.

015 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall maintain a logbook of the monthly facility inspections and shall record instances of visible emissions, visible fugitive emissions and malodorous air emissions, the name of the company representative monitoring these instances, and the date and time of each occurrence. The permittee shall also record the corrective action(s) taken to abate each recorded deviation or to prevent future occurrences.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

016 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) The permittee shall keep records of tests conducted through Method 24 of 40 CFR Part 60 and 25 Pa. Code Chapter 139 which determines the VOC content (lbs VOC per lb coating solids) of all applied coatings used in Source IDs P101, P102 and P106.

(b) The permittee shall keep documentation (certified product data sheets) from the supplier / manufacturer which determines through Method 24 of 40 CFR Part 60 and 25 Pa. Code Chapter 139 the VOC content (lbs VOC per lb coating solids) of all coatings, solvents and adhesives used at the facility.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

017 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep records of the following:

(a) The supporting calculations used to verify compliance with the 12 consecutive month combined HAP emission limitation for all sources at the facility.

**SECTION C. Site Level Requirements**

(b) The supporting calculations used to verify compliance with the 12 consecutive month individual HAP emission limitation for all sources at the facility.

(c) The supporting calculations used to verify compliance with the 12 consecutive month VOC emission limitation for all sources at the facility.

These records shall include, but are not limited to, the use of certified product data sheets and material usage records, and shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

018 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep records of the viscosity measurements of the coatings used in Source IDs P101, P102 and P106 to verify compliance with the VOC content limitations (lbs VOC per lb coating solids). The permittee shall also keep records of the correlation(s) (at production temperature(s)) between the viscosity and the VOC content (lbs VOC per lb coating solids) of the coatings used in Source IDs P101, P102 and P106.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

019 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from 25 Pa. Code Section 129.52(c)]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall keep daily records of:

(1) The following parameters for each coating, thinner and other component as supplied for use in surface coating processes of the facility:

(i) The coating, thinner or component name and identification number.

(ii) The volume used.

(iii) The mix ratio.

(iv) The density or specific gravity

(v) The weight percent of total volatiles, water, solids and exempt solvents.

(2) The VOC content (lbs VOC / lb solids) of each coating, thinner and other component as supplied.

(3) The VOC content (lbs VOC / lb solids) of each as applied coating.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

020 [25 Pa. Code §135.5]

Recordkeeping

(a) The permittee shall maintain records including computerized records that may be necessary to comply with 25 Pa. Code Sections 135.3 and 135.21 (relating to reporting and emissions statements). These may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

(b) The above records shall be retained for a minimum of 5 years and shall be made available to the Department upon

**SECTION C. Site Level Requirements**

request.

V. REPORTING REQUIREMENTS.

021 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall submit the following on a semiannual basis:

- (a) The supporting calculations verifying compliance with the 12 consecutive month combined HAP emission limitation for all sources at the facility.
- (b) The supporting calculations verifying compliance with the 12 consecutive month individual HAP emission limitation for all sources at the facility.
- (c) The supporting calculations verifying compliance with the 12 consecutive month VOC emission limitation for all sources at the facility.

The semiannual reports shall include, but are not limited to, the use of certified product data sheets and material usage records, and shall be submitted to the Department no later than September 1 and March 1 for the previous 12 consecutive month period.

022 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall submit semiannual reports of the viscosity measurements of the coatings used in Source IDs P101, P102 and P106 verifying compliance with the VOC content limitations (lbs VOC per lb coating solids). The permittee shall also submit the most current correlation(s) (at production temperature(s)) between the viscosity and the VOC content (lbs VOC per lb coating solids) of the coatings used in Source IDs P101, P102 and P106.

The semiannual reports shall be submitted to the Department no later than September 1 and March 1.

023 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall submit reports of the semiannual tests which determine through Method 24 of 40 CFR Part 60 and 25 Pa. Code Chapter 139 the VOC content (lbs VOC per lb coating solids) of all applied coatings used in Source IDs P101, P102 and P106.

The semiannual reports shall be submitted to the Department no later than 30 days after the coating sample has been taken.

024 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Upon request by the Department, the permittee shall submit all requested reports in accordance with the Department's suggested format.

025 [25 Pa. Code §127.442]

Reporting requirements.

- (a) The permittee shall report malfunctions to the Department which occur at this facility. As defined in 40 CFR Section 60.2 and incorporated by reference in 25 Pa. Code Chapter 122, a malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual

**SECTION C. Site Level Requirements**

manner that may result in an increase in the emissions of air contaminants. Failures that are caused in part by poor maintenance or careless operation are not malfunctions.

(b) Failures that are caused in part by poor maintenance or careless operation shall be reported as excess emissions or deviations from this permits requirements.

(c) When the malfunction, excess emissions or deviation from this permits requirements poses an imminent and substantial danger to the public health and safety or environment, the permittee shall notify the Department by telephone no later than one (1) hour after the incident.

(d) Any malfunction, excess emissions or deviation from this permit's requirements that is not subject to the notice requirements of subsection (c) of this permit condition shall be reported to the Department within 24 hours of discovery. In notifying the Department, the permittee shall describe the following:

- (i) name and location of the facility;
- (ii) nature and cause of the malfunction or breakdown;
- (iii) time when the malfunction or breakdown was first observed;
- (iv) expected duration of excess emissions;
- (v) estimated rate of emissions; and
- (vi) corrective actions or preventative measures taken.

(e) The permittee shall notify the Department immediately when corrective measures have been accomplished.

(f) Upon the request of the Department, the permittee shall submit a full written report to the Regional Air Program Manager within fifteen (15) days of the malfunction, excess emissions or deviations from this permits requirements.

026 [25 Pa. Code §135.3]

Reporting

(a) A person who owns or operates a source to which 25 Pa. Code Chapter 135 applies, and who has previously been advised by the Department to submit a source report, shall submit by March 1 of each year a Annual Air Information Management Systems (AIMS) Emissions report for the preceding calendar year. The report shall include information for all previously reported sources, new sources which were first operated during the preceding calendar year and sources modified during the same period which were not previously reported.

(b) A person who receives initial notification by the Department that a Annual Air Information Management Systems (AIMS) Emissions report is necessary, shall submit an initial Annual Air Information Management Systems (AIMS) Emissions report within sixty (60) days after receiving the notification or by March 1 of the year following the year for which the report is required, whichever is later.

(c) A source owner may request an extension of time from the Department for the filing of a Annual Air Information Management Systems (AIMS) Emissions report, and the Department may grant the extension for reasonable cause.

VI. WORK PRACTICE STANDARDS.

027 [25 Pa. Code §123.1]

Prohibition of certain fugitive emissions

The permittee shall take all reasonable actions for any source specified in 25 Pa Code Section 123.1(a)(1-9) to prevent particulate matter from becoming airborne. These actions shall include, but not limited to, the following:

(1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land.

(2) Application of asphalt, oil, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.

(3) Paving and maintenance of roadways.

(4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

**SECTION C. Site Level Requirements**

028 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from 25 Pa. Code Section 129.52(f)]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not cause or permit the emission into the outdoor atmosphere of VOCs from the application of wood furniture coatings unless the coatings are applied using electrostatic, airless, curtain coating, roller coating, hand roller, hand brush, flow coating, dip coating or high volume-low pressure application equipment. Air atomized sprays may be used to apply cosmetic specialty coatings if the volume of the cosmetic specialty coatings is less than 5% by volume of the total coating used at this facility or to apply final repair coatings.

VII. ADDITIONAL REQUIREMENTS.

029 [25 Pa. Code §121.7]

Prohibition of air pollution.

No person may permit air pollution as that term is defined in the act (The Air Pollution Control Act (35 P.S. Sections 4001-4015)).

030 [25 Pa. Code §129.14]

Open burning operations

No person may permit the open burning of material at this Title V facility unless in accordance with 25 Pa. Code Section 129.14.

031 [25 Pa. Code §129.52]

Surface coating processes

The facility is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.

**SECTION D. Source Level Requirements**

Source ID: 031


Source Name: BOILER

Source Capacity / Throughput:

2.40 MMBTU / HR

2.35 MCF / HR

Natural Gas

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.22]

Combustion units

[Additional authority for this permit condition is derived from 25 Pa. Code Section 123.22(a)(1)]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

No person may permit the emission into the outdoor atmosphere of sulfur oxides (SO_x), expressed as SO₂, from Source ID 031 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.**Fuel Restriction(s).**

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only fire natural gas in Source ID 031.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID 031 is a natural gas fired Iron Fireman boiler with a rated heat input capacity of 2.40 MMBtu/hr.

**SECTION D. Source Level Requirements**


Source ID: P101

Source Name: SEALER DIP TANK 1

Source Capacity / Throughput:

N / A

SEALER

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §129.52]

[Surface coating processes](#)

[Additional authority for this permit condition is derived from Table I of 25 Pa. Code Section 129.52]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not apply sealer in Source ID P101 that has a VOC content, as applied, greater than 3.9 lbs VOC per lb coating solids.

Throughput Restriction(s).

002 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

The permittee shall only apply sealer in Source ID P101.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

003 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

Source ID P101 is a sealer dip tank used to seal wooden chairs previously coated with natural wood stain.



SECTION D. Source Level Requirements

004 [25 Pa. Code §129.52]

Surface coating processes

Source ID P101 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P102

Source Name: SEALER DIP TANK 2

Source Capacity / Throughput:

N / A

SEALER

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from Table I of 25 Pa. Code Section 129.52]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not apply sealer in Source ID P102 that has a VOC content, as applied, greater than 3.9 lbs VOC per lb coating solids.

Throughput Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply sealer in Source ID P102.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P102 is a sealer dip tank used to seal wooden chairs previously coated with white wash stain.



SECTION D. Source Level Requirements

004 [25 Pa. Code §129.52]

Surface coating processes

Source ID P102 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P103

Source Name: WHITE STAIN DIP TANK

Source Capacity / Throughput:

N / A

WHITE WASH

**I. RESTRICTIONS.****Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply dip stain in Source ID P103. A dip stain shall be a stain not defined as a cosmetic specialty coating.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P103 is a white wash stain dip tank used to stain wooden chairs.

003 [25 Pa. Code §129.52]

Surface coating processes

Source ID P103 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P104

Source Name: MAPLE STAIN DIP TANK

Source Capacity / Throughput:

N / A

MAPLE STAIN

**I. RESTRICTIONS.****Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply dip stain in Source ID P104. A dip stain shall be a stain not defined as a cosmetic specialty coating.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P104 is a maple stain dip tank used to stain wooden chairs.

003 [25 Pa. Code §129.52]

Surface coating processes

Source ID P104 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P105

Source Name: ASH STAIN DIP TANK

Source Capacity / Throughput:

N / A

ASH STAIN

**I. RESTRICTIONS.****Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply dip stain in Source ID P105. A dip stain shall be a stain not defined as a cosmetic specialty coating.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P105 is an ash stain dip tank used to stain wooden chairs.

003 [25 Pa. Code §129.52]

Surface coating processes

Source ID P105 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P106

Source Name: TOPCOAT DIP TANK

Source Capacity / Throughput:

N / A

LACQUER

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from Table I of 25 Pa. Code Section 129.52]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not apply topcoat in Source ID P106 that has a VOC content, as applied, greater than 3.0 lbs VOC per lb coating solids.

Throughput Restriction(s).

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply topcoat in Source ID P106.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P106 is a topcoat dip tank used to apply a final coating to wooden chairs.



SECTION D. Source Level Requirements

004 [25 Pa. Code §129.52]

Surface coating processes

Source ID P106 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P107

Source Name: CHERRY STAIN DIP TANK

Source Capacity / Throughput:

N / A

CHERRY STAIN

**I. RESTRICTIONS.****Throughput Restriction(s).**

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply dip stain in Source ID P107. A dip stain shall be a stain not defined as a cosmetic specialty coating.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P107 is a cherry stain dip tank used to stain wooden chairs.

003 [25 Pa. Code §129.52]

Surface coating processes

Source ID P107 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P108

Source Name: WHITE TOPCOAT SPRAY BOOTH

Source Capacity / Throughput:

N / A

WHITE LACQUER

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

[Additional authority for this permit condition is derived from 25 Pa. Code Section 123.13(c)(1)(i)]

The permittee shall not emit particulate matter from the exhaust of ID C108 associated with Source ID P108 in excess of 0.04 grain per dry standard cubic foot.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The VOC emissions from Source ID P108 shall not equal or exceed 10 tons in any 12 consecutive month period.

003 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from Table I of 25 Pa. Code Section 129.52]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall not apply topcoat in Source ID P108 that has a VOC content, as applied, greater than 3.0 lbs VOC per lb coating solids.

Throughput Restriction(s).

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply topcoat in Source ID P108.

II. TESTING REQUIREMENTS.

005 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from 25 Pa. Code Section 129.52(b)(1)(iii)]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall calculate the VOC content of the as applied coatings used in Source ID P108, expressed in units of weight of VOC per weight of coating solids, as follows:

$$\text{VOC} = (W_o) / (W_n)$$

**SECTION D. Source Level Requirements**

Where:

VOC = VOC content in lb VOC / lb of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100% - weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvents

Wn = Weight percent of solids of the as applied coating

III. MONITORING REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep gauges on hand to measure the air pressure, at the cap, of each spray gun of Source ID P108. The air pressure, at the cap, shall be measured at least once per month.

IV. RECORDKEEPING REQUIREMENTS.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(1) The permittee shall keep records of the amount of any VOC-containing material used in Source ID P108 each month, as well as records of the VOC content of all such materials.

(2) The permittee shall keep records of the supporting calculations used to verify compliance with the 12 consecutive month VOC emission limitation for Source ID P108.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

008 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep records of the supporting calculations used to verify compliance with the particulate matter emission limitation, for Source ID P108.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

009 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall keep records of the monthly air pressure readings, at the cap, of each spray gun of Source ID P108.

Records of air pressure readings shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.**

010 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall submit semiannual reports of the supporting calculations verifying compliance with the 12 consecutive month VOC emission limitation for Source ID P108.

The semiannual reports shall be submitted to the Department no later than September 1 and March 1 for the previous 12 consecutive month period.

VI. WORK PRACTICE STANDARDS.

011 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from 25 Pa. Code Section 121.1]

The HVLP spray gun(s) of Source ID P108 shall operate between 0.1 and 10.0 psig air pressure at the cap, at all times.

VII. ADDITIONAL REQUIREMENTS.

012 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P108 is a Devilbiss white topcoat spray booth using HVLP spray gun(s). Particulate emissions shall be controlled by dry panel filters (ID C108).

013 [25 Pa. Code §129.52]

Surface coating processes

Source ID P108 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.

**SECTION D. Source Level Requirements**


Source ID: P109

Source Name: CLEAR TOPCOAT SPRAY BOOTH

Source Capacity / Throughput:

N / A

LACQUER

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

[Additional authority for this permit condition is derived from the 25 Pa. Code Section 123.13(c)(1)(i)]

The permittee shall not emit particulate matter from the exhaust of ID C109 associated with Source ID P109 in excess of 0.04 grain per dry standard cubic foot.

002 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The VOC emissions from Source ID P109 shall not equal or exceed 10 tons in any 12 consecutive month period nor shall the formaldehyde emissions equal or exceed 100 pounds in any 12 consecutive month period.

003 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from Table I of 25 Pa. Code Section 129.52]

The permittee shall not apply topcoat in Source ID P109 that has a VOC content, as applied, greater than 3.0 lbs VOC per lb coating solids.

Throughput Restriction(s).

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only apply topcoat in Source ID P109.

II. TESTING REQUIREMENTS.

005 [25 Pa. Code §129.52]

Surface coating processes

[Additional authority for this permit condition is derived from 25 Pa. Code Section 129.52(b)(1)(iii)]

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR Section 52.2020(c)]

The permittee shall calculate the VOC content of the as applied coatings used in Source ID P109, expressed in units of weight of VOC per weight of coating solids, as follows:

$$\text{VOC} = (W_o) / (W_n)$$

Where:

**SECTION D. Source Level Requirements**

VOC = VOC content in lb VOC / lb of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100% - weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvents

Wn = Weight percent of solids of the as applied coating

III. MONITORING REQUIREMENTS.

006 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

The permittee shall keep gauges on hand to measure the air pressure, at the cap, of each spray gun of Source ID P109. The air pressure, at the cap, shall be measured at least once per month.

IV. RECORDKEEPING REQUIREMENTS.

007 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

The permittee shall keep records of the supporting calculations used to verify compliance with the particulate matter emission limitation for Source ID P109.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

008 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

(1). The permittee shall keep records of the amount of any VOC-containing material used in Source ID P109 each month, as well as records of the VOC content and formaldehyde content of all such materials.

(2). The permittee shall keep records of the supporting calculations used to verify compliance with the 12 consecutive month VOC and formaldehyde emission limitations for Source ID P109.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

009 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

The permittee shall keep records of the monthly air pressure readings, at the cap, of each spray gun of Source ID P109.

Records of air pressure readings shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

010 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

The permittee shall submit semiannual reports of the supporting calculations verifying compliance with the 12 consecutive month VOC and formaldehyde emission limitations for Source ID P109.

**SECTION D. Source Level Requirements**

The semiannual reports shall be submitted to the Department no later than September 1 and March 1 for the previous 12 consecutive month period.

VI. WORK PRACTICE STANDARDS.

011 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

[Additional authority for this permit condition is derived from 25 Pa. Code Section 121.1]

The HVLP spray gun(s) of Source ID P109 shall operate between 0.1 and 10.0 psig air pressure at the cap, at all times.

VII. ADDITIONAL REQUIREMENTS.

012 [25 Pa. Code §127.441]

[Operating permit terms and conditions.](#)

Source ID P109 is a Protectaire clear topcoat spray booth using HVLP spray gun(s). Particulate emissions shall be controlled by dry panel filters (ID C109).

013 [25 Pa. Code §129.52]

[Surface coating processes](#)

Source ID P109 is subject to 25 Pa. Code Section 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code Section 129.52.


**SECTION D. Source Level Requirements**

Source ID: P110

Source Name: CLEANING OPERATIONS

Source Capacity / Throughput:

N / A

**I. RESTRICTIONS.**

No additional requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VI. WORK PRACTICE STANDARDS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

001 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P110 consists of clean-up operations involving spray gun cleaning, dip tank cleaning, and block cleaning.



SECTION E. Source Group Restrictions.



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.



SECTION G. Emission Restriction Summary.

Dep Id	Source Description								
031	BOILER								
<table><tr><th>Emission Limit</th><th>Pollutant</th></tr><tr><td>4.000 Lbs/MMBTU</td><td>SOX</td></tr></table>		Emission Limit	Pollutant	4.000 Lbs/MMBTU	SOX				
Emission Limit	Pollutant								
4.000 Lbs/MMBTU	SOX								
P108	WHITE TOPCOAT SPRAY BOOTH								
<table><tr><th>Emission Limit</th><th>Pollutant</th></tr><tr><td>0.040 gr / DRY FT3</td><td>P000</td></tr><tr><td>10.000 Tons/Yr</td><td>VOC</td></tr></table>		Emission Limit	Pollutant	0.040 gr / DRY FT3	P000	10.000 Tons/Yr	VOC		
Emission Limit	Pollutant								
0.040 gr / DRY FT3	P000								
10.000 Tons/Yr	VOC								
P109	CLEAR TOPCOAT SPRAY BOOTH								
<table><tr><th>Emission Limit</th><th>Pollutant</th></tr><tr><td>0.040 gr / DRY FT3</td><td>P000</td></tr><tr><td>100.000 Lbs/Yr</td><td>T108</td></tr><tr><td>10.000 Tons/Yr</td><td>VOC</td></tr></table>		Emission Limit	Pollutant	0.040 gr / DRY FT3	P000	100.000 Lbs/Yr	T108	10.000 Tons/Yr	VOC
Emission Limit	Pollutant								
0.040 gr / DRY FT3	P000								
100.000 Lbs/Yr	T108								
10.000 Tons/Yr	VOC								

Site Emission Restriction Summary

Emission Limit	Pollutant
25.000 Tons/Yr combined	HAPS
10.000 Tons/Yr individual	HAPS
25.000 Tons/Yr	VOC

**SECTION H. Miscellaneous.**

The following air contaminant sources are considered to be insignificant emission sources to the Department and have been determined to be exempt from permit requirements. However, this determination does not exempt the sources from compliance with all applicable air quality regulations specified in 25 Pa. Code Chapters 121-143:

- (a) Woodworking Operations (sawing, hammering, gluing) controlled by a cyclone and exhausted inside the building. The glue used is a water based vinyl acetate adhesive.
- (b) Retarder usage to soak brushes that are used for wiping drops from chair parts. Approximately 1 gallon per year is used.



***** End of Report *****