

**Commonwealth of Pennsylvania
Department of Environmental Protection**



**REQUEST FOR REDESIGNATION
AS ATTAINMENT**

**PITTSBURGH-BEAVER VALLEY,
PENNSYLVANIA**

EIGHT-HOUR OZONE NONATTAINMENT AREA

APRIL 2007

Bureau of Air Quality
Pennsylvania Department of Environmental Protection
P.O. Box 8468
Pittsburgh, PA 17105-8468
717-787-9495

www.depweb.state.pa.us

Kathleen A. McGinty
Secretary

Edward G. Rendell
Governor

Blank page inserted for copying purposes

TABLE OF CONTENTS

Introduction	1
Section 1	Demonstration of Attainment and Air Quality Trends Analysis	
	A. Design Value Determination.....	3
	B. Air Quality Trends Analysis	3
	C. Climate Trends Analysis	6
	D. Additional Trends	10
	E. Ozone Transport	12
	F. Modeling Analysis.....	14
Section 2	SIP Approvals and Applicable Requirements	
	A. Regulatory Requirements.....	15
	B. Nonregulatory Requirements	16
Section 3	Demonstration of Permanent and Enforceable Improvement	
	A. Base Year (2002) Emission Inventory	18
	B. Attainment Year (2004) Emission Inventory	19
	C. Control Measures	19
Section 4	Maintenance Plan.....	24
Acronyms and Abbreviations	25

TABLES, CHARTS AND FIGURES

TABLE

1-1	Eight-Hour Ozone Statistics	4
1-2	Trajectory Start Points	13
3-1	VOC and NO _x Emissions Summary: 2002 and 2004.....	19
3-2	Highway Vehicles: VMT and Emissions	21

CHARTS

1-1	Eight-Hour Ozone Design Values	5
1-2	Exceedance Day Count	5
1-3	Fourth High Eight-Hour Ozone Values	6
1-4	Relationship between Ozone Exceedances, Solar Insolation and Temperature	7
1-5	Average Temperatures	8
1-6	Number of 90 degree days	9
1-7	Precipitation Totals	10
1-8	Pittsburgh Area Population and Labor Force.....	11
1-9	Pennsylvania Economic Activity Index.....	12

FIGURE

1-1	HYSPLIT Back Trajectory Analysis	13
-----	--	----

INTRODUCTION

Maintaining concentrations of ground-level ozone below the health-based standard is important because ozone is a serious human health threat, and also can cause damage to important food crops, forests, and wildlife.

Repeated exposure to ozone pollution may cause a variety of adverse health effects for both healthy people and those with existing conditions including difficulty in breathing, chest pains, coughing, nausea, throat irritation, and congestion. It can worsen bronchitis, heart disease, emphysema, and asthma, and reduce lung capacity. Asthma is a significant and growing threat to children and adults. Ozone can aggravate asthma, causing more asthma attacks, increased use of medication, more medical treatment and more frequent visits to hospital emergency clinics. Because ozone pollution usually forms in hot weather, anyone who spends time outdoors in the summer may be affected, particularly children, the elderly, outdoor workers and people exercising. Children are most at risk from exposure to ozone because they are active outside, playing and exercising, during the summertime when ozone levels are highest.

Ozone is one of the most pervasive and detrimental pollutants known to affect vegetation, causing more injury to trees and crops than any other air pollutant in the United States. Ozone interferes with photosynthesis, the process by which plants convert water and sunlight to food. Ozone makes plants more susceptible to disease, insects, other pollutants, and harsh weather. It damages the foliage of trees and other plants, ruining the landscape of cities, parks and forests, and recreation areas. Research has shown that current ozone concentrations result in reductions in wood growth in forests of the Northeast of over 10 percent. There is strong scientific evidence showing that current levels of ozone are reducing crop yields, particularly in sensitive species - soybean, cotton, and peanuts. Annual crop loss from ozone for soybeans alone in Illinois, Indiana and Ohio has been calculated to fall between \$199 million and \$345 million. The U.S. Environmental Protection Agency (EPA) has estimated national crop yield losses due to ozone in excess of \$1 billion annually. One of the key components of ozone, oxides of nitrogen (NO_x), contributes to fish kills and algae blooms in sensitive waterways, such as the Chesapeake Bay.

Ozone is not emitted directly to the atmosphere, but is formed by photochemical reactions between volatile organic compounds (VOCs) and NO_x in the presence of sunlight. The long, hot, humid days of summer are particularly conducive to ozone formation, so ozone levels are of concern primarily during the months of May through September. The primary sources of man-made VOCs and NO_x, the ozone precursors, are the evaporation of fuels and solvents (gasoline and consumer products), combustion of fuels (motor vehicles, power plants and non-road engines), and industrial processes.

The EPA has established the maximum limit for ozone pollution allowed in the ambient air. EPA's National Ambient Air Quality Standard (NAAQS) for ozone is 0.08 parts per million (ppm) averaged over eight hours.

In 2004, EPA designated the Pittsburgh-Beaver Valley Area (Pittsburgh Area) as nonattainment for the eight-hour ozone NAAQS based on data from 2001-2003. This nonattainment area consists of Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland counties. The subsequent analyses clearly demonstrate that the ambient air quality in the Pittsburgh Area now meets the eight-hour ozone NAAQS and that the emission reductions responsible for the air quality improvement are both permanent and enforceable. This analysis and the maintenance plan submitted concurrently to EPA demonstrates that the Pittsburgh Area has completed all criteria set forth in Section 107(d)(3)(E) of the Clean Air Act (CAA) and should be officially redesignated as attainment.

Section 107(d)(3)(E) of the CAA states that an area can be redesignated to attainment if the following conditions are met:

- The NAAQS has been attained; (Section 1)
- The applicable implementation plan has been fully approved under Section 110(k) and the state has met all applicable requirements for the area under Section 110 and Part D; (Section 2)
- The improvement in air quality is due to permanent and enforceable reductions in emissions; and (Section 1 and Section 3)
- A maintenance plan with contingency measures has been fully approved under Section 175A. (Section 4)

This redesignation request describes how the Pittsburgh Area satisfies each of the Clean Air Act's Section 107(d)(3)(E) criteria for redesignation to attainment.

Requirements for a public comment process are set forth in Section 110(a)(2) of the CAA and 40 CFR Section 51.102(d). The Department of Environmental Protection (the Department) held a public hearing on the maintenance plan, 2002 base year inventory and the request to redesignate the Pittsburgh Area to attainment for the eight-hour ozone standard on Tuesday, April 10, 2007 and the comment period closed on April 13, 2007. No comments were received.

SECTION 1

AMBIENT AIR QUALITY ANALYSIS

On April 30, 2004, the EPA promulgated its final nonattainment designations for the eight-hour ozone NAAQS. (69 *Fed. Reg.* 23858) Designations became effective on June 15, 2004. Seventeen areas in Pennsylvania were designated as eight-hour ozone nonattainment areas. These nonattainment areas include 37 counties in Pennsylvania as well as certain additional counties in the States of New Jersey, Delaware, Maryland and Ohio.

EPA designations were based on air-quality monitoring data for 2001, 2002 and 2003. Air quality in the Pittsburgh-Beaver Valley (Pittsburgh) nonattainment area has improved since the EPA's original designations. Pittsburgh's 2006 design value (based on data from 2004, 2005 and 2006) is 83 parts per billion (ppb). This value is below the 0.08 ppm eight-hour ozone standard. Concentrations are expected to remain below this level over the next decade. Therefore, Pennsylvania is formally requesting the Pittsburgh nonattainment area be redesignated to attainment.

A. DESIGN VALUE DETERMINATION

The ambient air-quality analysis is based on ozone data measured at thirteen (13) monitors currently operating in the Pittsburgh nonattainment area. The nonattainment area includes Armstrong, Allegheny, Butler, Fayette, Washington and Westmoreland counties in Pennsylvania. The ambient air-quality data analysis for ozone was completed using the appropriate regulations and guidance documents. Monitoring procedures were determined in accordance with 40 CFR, Part 58 (40 CFR 1992a). Eight-hour ozone design values were calculated in accordance with EPA's Guideline on Data Handling Conventions for the Eight-Hour Ozone NAAQS (1998).

B. TRENDS ANALYSIS

1. Design Values

Ozone monitors have been operating in the Pittsburgh nonattainment area for decades. The number of monitors has changed over time. There are currently thirteen (13) monitors in the Pittsburgh nonattainment area.

Trends in ozone design values were analyzed from 1989 through 2006. These were all of the years that the monitor met EPA's completeness requirements. Years prior to this generally had less than 90% valid data over the entire ozone season (April 1 through October 31).

Table 1-1 lists Pittsburgh's eight-hour ozone design values from 1989 through 2006. These are presented in graphic form in Chart 1-1. The data represents the maximum values for monitors that met EPA's threshold of an average of 90% valid days over a three-year period. Design values have generally fallen over the entire time period (~12% overall) with the bulk of the decline occurring over the last five years.

**Table 1-1
Pittsburgh Nonattainment Area
Eight-Hour Ozone Statistics**

YEAR	DESIGN VALUE (PPM)	4 TH HIGH ** (PPM)	MONITOR EXCEEDANCES	MONITORS
2006	0.083	0.088	15	13
2005	0.084	0.092	46	13
2004	0.090	0.082	2	13
2003	0.094	0.091	51	13
2002	0.095	0.105	197	13
2001	0.092	0.098	89	13
2000	0.096	0.088	36	13
1999	0.101	0.101	112	11
1998	0.099	0.108	171	11
1997	0.105	0.109	64	9
1996	0.103	0.094	42	7
1995	0.105	0.115	80	6
1994	0.096	0.105	49	5
1993	0.095	0.100	39	8
1992	0.087	0.088	12	6
1991	0.092	0.097	66	6
1990	0.098	0.087	18	5
1989	0.106	0.101	40	7
1988		0.117	215	7
1987		0.106	74	7

** Table includes maximum 4th high ozone concentrations for the entire nonattainment area for stated year.

2. Exceedances

Exceedance trends were examined over the 1987 through 2006 period. A monitor exceedance is defined as any instance in which a monitor in the Pittsburgh nonattainment area recorded a valid eight-hour ozone concentration greater than 84 ppb. Only monitors that had an average of 90% valid days over three years were included. Exceedance days for Pittsburgh are listed in Table 1-1 and graphed in Chart 1-2.

Chart 1-1
Eight-Hour Ozone Design Values





Chart 1-2
Monitor Exceedance Count for the Pittsburgh Nonattainment Area




Monitor exceedances have generally declined between 1987 and 2006 in the Pittsburgh Area. This is partially masked by the change in the number of monitors in the Pittsburgh nonattainment area over time. There are roughly twice as many monitors today than during the 1980s. One way to account for this change in the number of monitors is to divide the number of monitor exceedances by the number of monitors. Monitor exceedances have declined 80% using this method (average of the last three ozone seasons vs. time-period average).

3. 4th High Eight-Hour Ozone Trends

Eight-hour ozone design values are based on the 4th highest concentrations at a particular monitor over a three-year time period. An analysis of yearly “4th highs” yields an understanding of why design values change over time. Again, only monitors with an average three-year average of 90% or more of valid days between 1987-2006 are included in this analysis. The maximum 4th high values for the Pittsburgh nonattainment area are listed in Table 1-1.

Chart 1-3
4th High Eight-Hour Ozone Values for the Pittsburgh Nonattainment Area




C. CLIMATE TRENDS ANALYSIS

Daily ozone concentrations are heavily influenced by local meteorological conditions. Ozone is a secondary pollutant formed from oxides of nitrogen (NO_x) and volatile organic compounds (VOCs) in the presence of sunlight. Since ozone chemistry is driven by solar insolation, peak ozone concentrations generally occur when solar insolation

values are the strongest (mid summer). Chart 1-4 illustrates the relationship between solar insolation, ozone exceedances and average monthly temperatures. Exceedances in the Pittsburgh nonattainment area occur most frequently in the months of June, July and August (JJA) when peak solar insolation values and peak temperatures occur.

Chart 1-4
Relationship between Eight-Hour Ozone Exceedances, Solar Insolation and Temperature





1. Temperature Trends

Temperature trends were examined over the same time period as the ozone trends to determine if there were similar trends in temperatures and ozone concentrations. Average temperatures as well as the number of 90° days from the Pittsburgh International Airport were examined. The Pittsburgh station provides a consistent reporting site that had proper instrument siting and QA/QC activities during the time period in question. Data is publicly available from the National Climatic Data Center and the Pennsylvania State Climatologist’s Office.

Chart 1-5 shows Pittsburgh’s average temperatures from 1987 through 2006. Average temperature charts for the entire ozone season (April 1 through October 21) and JJA are

shown. Long-term averages are also included on the charts to help define which years were warmer or cooler than normal.

Chart 1-5
Average Temperature at Pittsburgh





Ozone concentrations tend to peak during periods of extreme heat. One way to gauge this effect is to examine the number of 90° days. The more 90° days that occur during an ozone season the better the chance that ozone concentrations will be high. Higher ozone concentrations could lead to more exceedances and influence a monitor's 4th high and consequently its eight-hour ozone design value.

Chart 1-6 graphically displays the number of 90° days at Pittsburgh over the 1987-2006 period. Two graphs are included; one for the entire ozone season and one for the JJA time frame. For the time period in question, if the season had an above average number

of 90° days, then it had an above average number of 90° days during the JJA time period and visa versa.



Chart 1-6



2. Precipitation Trends

Precipitation trends at Pittsburgh were analyzed over the 1987-2006 period. Precipitation amounts for the entire ozone season and the JJA time periods were examined. Chart 1-7 graphically shows precipitation amounts over the 1987-2006 time period.

**Chart 1-7
Precipitation Totals (inches) at Pittsburgh**



D. ADDITIONAL TRENDS

1. Population Trends

The number of people in the Pittsburgh nonattainment area has generally declined over the last several decades. Population has decreased approximately 8.2% between the 1980 and 2000 Census. Most of the counties in the nonattainment area have experienced declines in population ranging from 6% to 12%. Butler County is the only county in the nonattainment area to register a population increase, adding over 26,000 people over the 1980 and 2000 Census. Overall, the Pittsburgh nonattainment area's population has declined by over 200,000 people between the 1980 and 2000 Census.

2. Economic Trends

Economic trends could have impacts on emissions and thus ozone concentrations in Pittsburgh nonattainment area. The two factors considered here include estimated labor force changes in the Pittsburgh nonattainment area (provided by the Pennsylvania Labor Department) and overall economic activity in Pennsylvania (measured by the Economic Activity Index published by the Philadelphia Reserve Bank).

The Pittsburgh Area's estimated labor force has grown slightly over the last twenty (20) years even though its overall population has declined. This mirrors a trend seen across most of western Pennsylvania. Chart 1-8 shows changes in the Pittsburgh nonattainment area's population and estimated labor force since 1980. A larger labor force could lead to more driving and increased infrastructure demands. This in turn could lead to higher emissions. Increases in the county's labor force also contribute to overall increases in economic activity (greater family income/spending).

Chart 1-8
Pittsburgh Nonattainment Area's Population and Estimated Labor Force





Chart 1-9
Pennsylvania Economic Activity Index from the Philadelphia Federal Reserve Bank



E. OZONE TRANSPORT

Ozone transport has a significant effect in the Pittsburgh eight-hour ozone nonattainment area. Ozone transport, however, is highly variable and gauging the effects on design values, exceedances and peak ozone concentrations is quite difficult because of the large amount of data that would have to be analyzed.

1. HYSPLIT Trajectory Analysis

One way to gauge the impact of the transport of ozone or its precursors on the Pittsburgh Area is to examine air-parcel trajectories during periods of elevated ozone concentrations. Trajectories from the National Oceanic and Atmospheric Administration's HYSPLIT trajectory model were run for each exceedance day between 1997 and 2006. Twenty-four hour back trajectories were run for 21Z (4 PM EDT) at 500 meters. End points for all of the 500-meter trajectories (180 days) were plotted on a map of the northeastern and northcentral states (Figure 1-1). The end points are color coded according to the eight-hour ozone concentration on the day of the trajectory.


Trajectory results indicate a substantial number of upwind trajectories originated outside of Pennsylvania and the Ozone Transport Region (OTR) on days when Pittsburgh's ozone concentrations exceeded the eight-hour ozone standard (see Table 1-2). The bulk of the upwind trajectory start points lie to the south and west. Trajectories in some instances exceed 500 kilometers in length. This indicates the potential for substantial contributions from areas well upwind from Pittsburgh.

Table 1-2
Summary of Pittsburgh Trajectory Start Points
All Exceedance days 1997 through 2006 (180 days)

	500 meter	%
Outside OTR	152	84
Outside PA	155	86

Figure 1-1
HYSPLIT Back Trajectory Analysis

HYSPLIT Back Trajectories
Pittsburgh (1997-2006)



F. Modeling Analysis

Modeling results for the EPA's Clean Air Interstate Rule (CAIR) were examined to determine if the model results support redesignating Pittsburgh to attainment. Model results were outlined by the EPA in its technical support document for CAIR (TSD for Final CAIR, Air Quality Modeling, 2005). Results for the Pittsburgh nonattainment area indicate modeled ozone concentrations will be below the eight-hour ozone standard. According to Appendix E of the TSD, Pittsburgh's modeled ozone concentrations are ~82 ppb for the 2010 Base and ~80 ppb for the 2015 CAIR runs. These results support redesignating the Pittsburgh Area to attainment.

SECTION 2

SIP APPROVALS AND APPLICABLE REQUIREMENTS

In order for EPA to approve a redesignation of a nonattainment area to attainment, the applicable State Implementation Plan (SIP) revision must be fully approved under Section 110(k) of the CAA. In addition, the state must have met all requirements applicable to the area under CAA Section 110 and Part D Plan Requirements for Nonattainment Areas. The specific requirements applicable to the Pittsburgh Area can be found in sections 110(a)(2), and Part D sections 172(c), 173(a), 176 and 182(b) of the CAA.

A Maintenance Plan SIP revision for the Pittsburgh Area is being submitted to EPA for approval as a SIP revision concurrently with this request for redesignation. All requirements for redesignation have thus been fulfilled for the Pittsburgh Area. The dates of EPA approval for regulatory requirements are indicated in parentheses.

A. REGULATORY REQUIREMENTS

The Commonwealth's regulations for Air Resources can be found in *25 Pa. Code* subpart C, Article III. Sections are specified below. EPA's approval of these regulations is codified in 40 CFR Part 52, Subpart NN, section 52.2020.

- Correction of deficiencies in pre-1990 existing rules for several VOC sources (surface coating, pneumatic rubber tire manufacturing, graphic arts and Synthetic Organic Chemical Manufacturing Industry equipment leaks) as part of the Reasonably Available Control Technology (RACT) fix-up requirement of Section 182. EPA determined that Pennsylvania corrected all deficiencies in a December 22, 1994 final rule (59 FR 65971).
- Implementation of RACT for all major sources of VOCs not covered by the guideline documents for which EPA has defined RACT. Such sources included the manufacture of surface-active agents, organic liquid cargo vessel loading and ballasting and others. These sources are covered by Standards for Sources, Stationary Sources of NO_x and VOCs, (*25 Pa. Code* Sections 129.51-129.82).
- Implementation of RACT for all major sources of NO_x. These sources are covered by Standards for Sources, Stationary Sources of NO_x and VOCs, (*25 Pa. Code* Sections 129.91-129.95).
- Stationary air pollution sources are subject to the regulations of the Commonwealth of Pennsylvania, Pennsylvania Code in Title 25 Environmental Resources (*25 Pa. Code* Chapters 121-145). These regulations include:

- Standards of Performance for New Stationary Sources promulgated by EPA under the Clean Air Act;
- Standards for Contaminants (*25 Pa. Code* Chapter 123);
- National Emission Standards for Hazardous Air Pollutants (*25 Pa. Code* Chapter 124);
- Construction, Modification, Reactivation and Operation of Sources, including plan approval, prevention of significant deterioration, new source review, operating permit program (*25 Pa. Code* Chapter 127);
- Standards for Sources (*25 Pa. Code* Chapter 129);
- Annual Emission Statements and required reporting to the Department (*25 Pa. Code* Chapter 135).

These permitting, stationary source monitoring and reporting, preconstruction review, offset ratios and enforceable emission limitations requirements were adopted to implement the federally mandated requirements in sections 110, 172, 173 and 182(a) of the CAA. EPA has approved all of these regulations as SIP revisions as indicated.

- The Reasonable Available Control Technology (RACT) provisions in *25 Pa. Code* sections 129.91-129.95 (relating to Stationary Sources of NOx and VOCs) as those regulations apply to the Pittsburgh Area have been fully approved (66 FR 52533).
- The Department adopted and incorporated EPA's general conformity rule (40 CFR Part 93, Subpart B) by reference in its entirety. The general conformity regulation describes procedures to determine if federally-financed, non-transportation projects are in conformity with air quality plans (*25 Pa. Code* Section 127.802).

B. NONREGULATORY REQUIREMENTS

- EPA and the U.S. Department of Transportation (DOT) have issued regulations regarding criteria and procedures for demonstrating and assuring conformity of transportation improvement programs (TIP or program), long range plans (LRP or plan), and individual transportation projects with the requirements of the CAA and the SIP for the specific nonattainment area. Affected transportation planning organizations are complying with all federal laws, regulations and guidance for transportation conformity.
- The Department has an ongoing program to monitor and analyze ambient air quality. The Department submits ambient air quality to EPA as required. The program is conducted in accordance with regulations in 40 CFR Part 58.
- The Department conducts and submits periodic inventories in accordance with EPA's Consolidated Emission Reporting Rule (40 CFR Part 51, Subpart A).

- The Department has adequate personnel funding and authority to carry out the implementation of all applicable requirements and provisions of its SIP.

The Pittsburgh Area thus has no pending SIP requirement or obligations for a requirement applicable in this area. In consideration of the above, the applicable implementation plan will have been fully approved by EPA under Section 110 of the CAA and all applicable requirements are fulfilled.

SECTION 3

DEMONSTRATION OF PERMANENT AND ENFORCEABLE IMPROVEMENT

This section provides an assessment of the ozone precursor emissions at the time the Pittsburgh Area was originally designated as nonattainment for ozone, and at the time when this area attained the 8-hour ozone NAAQS. A 2002 (base year) inventory of VOC and NO_x emissions is used to represent emissions during the ozone nonattainment designation period. A 2004 inventory of VOC and NO_x emissions is used to identify ozone precursor emissions during the period when the Pittsburgh Area demonstrated that it attained the 8-hour ozone NAAQS. Detailed information is presented in the Maintenance Plan by sector.

The section first describes these ozone precursor emission estimates for this area. These inventories have been developed in accordance with EPA emission inventory preparation guidance. Then, it presents information about the permanent and enforceable control measures that have been implemented in the Pittsburgh area to produce the VOC and NO_x emission reductions that have occurred between these years.

A. BASE YEAR (2002) EMISSION INVENTORY

An emissions inventory for the base year, 2002, was developed for ozone precursors in accordance with EPA guidance. This year represents the emissions present when the Pittsburgh Area did not meet the ozone standard. The inventory contains information for these sectors:

- “Stationary sources” (or “point” sources) refer to those sources for which the Department collects individual emissions-related information. Generally they represent major stationary sources but may be smaller.
- “Stationary area sources” are industrial/commercial/residential sources too small or too numerous to be handled individually, such as commercial and residential open burning, architectural and industrial maintenance coatings application and clean-up, consumer product use, and vehicle refueling at service stations. Where there is overlap between stationary point sources and stationary area sources, the area source values are adjusted to remove any double counting.
- “Highway vehicles” include passenger cars and light-duty trucks, other trucks, buses and motorcycles.
- “Nonroad” covers a diverse collection of engines including outdoor power equipment, recreational vehicles, farm and construction machinery, lawn and garden equipment, industrial equipment, recreational marine, commercial marine vessels, locomotives, ships, aircraft and many other applications.

Table 3-1 below summarizes emissions for the 2002 base year. The Technical Appendices to the maintenance plan contain more detailed information for each sector the emissions for 2002 by source category.

B. ATTAINMENT YEAR (2004) EMISSION INVENTORY

A 2004 inventory of VOC and NO_x emissions for the Pittsburgh Area is used to identify ozone precursor emissions during the period when attainment of the 8-hour ozone NAAQS was demonstrated for the Pittsburgh Area. Stationary area sources were estimated based on 2002 emissions because factors used to develop emissions were not yet available for 2004.

Table 3-1
VOC and NO_x Emissions Summary: 2002 and 2004
 (tons per summer day)

MAJOR SOURCE CATEGORY	VOC Emissions	
	2002	2004
Stationary point sources	16.5	15.5
Stationary area sources	100.3	98.1
Highway vehicles	86.4	73.3
Nonroad engines/vehicles	51.5	48.8
TOTAL	254.7	235.7

MAJOR SOURCE CATEGORY	NO _x Emissions	
	2002	2004
Stationary point sources	250.4	202.8
Stationary area sources	11.5	11.7
Highway vehicles	173.9	148.8
Nonroad engines/vehicles	86.1	81.5
TOTAL	522.0	444.8

Stationary point source emissions do not include emission reduction credits described in Appendix A of the Technical Appendices.

The Maintenance Plan describes how the 2004 inventory was compiled. The Technical Appendices to the Maintenance Plan contain more detailed information for each sector.

C. Control Measures

Along with the analysis of ambient air quality and contributing factors in Section 1 of the redesignation request, this section describes the measures to which decreases in emissions and thus ozone concentrations can be attributed from 2002 to 2004. From 2002 to 2004, VOC emissions decreased by 7.5 percent. From 2002 to 2004, NO_x emissions decreased by 14.8 percent.

1. Stationary Point Sources

Interstate Pollution Transport Reduction. In response to the Federal NO_x SIP call rule, Pennsylvania and other covered states adopted NO_x control regulations for large industrial boilers and internal combustion engines, electric generating units, and cement plants. The regulation covering industrial boilers and electric generators required emission reductions to commence May 1, 2003, while the regulation covering large internal combustion engines and cement plants required emission reductions to commence May 1, 2005.

2. Stationary Area Source Measures

Solvent Cleaning. The Department adopted revisions to the volatile organic compound (VOC) requirements for solvent cleaning operations in *25 Pa. Code* Section 129.63 (relating to degreasing operations) that became effective beginning on December 22, 2001. For heated solvent cleaning machines, in most respects the provisions of *25 Pa. Code* Section 129.63 reflect the technology and operating requirements in the federal maximum achievable control technology (MACT) requirements for solvent cleaning machines. Inasmuch as essentially all of the heated solvent cleaning machines in the Commonwealth use solvents regulated under the MACT, only a slight VOC emission reduction was achieved by the requirements for heated solvent cleaning machines. The more important emission reduction component of the revised solvent cleaning regulation was the requirement related to solvent vapor pressure for solvent used in cold cleaning machines. This component of the revised solvent cleaning requirements resulted in an estimated 66 percent reduction of the VOC emissions from this category of sources. The provisions requiring the use of low vapor pressure solvents in cold cleaning machines became effective on December 22, 2002. The emission reductions resulting from this requirement would be reflected in the 2004 inventory. The regulation was submitted to EPA as a SIP revision on February 13, 2002. EPA approved the program on January 16, 2003 (68 FR 2206).

Portable Fuel Containers. The Department adopted a portable fuel container regulation, *25 Pa. Code* Chapter 130, Subchapter A, to address VOC loss resulting from permeation through portable gasoline containers, evaporative loss through container openings, and from spillage during the filling of small tanks on machines such as lawn mowers, chain saws, jet skis and the like. This regulation requires that portable fuel containers manufactured after January 1, 2003 for sale in Pennsylvania meet certain requirements. (A “sell-through” provision allowed the sale during 2003 of containers manufactured before January 1, 2003.) The Department predicted, as part of one-hour ozone SIP demonstrations for the Southeast Pennsylvania area, that the portable fuel container regulation would be fully phased in over a 10-year period, i.e. approximately 10 percent of the existing containers would be replaced each year. Emission reduction estimates for the program reflect this phased-in replacement of the containers. The

regulation was submitted to EPA as a SIP revision on March 26, 2003 and approved on December 8, 2004 (69 FR 70983).

3. Highway Vehicle Sources

While vehicle miles traveled (VMT) increased approximately four percent between 2002 and 2004, highway vehicle emissions decreased. These decreases can be attributed to the Federal Motor Vehicle Control Programs (an increased proportion of cleaner (federal Tier 1) light-duty vehicles in the fleet, an increased proportion of cleaner heavy-duty highway vehicles (federal 1998+ and 2002/2004 standards)) and implementation of the vehicle emission inspection program.

**Table 3-2
VMT and Emissions**

YEAR	VMT	VOC (tpsd)	NOX (tpsd)
2002	60,624,792	86.4	173.9
2004	62,007,246	73.3	148.8

Federal Motor Vehicle Control Programs (FMVCP). The emission reductions from the programs covering fleet turnover are permanent reductions. The effects of fleet turnover between 2002 and 2004 (that is, more vehicles subject to tighter tailpipe standards became part of Pennsylvania’s fleet) produced emission reductions between 2002 and 2004.

Tier 1 tailpipe standards established by the CAA Amendments of 1990 include NOx and VOC limits for light-duty gasoline vehicles and light-duty gasoline trucks. These standards began to be phased in starting in 1994. Evaporative VOC emissions are also being reduced in gasoline-powered cars starting with model year 1998. In 1999, more stringent new light-duty vehicle standards became effective in the Ozone Transport Region in 1999 with the National Low Emission Vehicle (NLEV) Program. Pennsylvania’s New Motor Vehicle Control Program regulations (*25 Pa. Code* Chapter 126, Subchapter D (relating to new motor vehicle emissions control program) were approved by EPA on December 28, 1999 (64 FR 72564). These regulations allowed automobile manufacturers to comply with NLEV instead of the incorporated California Low Emission Vehicle (CA LEV) requirements through model year 2005. These regulations affected vehicles 6,000 pounds and less and were the ones in effect for new motor vehicles in the baseline year, 2002.

In 1999, EPA promulgated regulations more stringent than NLEV (Tier 2), which were effective starting with the 2004 model year. The New Motor Vehicle Control Program (*25 Pa. Code* Section 126 Subchapter D) adopted in 1998 includes the Pennsylvania Clean Vehicles Program, which incorporated the California Low Emission Vehicle Program by reference. The regulation allowed automakers to comply with the NLEV

program as an alternative to this Pennsylvania program until MY 2006. In order to participate in NLEV, Pennsylvania was required to adopt language that extended its “commitment” to NLEV until MY 2006. Because automobile manufacturers had to comply with the more stringent regulations (NLEV vs. Tier 2), the federal Tier 2 program governs new vehicles sold in Pennsylvania in the attainment year, 2004.

The same EPA regulation required the reduction of sulfur in gasoline beginning in 2004. In the first year of the program, sulfur levels are capped at 300 parts per million (ppm) and annual refinery corporate averages must be no more than 120 ppm. This analysis uses the default assumptions provided in MOBILE6 for all gasoline parameters for conventional fuel.

EPA has promulgated national regulations for heavy-duty engines and vehicles (over 14,000 pounds) starting with model year 2004. In addition, a consent decree with the major heavy-duty engine manufacturers required, among other terms, that diesel engines made by these companies comply with these 2004 standards two model years early, in model year 2002. Pennsylvania includes these programs, as provided in the MOBILE model, for the base year 2002 and for 2004.

Vehicle Emission Inspection/Maintenance Program. In 2004, Pennsylvania revised its Vehicle Emission Inspection/Maintenance (I/M) Program in the four applicable counties (Allegheny, Beaver, Washington and Westmoreland) in the Pittsburgh Area. The program applies to gasoline-powered vehicles 9,000 pounds and under, model years 1975 and newer. For vehicles 1996 and newer, the program consists of an annual on-board diagnostics test and a gas cap pressure test. For subject vehicles 1995 and older, the program consists of an annual tailpipe test, visual inspection of pollution control devices to ensure they are present, connected and the proper type for the vehicle and a gas cap pressure test. Vehicles newer than 1975 but 25 years or older receive a visual inspection and gas cap test. These regulations can be found in *67 Pa. Code* Chapter 177. Pennsylvania submitted the expanded emissions program as a revision to its State Implementation Plan on December 1, 2003. EPA approved the SIP revision on October 6, 2005 (70 FR 58313).

4. Nonroad Sources

EPA has adopted a series of regulations affecting new diesel-powered (“compression ignition”) and gasoline-powered (“spark ignition”) nonroad engines of various sizes (horsepower) and applications. Information on these federal rules, including their implementation dates, can be found at www.epa.gov/nonroad . The Department used the federal control measure assumptions built into the NONROAD model to estimate emissions for all milestone years. These programs are codified at 40 CFR Parts 89-91. No control programs were anticipated to affect aircraft, railroad locomotive emissions or commercial marine vessels between 2002 and 2004. These requirements are codified at 40 CFR Parts 89-91. See the Technical Appendix D for more information.

SECTION 4

MAINTENANCE PLAN

The Maintenance Plan for the Pittsburgh Area is being submitted to EPA for approval as a SIP revision concurrently with this request for redesignation. The Maintenance Plan shows that the eight-hour ozone NAAQS will be maintained for at least 10 years after redesignation. Eight years following redesignation, the Department will submit a revised plan that ensures attainment through 2028.

In accordance with EPA guidance, the Maintenance Plan shows that emission levels over the 10 years following redesignation will remain below the emissions level in 2004, while allowing for growth in population and vehicle miles traveled. The following state and federal programs will ensure the continuing decline of VOC and NOx emissions:

- Clean Air Interstate Rule (CAIR)
- Interstate Pollution Transport Reduction
- Portable Fuel Containers
- Consumer Products
- Architectural and Industrial Maintenance coatings
- Stage II Vapor Recovery at refueling stations
- Federal Motor Vehicle Control Programs (light-duty and heavy-duty)
- Vehicle emission inspection/maintenance program
- Cleaner gasoline (federal and state programs)
- Cleaner highway diesel (federal program)
- Cleaner nonroad diesel (federal program)
- Pennsylvania Clean Vehicles Program
- Pennsylvania Heavy-Duty Diesel Emissions Control Program
- Federal programs for nonroad engines

The Department has provided assurances that it will continue to operate the ambient air quality monitoring network in order to track maintenance of the standard and to evaluate emissions inventories periodically compared to the projections provided in the plan. The Department has also provided a list of potential contingency measures that it would consider to correct any violation of the eight-hour ozone NAAQS that occurs after redesignation of the area.

ACRONYMS AND ABBREVIATIONS

CAA	Clean Air Act
CAIR	Clean Air Interstate Rule
CA LEV	California Low Emission Vehicle (program)
DOT	Department of Transportation (U.S.)
EPA	U.S. Environmental Protection Agency
FMVCP	Federal Motor Vehicle Control Program
I/M	Inspection and Maintenance
JJA	June, July and August
NAAQS	National Ambient Air Quality Standard
NLEV	National Low Emission Vehicle (program)
NEOPS	North East Oxidant and Particle Study
NO _x	Oxides of Nitrogen
OTR	Ozone Transport Region
ppb	parts per billion
ppm	parts per million
RACT	Reasonably Available Control Technology
SIP	State Implementation Plan
TSD	Technical Support Document
tpsd	tons per summer day
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compound