APPENDIX B STATIONARY POINT SOURCES

Bureau of Air Quality Department of Environmental Protection This page blank for copying purposes.

APPENDIX B-1

Preparation of Pennsylvania Point Source Inventories and Instructions for Completing the Annual Emissions Reporting Forms

> Bureau of Air Quality Department of Environmental Protection

This page blank for copying purposes.

A. Introduction

This document describes the methodology used by the Commonwealth of Pennsylvania to develop inventories of air pollutants emitted as required by the U. S. Environmental Protection Agency's Consolidated Emission Reporting Rule (CERR) (40 CFR Part 51, Subpart A). The 2002 inventory will also be the base year inventory for State Implementation Plan (SIP) revision development for $PM_{2.5}$, 8-hour ozone and regional haze.

The CERR requires the Commonwealth to report actual emissions for the following pollutants: sulfur oxides, volatile organic compounds (VOC), nitrogen oxides, carbon monoxide, lead and lead compounds, primary $PM_{2.5}$, primary PM_{10} , and ammonia (40 CFR 51.15(a)). The CERR lists primary PM as an optional pollutant for reporting purposes. The CERR does not require the submission of hazardous air pollutant emissions data.

Emissions from point sources are reported for 65 of the Commonwealth's 67 counties. Point source emissions from sources located in Allegheny County are reported directly to EPA by the Allegheny County Health Department. Point source emissions from sources located in Philadelphia Counties are reported directly by the Philadelphia County Health Department, Air Management Services.

The annual emission inventory must be temporally resolved to provide seasonal data for air quality modeling purposes. Temporal adjustments to the annual inventory are made because of seasonal differences in the rate of emissions or activity, or to apportion emissions to a particular season or day. For the 8-hour ozone National Ambient Air Quality Standard (NAAQS) emissions inventory, VOC, NO_x, and CO emissions are reported as actual annual and actual summer weekday. Summer weekday emissions are defined as an average day's emissions for a typical summer day during the ozone season. For the PM_{2.5} NAAQS and regional haze rule emission inventories, direct emissions (including condensibles) of PM10 and PM_{2.5}, and the precursor VOC, NO_x, SOx, and NH3 are reported as actual annual data.

For the ozone SIP inventories, rule effectiveness and rule penetration are applied. Rule effectiveness reflects the ability of a regulatory program to achieve all the emission reductions that could have been achieved by full compliance with the applicable regulations at all sources at all times. Rule penetration is an estimate of the extent to which a regulation covers emissions from an area source category for a specified control area. Rule penetration is applied to the control efficiency for a regulation to account for less than 100 percent coverage of the emissions for an area source category. Because the inventory was developed prior to EPA's issuance of the November, 2005 revision to the rule effectiveness guidance, Commonwealth followed the previous EPA guidance and assumed an 80% rule effectiveness for applicable sources unless specified to the contrary.

B. Point Sources

A point source is a stationary, identifiable source of air pollution that usually emits the air pollutants through a stack or vent. A facility contains one or more point sources and is not limited to industrial facilities. Examples of an air pollution facility are steel mills, oil refineries, electric generating facilities, and coal preparation plants. A non-industrial facility may contain a large boiler or other air pollution source.

The data for the 2002 and 2004 sulfur oxides, volatile organic compounds (VOC), nitrogen oxides, carbon monoxide, lead and lead compounds, primary PM_{2.5}, primary PM₁₀, and ammonia point source emission inventory is derived from the Pennsylvania Air Information Management System (AIMS). AIMS sources are identified and inventoried by Pennsylvania regional air quality offices through permitting operations and regional and central office field inspections and surveys. The AIMS system is designed to include all point source emission categories as required by the CERR.

The AIMS database is linked to the Department's eFACTS (Environment Facility, Application, Compliance Tracking System) database. This allows Department-wide sharing of data for all program areas. In addition, the public is provided better access to the information through the Department's Internet website.

The point source inventories for Allegheny and Philadelphia Counties will be prepared by the Allegheny County Health Department and the Philadelphia County Health Department, respectively. The two county agencies will submit their point source emission inventories directly to EPA's National Emission Inventory as required by the CERR. The county agencies will also provide their point source data to the Department in order that effective State Implementation Plan preparation may be undertaken.

Paper Submittal of Inventory Data

Annually, facilities complete worksheets for each source that operated and emitted pollutants for the year. Data required for processes include monthly material throughputs, days and weeks the sources operated, material processed, maximum throughput per hour, and correct Source Classification Code (SCC) number. In addition to these process data, combustion unit data must include fuel used, fuel characteristics such as sulfur content and Btu. For each source, an estimate of total criteria and hazardous pollutant emissions must be supplied, along with the estimation method. If emissions are estimated using anything other than emissions factors from SCC codes, methodology must be provided. In addition to emissions estimates for each piece of equipment, site emissions are required. If there is equipment that is too small for individual reporting, emissions from this equipment will be reflected in the site total.

After the facilities provide these data, DEP reviewers input the data into the AIMS system. At this time, the system may create an error message if emissions are significantly different from those expected, based upon emissions factors and throughputs. At this point, the reviewer must determine if the estimate is accurate and may either override the error message or contact the facility for corrections, which are then input by the reviewer.

After all data are entered, reports are generated to show comparisons between emissions years. If there are significant differences, reviewers must determine why emissions are different. Explanations may include changes in production or change in material input. Once all discrepancies have been corrected or explained, the data are accepted, and the inventory is considered complete.

Instructions Available

DEP has developed instructions for companies to complete the annual inventory submission, which describes the database fields in the AIMS/eFACTS system. This document is revised annually to reflect any new guidance for the applicable reporting year.

Information on the emission inventory reporting system can be found at: www.dep.state.pa.us/dep/deputate/airwaste/aq/emission/Emission_Inventory.htm. Instructions for the system are attached.

INSTRUCTIONS FOR COMPLETING THE ANNUAL EMISSIONS REPORTING FORMS

Commonwealth of Pennsylvania Department of Environmental Protection

Edward G. Rendell, Governor Commonwealth of Pennsylvania

Kathleen McGinty, Secretary Department of Environmental Protection

2700-BK-DEP1936 Rev. 12/2005

Table of Contents

| 1. | . Ba | ackground | 1 |
|-----|------|--|----|
| | 1.1 | Annual Emission Statement (AES) Background: | 1 |
| | 1.2 | Electronic Reporting: | 2 |
| | | 2.1 Web-based Reporting Forms | |
| | | 2.2 eXtensible Markup Language (XML) | |
| 2. | . Н | elpful Resources | 3 |
| | 2.1 | Check-Lists For Common Errors | |
| | | 1.1 Facility Information | |
| | | 1.3 Hazardous Air Pollutants (HAPs) | |
| | 2.2 | AP-42 and FIRE | 4 |
| | 2.3 | Industry-Specific Emission Factors | 5 |
| | 2.4 | Standard Industrial Classification and North American Industry Classification System | 5 |
| | 2.5 | Small Business Assistance | 5 |
| 3. | . In | structions For Determining Which Facilities Belong In AIMS/eFACTS For Inventory Purposes | 6 |
| | 3.1 | Title V Facilities | 6 |
| | 3.2 | Non-Title V Facilities | 7 |
| | 3. | 2.1 Facilities Inventoried for Emission Statement Purposes | |
| | | 2.2 Facilities Inventoried for Permit Cap Compliance Certification | |
| | | | |
| 4. | | ommonly Asked Questions About Inventory Reporting | |
| 5. | . El | laboration On Worksheet Contents, For All Firm-Plants | |
| | 5.1 | Throughputs For Each Source | 12 |
| | 5.2 | Operating Schedules For Each Source | 12 |
| | 5.3 | Emission Estimates | 13 |
| | 5.4 | Fuel Analysis | 13 |
| | 5.5 | Surface Coating (Paint, Glue, Ink) Analysis | 13 |
| | 5.6 | Control Devices | 13 |
| | 5.7 | Stacks | 13 |
| | 5.8 | Hazardous Air Pollutants | 14 |
| | 5.9 | Site Pollutant Summary | 14 |
| 6. | . C | onfidentiality | 15 |
| 7. | . C | ertification of Data Accuracy for Emission Statement | 15 |
| 8. | | xtensions Beyond March 1 | |
| 9. | | EP Contact Listings | |
| - 1 | 9.1 | Contact Listing, Norristown - Region I (Southeast) | |
| | 9.2 | Contact Listing, Wilkes-Barre - Region II (Northeast) | |
| | / ·= | | 1 |

| 9.3 | Contact Listing, Harrisburg - Region III (Southcentral) | 18 |
|----------|---|----|
| 9.4 | Contact Listing, Williamsport - Region IV (Northcentral) | 19 |
| 9.5 | Contact Listing, Pittsburgh - Region V (Southwest) | 19 |
| 9.6 | Contact Listing, Meadville - Region VI (Northwest) | 20 |
| 9.7 | Contact Listing, Philadelphia Air Management Services | 22 |
| 9.8 | Contact Listing, Allegheny County Health Department | 22 |
| 10. Cal | culation Method Codes For Emissions | 23 |
| 11. Reli | ability Codes For Emissions | 24 |
| 12. Abb | previations/Acronyms | 25 |
| 13. Tab | le A: Hazardous Air Pollutants (112 [b]) Sorted Alphabetically by Pollutant Name | 26 |
| 14. Tab | le B: Hazardous Air Pollutants (112 [b]) Sorted by Chemical Abstract Service Number | 31 |
| 15. Tab | le C: Compounds As Listed In 112(b) | 35 |
| Appendi | x A WORKSHEET FOR A NEW FACILITY | 36 |
| Appendi | x B WORKSHEET FOR MISCELLANEOUS SOURCE EMISSIONS | 38 |
| Appendi | x C WORKSHEET FOR NEW COMBUSTION UNITS | 39 |
| Appendi | x D WORKSHEET FOR NEW PROCESSES | 43 |
| Appendi | x E WORKSHEET FOR NEW INCINERATORS | 48 |
| Appendi | x F WORKSHEET FOR NEW CONTROL DEVICES | 54 |
| Appendi | x G WORKSHEET FOR NEW STACKS | 55 |
| Appendi | x H WORKSHEET FOR NEW FUEL MATERIAL LOCATIONS | 56 |
| Appendi | X I WORKSHEET FOR CHANGES TO EXISTING STACKS OR CONTROL DEVICES. | 58 |
| Appendi | x J CERTIFICATION OF DATA ACCURACY | 60 |
| | | |

These instructions were prepared by:

Carrie E. Eastman

Pennsylvania Department of Environmental Protection

Bureau of Air Quality, Harrisburg

717-783-5974

ceastman@state.pa.us

This booklet contains the instructions for filling out the Annual Emission Statement. These Note: instructions have been prepared to assist the owner/operators to report their emissions data. These instructions are not regulations. The Department reserves the right to modify these instructions as needed. Please save this booklet for future reference. If you have questions about the Annual Emission Statement, please contact your Regional Air Quality

staff.

This booklet is available electronically via the Internet. Access the DEP Web site at www.depweb.state.pa.us, Keyword: "Emission Inventory."

1. Background

1.1 Annual Emission Statement (AES) Background:

The Annual Emission Statement (AES) requests information to satisfy several regulatory requirements. These requirements include Title V permitting, the Annual Inventory, and Emission Statements, as well as other regulations that are part of the State Implementation Plan (SIP). The Title V regulation is found in the Pennsylvania Code, Title 25, Chapter 127. The Annual Inventory regulation is found in the Pennsylvania Code, Title 25, Chapter 135.1-135.5. The Emission Statement regulation is found in Pennsylvania Code, Title 25, Chapter 135.21. The Emission Statement information is due March 1. The Annual Inventory information is due March 1 or within 60 days of the date the facility's owner/operator is notified by the Department of Environmental Protection (DEP) that the facility is subject to Annual Inventory, whichever is later. DEP has chosen March 1 as the collective deadline to avoid having to request Emission Statement and Annual Inventory information separately.

When a facility's owner/operator provides the AES to the appropriate DEP regional office, the information is entered, either automatically or manually depending on the reporting method, into DEP's computer database. This database is called the Air Information Management System / environment, Facility, Application, Compliance Tracking System (AIMS/eFACTS). The Regional Air Quality (RAQ) staff review the submission for incorrect or missing data before the data is accepted into AIMS/eFACTS. For a facility that has not been entered in AIMS/eFACTS in previous years, the RAQ staff first creates a map showing the connections between the sub facilities being tracked, the control devices and the stacks. Worksheets for owners/operators of facilities that have never previously reported, or for new sub facilities, are included in these Instructions, and are also available from the DEP website or from RAQ staff. For a facility that has previously been entered, a skeleton consisting of the map and unchanging sub facility information, such as rated capacities, has been copied over from the previous year.

Once the operating schedules, throughputs, and facility emission estimates have been entered, AIMS/eFACTS calculates the emissions using Sub Facility Classification Code (SCC) factors. If the AIMS/eFACTS and facility estimates do not match, the RAQ staff may work with the facility's owner/operator to determine if corrections are needed. AIMS/eFACTS can contain multiple emission estimates for a specific pollutant from a specific piece of equipment. Acceptable calculation methods include stack tests, Continuous Emission Monitoring (CEM) data, material balance calculations, and industry-specific emission factors, to list some examples. CEM data is usually the most reliable and should be used before any other method.

Some uses for AIMS/eFACTS data include Emissions Reductions Credits, Open Market Trading, regulation evaluation, the State Implementation Plan and modeling. A variety of standard and custom reports can be run on AIMS/eFACTS by DEP staff. AIMS/eFACTS data is provided to the federal National Emission Inventory (NEI) database and to other state agencies and the public upon request (See Chapter VI. Confidentiality).

Lab samples are also logged into AIMS/eFACTS and linked to the appropriate plant and sub facility. AIMS/eFACTS also contains permit, emission fee, compliance, stack test and Continuous Emission Monitoring (CEM) information.

This booklet is available electronically via Internet. Access the DEP Web Site at http://www.depweb.state.pa.us, Keyword: Emission Inventory."

1.2 Electronic Reporting:

Detailed electronic reporting information such as upcoming training (when scheduled) and registration forms are available from the DEP web site at http://www.depweb.state.pa.us, Keyword: "Emission Inventory." Contact Carrie Eastman at 717-783-5974 or through electronic mail at ceastman@state.pa.us to request electronic reporting information, including registration forms to request access to the services.

1.2.1 Web-based Reporting Forms

The Bureau of Air Quality's (BAQ's) web-based reporting application is called **AES*Online**. **AES*Online** allows a facility's owner/operator to enter data on an Internet web site through an ordinary web browser. **AES*Online** users no longer need to fill out paper forms. Facility users log in to a series of secure screens and enter their facility's inventory data. **AES*Online** automatically fills in fields where applicable from the previous year's submission and also checks the data as it is entered to insure accuracy. Additionally, **AES*Online** includes the ability to add notes to the data and exchange correspondence with RAQ staff. **AES*Online** provides a unique navigation system to allow the user to move between screen forms with ease. After the RAQ staff review the submission, entries that need clarification are highlighted by the system so that the facility user can immediately verify the data without having to scroll through unnecessary screens. Data is automatically saved as each screen form is completed to prevent loss of data if the Internet connection is broken.

AES*Online requires Internet access. If your data management system is maintained in spreadsheets or databases, you may want to explore the entirely automated eXtensible Markup Language (XML) option instead of **AES*Online**.

1.2.2 eXtensible Markup Language (XML)

XML provides a common language that allows dissimilar computer systems to share data. XML surrounds each piece of data with tags, similar to the way a web browser displays a page from the Internet. Software, called a parser, uses these tags to interpret the data. Many different software companies offer parsers, for a variety of prices. An XML parser is bundled into Windows 2003. XML uses a Document Type Definition (DTD) to establish the data content and tags for a specific file or document. BAQ has developed a DTD that defines the AES data and tags. A company that wishes to submit XML data to BAQ must request a copy of the DTD and configure their parser to translate the BAQ DTD. Files in XML format may be transferred on disk or over the Internet. The XML standards and sample files are available for download at http://www.depweb.state.pa.us, Keyword: "Emission Inventory."

Useful links for more information on XML: http://www.w3.org
http://msdn.Microsoft.com/xml/

2. Helpful Resources

2.1 Check-Lists For Common Errors

Some errors have a way of being repetitious. While the BAQ accepts responsibility for unclear instructions and other systemic errors, please complete this checklist before submitting your AES.

Comments and questions about the contents of the AES can be directed to Mike Rudawski at 717-783-9241 or mrudawski@state.pa.us.

2.1.1 Facility Information

- Is your tax ID (IRS #) valid?
- Are all the contacts on your forms correct?
- Is BAQ's map of your sub facilities correct?
- Do you have any sub facilities not included in the map?

2.1.2 Sub Facility Information

- Are your units of measure correct? (AIMS/eFACTS automatically defaults to the units used last year.)
- Does your SCC match BAQ's?
- Have you submitted throughput data by month for each sub facility?
- Have you included date effective and date end?
- How about days per week, total days, and total hours?
- If you have manually calculated your emissions, have you explained how you did it? (Please provide as many details as possible.)
- Does the Pollutant Summary page include all emissions?
- Does the summary page compare with the other emissions you have entered?

2.1.3 Hazardous Air Pollutants (HAPs)

Have you speciated your HAPs emissions by sub facility?

2.2 AP-42 and FIRE

AP-42 is a compilation of air pollutant emission factors containing the same factors used for sub Facility Classification Codes (SCCs). AP-42 uses factors for general sub facility categories. AP-42 contains a variety of methods for calculating emissions for any given sub facility type. The Bureau of Air Quality currently uses version 6.23 from October 2000. The AP-42 series is available in several media. AP-42 is available free online at www.epa.gov/ttn/chief/ap42/index.html

The Factor Information REtrieval (FIRE) database contains emission estimation factors for criteria and hazardous air pollutants. FIRE factors are very specific for sub facility type. FIRE offers sub facility specific factors, and does not provide multiple calculation methods ranked by preference. More information about FIRE may be obtained at www.epa.gov/ttn/chief/software/fire/index.html.

Please note: If comparing factors in FIRE against AP-42, the FIRE factors should take precedence because the FIRE version is more recent.

Paper copies of AP-42 may be obtained from the Government Printing Office (GPO) in Washington, DC. Orders must be prepaid (except for other federal agencies or college bookstores). The stock number for the 5th edition of AP-42 ("Compilation of Air Pollutant Emission Factors; Volume I: Stationary Point And Area Sub Facilities") is S/N 055-000-00500-1. Supplement A is S/N 055-000-00551-6. Supplement B is S/N 055-000-00565-6. The Government Printing Office can be contacted for current pricing at:

US GPO Superintendent of Documents P.O. Box 371954 Pittsburgh, PA 15250-7954 www.gpo.gov phone 866-512-1800 fax 202-512-2250

Mail orders must include a check or money order made out to the "Superintendent of Documents".

The *Air CHIEF* compact disc (CD-ROM), with AP-42 and other hazardous air pollutant emission estimation reports and databases, can be purchased from the Government Printing Office. The item number is S/N 055-000-00643-1.

For further information on *Air CHIEF* and other aspects of emission estimation, call U.S. EPA's *Info CHIEF* help line at 919-541-1000 during regular office hours, Eastern Time. The CHIEF web page is www.epa.gov/ttn/chief/. EPA does not have the staff or the structure to provide engineering support.

If you have factor needs, new data, questions, or suggestions for U.S. EPA, please send them to this address:

AP-42 Team (MD 14)
Emission Factor and Inventory Group
Emissions, Monitoring, and Analysis Division
Office Of Air Quality Planning And Standards
U.S. Environmental Protection Agency
Research Triangle Park, NC 27711

2.3 Industry-Specific Emission Factors

Industry groups have also developed emission factors. You may want to contact your group to obtain any factors that exist.

2.4 Standard Industrial Classification and North American Industry Classification System

The U.S. Bureau of Census has replaced its Standard Industrial Classification (SIC) system with the North American Industry Classification System (NAICS). SICs have been converted to the 2002 version of the NAICS codes in AIMS/eFACTS where possible. In some cases, a conversion was not possible. The NAICS is also required by the IRS, and your financial department may have this information for you.

NAICS information is available from a federal website. Copies are available for download or purchase. Go to http://www.census.gov/epcd/www/naics.html or the NAICS link on BAQ's web site at http://www.dep.state.pa.us/dep/deputate/airwaste/aq/emission/Emission_Inventory.htm

2.5 Small Business Assistance

The Environmental Management Assistance Program (EMAP) is a program in Pennsylvania designed to help small businesses understand and comply with environmental regulations and identify pollution prevention and energy efficiency opportunities. There are four ways to request assistance from EMAP: Call regulations.877-ask-emap, visit the website at www.askemap.org, send an email to questions@askemap.org or contact your local Small Business Development Center (check www.pasbdc.org for the center nearest you). Services such as site visits and permit reviews are confidential and provided at no charge. Business names and addresses will not be released to any regulatory agency.

The DEP Small Business Ombudsman, Jeanne Dworetzky, helps businesses locate sources of funding to install equipment and process changes which result in pollution prevention or energy efficiency. She can also represent small business interests to DEP. Jeanne Dworetzky can be reached at 717-772-5942 or jdworetsky@state.pa.us.

3. Instructions For Determining Which Facilities Belong In AIMS/eFACTS For Inventory Purposes

These guidelines are a synthesis of the inventory requirements of Title V, the Annual Inventory, Emission Statements and other regulations that are part of the State Implementation Plan (SIP). The Title V regulation is found in the Pennsylvania Code, Title 25, Chapter 135.1-135.5. The Emission Statement regulation is found in Pennsylvania Code, Title 25, Chapter 135.21. The definition of the term "Title V Facility" can be found in the Pennsylvania Code, Title 25, Chapter 121.1. Exemptions from state operating permits can be found at www.depweb.state.pa.us, Keyword: "Air Permits". Search for document number 275-2101-003 Plan Approval and Operating Permit Exemption List (pdf file in the eLibrary). For information on permitting, contact the Bureau of Air Quality's Division of Permits at717-787-717-787-4325.

Owners/operators of facilities that wish to generate or trade Emission Reduction Credits (ERCs) will need to document emissions. The AES is one way to document emissions. All owners/operators of facilities have the option of submitting the AES for ERC purposes. If the facility's owner/operator does not submit the AES, the facility's owner/operator should at least maintain sufficient production records to be able to reconstruct emissions for ERC purposes and for audits.

The emissions from any facility that is not required to submit annual inventory forms are captured in the area source inventory, which is calculated using demographics and emission factors. For information on area source inventory, contact the Bureau of Air Quality's Division of Air Information at 717-787-9702.

Any emissions that are below the source reporting thresholds for facilities that are subject to the annual inventory will be calculated by BAQ using emission factors. Owners/operators of facilities have the option of submitting emission estimates for emissions below the sub facility thresholds if the facility's estimate is better than the factor-generated numbers.

3.1 Title V Facilities

All owners/operators of Title V facilities must complete the AES. Owners/operators of Title V facilities are subject to the Annual Emission Statement because by definition they exceed the reporting thresholds in the Emission Statement and SIP regulations. Inventory information from Title V facilities is used for emission fee purposes and, in combination with other information, to demonstrate compliance. The RAQ staff determine which sub facilities will appear on the AIMS/eFACTS reporting forms. In some cases, the facility's owner/operator and RAQ staff may agree to treat multiple pieces of related equipment as one sub facility in the Title V permit. The facility's owner/operator must provide operating schedules and throughputs for all sub facilities on the forms. NOx, SOx, VOC, PM10, PM2.5, ammonia (NH₃) and CO emissions of 1.0 ton per year or more per sub facility must be reported on a sub facility by sub facility basis. Report to the nearest hundredth (0.00) of a ton.

All HAPs must be reported. HAPs must be reported individually (speciated). Any HAP emissions greater than 0.5 ton per speciated HAP per sub facility per year must be reported on a sub facility by sub facility basis. Report to the nearest hundredth (0.00) of a ton. Sub facility-by-sub facility speciated reporting of HAPs is required for Maximum Achievable Control Technology (MACT) purposes. In cases where HAPs are also VOCs or particulates, do not subtract the HAP emission estimates from the VOC or particulate emission estimates. The subtraction will be dealt with by BAQ's AIMS/eFACTS database.

Based upon the Federal Clean Air Act, Section 112 (C) (6), certain pollutants are of special concern. For these HAPs of special concern, owners/operators of facilities should report any emissions above the following thresholds:

Polychlorobiphenols (PCB)

Mercury (Hg)

Lead (Pb)

Polycyclic Organic Matter (POM)

0.01 tons/yr per sub facility

Dioxins 0.00001 tons/yr or 0.02 pounds/yr per sub facility Furans 0.00001 tons/yr or 0.02 pounds/yr per sub facility

As all HAPs must be reported and as some sub facilities are considered insignificant and not included on the reporting forms, use the "Other Sub Facility" block on the reporting forms to reconcile the facility totals with individual sub facility estimates.

3.2 Non-Title V Facilities

Owners/operators of Non-Title V facilities may be required to complete the AES for several reasons: the Emission Statement regulation, permit cap compliance certification and State Implementation Plan (SIP) purposes. DEP may also request inventory information from any facility, per the Pennsylvania Code, Title 25, Chapter 135. The Emission Statement, permit caps and SIP are discussed in paragraphs 1-3 below.

3.2.1 Facilities Inventoried for Emission Statement Purposes

The Emission Statement regulation is found in Pennsylvania Code, Title 25, Chapter 135.21. Owners or operators of facilities that are located in Bucks, Chester, Delaware, or Montgomery Counties that emits or have a potential to emit 25 tons or more per year of VOC or 25 tons or more per year of NO_x are required owner/operator to report. Owners or operators of facilities located in the remainder of the Commonwealth that emits or has a potential to emit 50 tons or more per year of VOC or 100 tons or more per year of NO_x must complete the AES. Facilities that emit less than 25 tons per year of either oxides of nitrogen or VOC and that are on the exemption list in Section 3.2.1.1 of this document do not have to complete the AES.

Owners or operators of facilities located in Allegheny or Philadelphia Counties should contact the county agency listed in Sections 9.7 and 9.8 for reporting instructions.

Owners/operators of Non-Title V facilities subject to the Emission Statement regulation must report throughputs and operating schedules for all sub facilities in AIMS/eFACTS. In addition, these owners/operators of facilities must report VOC and NOx actual emissions of 1.0 TPY or more per sub facility. Emissions less than 1.0 ton per year do not have to be reported. Report to the nearest hundredth (0.00) of a ton. All emissions must be reported sub facility by sub facility, not as facility totals. The emission estimates for other pollutants will be calculated by Air Quality's AIMS/eFACTS database using emission factors. The facility's owner/operator has the option of reporting emission estimates for other pollutants if the facility's owner/operator's estimates are better than the factor-based calculations. These facilities may also be required to report HAPs. Please refer to Section 3.1 of this document.

3.2.1.1. Emission Statement Exemptions

The following list of exemptions was published in the Pennsylvania Bulletin Volume 23, Number 17, pages 1994-95 on April 24, 1993:

- Non-Industrial Surface Coating:
 - Architectural
 - Automotive Refinishing
- Other Solvent Use
 - Electronics and Electrical Degreasing
 - Other Manufacturing Degreasing
 - Automotive Repair Cold Cleaning Degreasing
 - Manufacturing Cold Cleaning Degreasing
 - Dry cleaning
 - Graphic Arts
- Surface Coatings
 - > Flatwood Products
 - > Furniture & Fixtures
 - Electrical Insulation
 - Metal Cans
 - Miscellaneous Finished Products
 - Machinery & Equipment
 - Appliances
 - New Motor Vehicles
 - Marine
 - Miscellaneous Manufacturing
 - Maintenance
 - Other Special Coatings
- Waste Management Practices
 - Publicly-Owned Treatment Works
 - Landfills
 - Treatment Storage Disposal Facilities
- Small Stationary Fossil Fuels*
 - > Fuel Oil Combustion
 - Coal Combustion
 - Gas Combustion
- Miscellaneous Sub Facilities
 - > On-Site Incineration (does not include open burning)
 - Leaking Underground Storage Tanks

3.2.2 Facilities Inventoried for Permit Cap Compliance Certification

Some owners/operators of facilities have taken permit restrictions in order to avoid major status and a federally enforceable permit. Also, a facility may have a sub facility cap for other reasons. The method of demonstrating cap compliance is addressed in the permit. The AES may be used to demonstrate cap compliance.

^{*}The sizes of small stationary fossil fuel sources are defined by Chapter 127.14, Permit Exemptions.

3.2.3 Facilities Inventoried for State Implementation Planning Purposes

Owners/operators of synthetic minor facilities are subject to the inventory and must complete the AIMS/eFACTS reporting forms if actual VOC emissions are greater than or equal to 10 TPY for the facility. This VOC threshold was established to meet EPA's ozone planning requirements. The facility's owner/operator must report annually. Owners/operators of synthetic minor facilities subject to the inventory must report throughputs and operating schedules for all sub facilities on the AIMS/eFACTS reporting forms. In addition, these owners/operators of facilities must report VOC actual emissions as a facility total. Report to the nearest hundredth of a ton. The emission estimates for other pollutants will be calculated by Air Quality's AIMS/eFACTS database using emission factors. The facility's owner/operator has the option of reporting emission estimates for other pollutants if the facility's owner/operator's estimates are better than the factor-based calculations.

4. Commonly Asked Questions About Inventory Reporting

Nitrogen oxide (NO) is listed on the Title V pollutant list. Fees are paid for nitrogen dioxide (NO2). Nitrogen oxides (NOx) are reported for inventory but are actually NO2. Should the Title V NO be reported as NO, as NO2, or as NOx?

Report NO_x as NO₂.

If a facility's owner/operator has completed some emission estimates incorrectly before receiving these instructions, does the facility's owner/operator need to go back and fix them? If so, when?

Yes. Incorrectly completed facility emission estimates should be corrected as soon as possible by notifying the RAQ staff.

Which sub facilities must be tracked and reported for inventory?

Owners/operators of facilities are responsible for reporting on any sub facilities identified by RAQ staff. If a sub facility does not appear on the preprinted forms or web site, the sub facility is not automatically exempted from reporting.

For the purposes of Title V fees, owners/operators of facilities must provide emission estimates and pay fees on all sub facilities covered by the regulations, whether or not the sub facilities appear on the AES.

Any owners/operators of facilities that are applying for synthetic minor status must document all parameters that they agree to cap in their application. These caps are in place from the time the synthetic minor application was submitted. Therefore, any facility's owner/operator that has applied for a synthetic minor permit and has agreed to cap production must document compliance with the caps. The AES is one method of documenting compliance. Please contact your RAQ staff for more information on documenting compliance.

Blank reporting forms for sub facilities not currently in AIMS/eFACTS are included in this Instruction booklet, and may also be downloaded from the DEP web site or obtained from RAQ staff.

If a sub facility is missing from the AES, did the facility's owner/operator have to report any HAPs, including fugitives, emitted from the missing sub facilities?

If applicable requirements (such as BAT) exist for the sub facility, the sub facility must be added to AIMS/eFACTS so that sub facility-specific HAPS can be reported. If applicable requirements do not exist, the facility's owner/operator must report all HAPS but can report the HAPs as speciated facility totals.

Please clarify the current and future policies on aggregating small, similar sub facilities.

Any aggregation of small similar sub facilities will have to be done via the permit. Please contact your RAQ staff to discuss aggregating sub facilities.

If a facility was in the 2002 baseline inventory with significant emissions, but has now changed processes so that the facility is not subject to the AES under the current guidance, what should the facility's owner/operator do?

The facility's owner/operator will not have to report the AES. The facility will not be deleted from the AIMS/eFACTS database because DEP needs to maintain all emission information from previous years in case the facility generates Emission Reduction Credits (ERCs). Also, deletion would cause the facility to disappear from the baseline inventory. The facility will be left in the AIMS/eFACTS database and marked as not subject to the AES.

EPA has adopted new National Ambient Air Quality Standards for ozone and fine particulates. The EPA implementation rules for these pollutants establish 2002 as the new baseline inventory year. Facility owners/operators should review their 2002 inventory to determine whether they should report. Please contact RAQ staff if you need to be added to the 2002 inventory.

What version of the Source Classification Codes (SCCs) should be used?

Use version 6.23 from October 2000. Information can be found at www.epa.gov/ttnchie1/software/fire/index.html.

Will DEP request inventory information for previous operating years from companies that have been operating since 1990 but have not reported previously?

Yes, these companies will need to be added to the 1990 baseline inventory and other periodic inventories. The RAQ staff will notify the companies of the information needed.

5. Elaboration On Worksheet Contents, For All Firm-Plants

5.1 Throughputs For Each Source

Throughputs must be tracked and reported in monthly increments for each sub facility. **If an operating schedule changes during a month, you must provide a throughput for each operating schedule in effect that month**. Monthly throughputs are required to accommodate various data reports generated from AIMS/eFACTS, such as quarterly reporting with a December start date, or quarterly percentages.

Note: If there is not enough space provided on the preprinted forms to submit all operating schedules and throughputs and/or new SCCs, use the form WORKSHEET FOR ADDITIONAL OPERATING SCHEDULES FOR EXISTING SUB FACILITY/SCCs, OR ADDITIONAL SUB FACILITY/SCCs FOR EXISTING SUB FACILITIES.

5.2 Operating Schedules For Each Source

DEP recognizes that owners/operators of facilities may change operating schedules during the year. Owners/operators of primary facilities must provide at least one operating schedule for each sub facility. Owners/operators of primary facilities may provide multiple operating schedules per sub facility if an operating schedule changes significantly during the year. Examples of significant changes could be a piece of equipment shut down for more than two weeks or a change from 1 shift to 2 or 3 (and vice versa). Consult with RAQ staff for guidance. Keep in mind that worst-case production numbers will yield worst-case emissions numbers when emissions are calculated in AIMS/eFACTS using SCCs.

For each sub facility operating schedule, the facility's owner/operator must provide:

- 1. Start date of the operating schedule,
- 2. End date of the operating schedule.

Additionally, for each operating schedule 2 of the following 3 must be provided:

- 1. Total hours the sub facility operated during that particular operating schedule,
- 2. Total days the sub facility operated during that particular operating schedule, and
- 3. Average days per week the sub facility operated during that particular operating schedule.

If you are trying to report a shutdown period for a sub facility, you end the current operating schedule when the shutdown occurs and start a new operating schedule when the shutdown is over. For example, if your plant were shut down from July 1 to July 15, you would have:

Operating schedule 1: Date effective = January 1

Date end = June 30

Operating schedule 2: Date effective = July 16

Date end = December 31

Note: If there is not enough space provided on the preprinted forms to submit all operating schedules and throughputs and/or new SCCs, contact your DEP regional office.

5.3 Emission Estimates

Owners/operators of facilities must provide an estimate of the tons of NOx, VOC, PM10, PM2.5, SO_X , NH₃ and CO emitted per year for each sub facility within the plant. See Section 5.8 of this document for HAP reporting.

Owners/operators of facilities must also indicate the method used to calculate the emissions. Calculation Method Codes are listed in the back of the instructions. Continuous Emission Monitoring (CEM) data is the most reliable for emission estimates and should be used when available.

5.4 Fuel Analysis

Percent sulfur, percent ash and Btu content must be reported for all fuels. Report zeros where appropriate. Check with the DEP contact for your county or your RAQ staff to determine the analytical results that must be reported.

5.5 Surface Coating (Paint, Glue, Ink) Analysis

Percent water, coating density, and total volatile content must be reported for all water- and solvent-based coatings used. If possible, include a list of all coatings and their associated analyses with your submission. Some DEP regions provide VOC worksheets to aid reporting. Contact your RAQ staff for the preferred reporting format.

5.6 Control Devices

The owners/operators of new facilities and previously unreported sub facilities must report control efficiencies for every pollutant controlled by a control device. These pollutants may include VOCS, NO_X , SO_X , CO, PM 10, PM2.5 and NH_3 . If the primary control system does not capture 100 percent of the sub facility emissions, both a fugitive emission point and a regular stack should be reported. **Capture and control are not the same.** A device may control 90 percent of the captured VOCs but capture only 80 percent of the VOCs generated by the sub facility.

If your facility's owner/operator is planning to add, modify, or remove control devices, your RAQ staff should be notified prior to the change.

5.7 Stacks

The owners/operators of new facilities and previously unreported sub facilities must report stack inside diameter, height, exhaust flow in ACFM, exhaust velocity in meters or feet per second, exhaust temperature, exhaust percent moisture and the direction of stack discharge. Stack information is requested on all forms except the WORKSHEET FOR A NEW FIRM-PLANT and the WORKSHEET FOR NEW FUEL MATERIAL LOCATIONS.

Note: If your facility's owner/operator is planning to add, modify, or remove stacks, your DEP inspector should be notified prior to the change and the form WORKSHEET FOR NEW STACKS or the WORKSHEET FOR CHANGES TO EXISTING CONTROL DEVICES OR STACKS FOR EXISTING SUB FACILITYS should be submitted.

5.8 Hazardous Air Pollutants

Hazardous Air Pollutant (HAP) estimates are required for certain plants. Please refer to Chapter III. Guidance For Determining Which Facilities Belong in AIMS/eFACTS For Inventory Purposes for more information. All HAPs that must be reported are listed in Chapters XII to XVI. A calculation method is required with the HAP estimates. Refer to Chapter XI., Calculation Method Codes For Emissions. Additional information can be found in the Pennsylvania Code, Chapter 121.1 under "Title V regulated air pollutants". You must use the reporting form provided in the Appendix or with your preprinted input forms.

There are *de minimus* levels for HAP reporting. If the total HAP emissions from a facility are less than one (1) ton per year per HAP, the facility's owner/operator is not required to report Haps. However, if the facility has over one (1) ton per year of any HAP that Hap needs to be reported for each sub facility that emits that specific HAP. For example, a facility has 1.5 tons per year of benzene emissions from three sub facilities and 0.75 tons per year of toluene emissions. The three sub facilities emit 1 ton, 950 pounds and 50 pounds of toluene respectively. The facility's owner/operator must report the three sources of benzene

All HAPs must be reported. HAPs must be reported individually (speciated). Any HAP emissions greater than 0.5 ton per speciated HAP per sub facility per year must be reported on a sub facility by sub facility basis. Report to the nearest hundredth of a ton. Sub facility by sub facility speciated reporting of HAPs is required for Maximum Achievable Control Technology (MACT) purposes.

In some cases HAPs are also VOCs or particulates, such as trichloroethylene. Do not subtract the HAP emission estimates from the VOC or particulate emission estimates. The subtraction will be dealt with by Air Quality's AIMS/eFACTS database.

Based upon the Federal Clean Air Act, Section 112 (C) (6), certain pollutants are of special concern.

For these HAPs of special concern, owners/operators of facilities should report any emissions above the following thresholds:

Polychlorobiphenols (PCB)

Mercury (Hg)

Lead (Pb)

Polycyclic Organic Matter (POM)

Dioxins

0.01 TPY per sub facility
0.01 TPY per sub facility
0.01 TPY per sub facility
0.00001 TPY per sub facility
0.00001 TPY per sub facility

As all HAPs must be reported and as some sub facilities are considered insignificant and not included on the reporting forms, use the "Other Sub Facility" block on the reporting forms to reconcile the facility totals with individual sub facility estimates.

5.9 Site Pollutant Summary

The form summarizes the annual emissions of NO_X , SO_X , VOC, PM10, PM 2.5, NH_3 and CO for the facility. You must use the reporting form provided in the Appendix or with your preprinted input forms.

6. Confidentiality

Confidential status must be requested in a letter to the DEP regional office annually. The letter must specify the sub facilities and information that are affected, and the reasons for needing confidentiality. Confidentiality is discussed in Section 13.2 of the Pennsylvania Air Pollution Control Act. Only throughputs and operating schedules can be treated as confidential in AIMS/eFACTS. Confidential throughputs and operating schedules are not provided in basic reports requested by the public and agencies other than EPA. Confidential throughputs and operating schedules are not provided to EPA.

7. Certification of Data Accuracy for Emission Statement

This form must be completed annually by the owners/operators of facilities that are subject to the Emission Statement regulation. You must use the form provided in the Appendix or with your preprinted input forms. If you are using the form in the Appendix, make sure to fill in your Primary Facility ID (assigned by DEP) in the space at the top of the form.

8. Extensions Beyond March 1

As per 25 Pa. Code Section 135.3(c) a facility's owner/operator may request an extension of time from the Department for the filing of the annual emission inventory, and the Department may grant the extension for reasonable cause. Extension requests should be made in writing to the RAQ contact listed in these Instructions. Include the reason for the request and the expected date by which the inventory report will be submitted.

9. DEP Contact Listings

Please return the completed forms to the appropriate RAQ representative from the following contact listing. If you have questions about the forms, please call your RAQ representative.

9.1 Contact Listing, Norristown - Region I (Southeast)

| Contact | County |
|---|-----------------------------------|
| James Rebarchak Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-7503 | Montgomery County |
| Kevin McLemore Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-7502250-5900 | Chester County Delaware County |
| Kevin McLemore Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-7502 | Chester County Delaware County |
| Shawn Mountain Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-7504 | Bucks County |

9.2 Contact Listing, Wilkes-Barre - Region II (Northeast)

| Contact | County | |
|--|--|---|
| Roger Bellas Northeast Regional Office Two Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2464 | Lackawanna County Luzerne County Pike County Monroe County (except: | Stroudsburg East Stroudsburg Stroud Ross Hamilton Township) |
| | Schuylkill County Susquehanna County Wayne County Wyoming County | ., |
| Peter DiSabella Northeast Regional Office Two Public Square Wilkes-Barre, PA 18711-0790 (610) 826-2345 | Lehigh County Northampton County Monroe County (partial): | Stroudsburg East Stroudsburg Hamilton Township Ross Stroud |

9.3 Contact Listing, Harrisburg - Region III (Southcentral)

| Contact | County |
|--|--|
| Frederick Heagy Southcentral Regional Office 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4886 | Cumberland County Dauphin County Lebanon County Perry County |
| Susan Foster York District Office 150 Roosevelt Avenue, Suite 200 York, PA 17401-3381 (717) 771-4481 | Adams County Franklin County York County |
| Dave Bonga Lancaster District Office 1661 Old Philadelphia Pike Lancaster, PA 17602 (717) 390-2360 | Berks County Lancaster County |
| Richard Roller Altoona District 3001 Fairway Drive Altoona, PA 16602 (814) 946-7294 | Bedford County Blair County Fulton County Juniata County Huntington County Mifflin County |

9.4 Contact Listing, Williamsport - Region IV (Northcentral)

| Contact | County |
|--|--|
| Muhammad Zaman Northcentral Regional Office 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-0512 | Bradford County Cameron County Centre County Clearfield County Clinton County Columbia County Lycoming County Montour County Northumberland County Potter County Snyder County Sullivan County Tioga County Union County |

9.5 Contact Listing, Pittsburgh - Region V (Southwest)

| Contact | County |
|--|--|
| Keith Gratzmiller Pittsburgh Regional Office 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000 | Armstrong County Beaver County Greene County Washington County |
| Dan Haney Greensburg District Office RR2, Box 603-C, Route 819S Greensburg, PA 15601-9802 (724) 925-5415 | Cambria County Fayette County Indiana County Somerset County Westmoreland County |

9.6 Contact Listing, Meadville - Region VI (Northwest)

| Contact | County | Township/Borough |
|---|---|--|
| Staci Gustafson Northwest Regional Office 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6940 | County Crawford County Erie County Mercer County (partial): | Deer Creek Township Delaware Township Fairview Township Fredonia Borough French Creek Township Greene Township Greenville Borough Hempfield Township Jamestown Borough Lake Township Mill Creek Township New Lebanon Borough New Vernon Township Otter Creek Township Perry Township |
| | | Salem Township Sandy Creek Township Sandy Lake Borough Sandy Lake Township Sheakleyville Borough Stoneboro Borough Sugar Grove Township |
| | Venango County (partial): | Canal Township Cooperstown Borough French Creek Township Jackson Township Oakland Township Plum Township Sugarcreek Borough Utica Borough |

9.6 Contact Listing, Meadville - Region VI (Northwest) (continued)

| Contact | County | Township/Borough |
|--|--|---|
| Lori McNabb 121 North Mill Street New Castle, PA 16101 | Butler County Lawrence County (partial): | Clark Boro Coolspring Township East Lackawannock Township Farrell Findley Township Grove City Borough Hermitage Hickory Township Jackson Center Jackson Township Jefferson Township Lackawannock Township Liberty Township Mercer Pine Township Sharon Sharpsville Borough Shenango Township South Pymatuning Township Springfield Township West Middlesex Borough Wheatland Borough Wilmington Township Wolf Creek Township Worth Township |
| | Venango County (partial): | Barkeyville Borough Clinton Township Clintonville Borough Emlenton Borough Franklin Borough Irwin Township Mineral Township Polk Sandycreek Township Scrubgrass Township Victory Township |

9.6 Contact Listing, Meadville - Region VI (Northwest) (continued)

| Contact | County | Township/Borough |
|--|--|--|
| David Bubbenmoyer Northwest Regional Office 230 Chestnut Street, Meadville, PA 16335 (814) 723-3273 | Clarion County Elk County Forest County Jefferson County McKean County Warren County Venango County (partial): | Allegheny Township Cherrytree Township Cornplanter Township Cranberry Township Oil City Oil Creek Township Pinegrove Township Pleasantville Borough President Township Richland Township Rockland Township Rouseville Borough |

9.7 Contact Listing, Philadelphia Air Management Services

Contact

Assistant Director of Engineering Department of Public Health Air Management Services 321 University Avenue Philadelphia, PA 19104 (215) 875-5678

9.8 Contact Listing, Allegheny County Health Department

Contact

Allegheny County Health Department Bureau of Air Pollution Control 301 39th Street Pittsburgh, PA 15201 (412) 578-8133

10. Calculation Method Codes For Emissions

These codes are assigned by the facility's owner/operator and describe the method used to calculate the emission estimates. Codes 4, 5, 6, 7 and 8 are assigned within AIMS/eFACTS and should not be assigned by the facility's owner/operator.

| CODE | AIMS DESCRIPTION |
|------|--------------------------------------|
| 1 | DEP Stack Test |
| 2 | Company Stack Test Approved by DEP |
| 3 | Other Company Test Approved by DEP |
| 9 | See Comment |
| 10 | Company SCC Factor |
| 11 | Company Material Balance |
| 12 | Company Efficiency of Control Device |
| 13 | Company VOC Calculation |
| 14 | Continuous Emission Monitoring |
| 15 | AP-42 |
| 16 | Company-Calculated Site Emission |

11. Reliability Codes For Emissions

Reliability codes are assigned by the RAQ staff or AIMS/eFACTS. **The codes are provided in the instructions for informational purposes only**. The following list is arranged in order of most reliable method of calculation to least reliable. Codes A, B, C, D, E and U are assigned by AIMS/eFACTS and describe the reliability of the SCC used.

| CODE | DESCRIPTION |
|------|--------------------------------|
| CEM | Continuous Emission Monitoring |
| BST | Best Stack Test |
| ST | Stack Test |
| DVC | DEP VOC Calculation |
| CVC | Company VOC Calculation |
| MMB | Measured Material Balance |
| ME | Measured Efficiency |
| RE | Rated Efficiency |
| EMB | Estimated Material Balance |
| СОМ | See Comment |
| A | A Rated Factor |
| В | B Rated Factor |
| С | C Rated Factor |
| D | D Rated Factor |
| E | E Rated Factor |
| SITE | Site-Level Manual Emission |
| U | U Unrated Factor |
| NA | N/A For Plant Total |

12. Abbreviations/Acronyms

| Abbreviation/Acronym | Definition |
|----------------------|---|
| ACFM | Actual cubic feet per minute |
| ACT | Actual |
| AIMS | Air Information Management System (BAQ's database module of eFACTS) |
| AIRS | Aerometric Information Retrieval System (EPA's database) |
| BAQ | Bureau of Air Quality |
| BTU | British thermal units |
| CAS | Chemical abstract service |
| CD | Control device |
| СО | Carbon monoxide |
| CU | Combustion unit |
| DEP | Pennsylvania Department of Environmental Protection |
| eFACTS | environment, Facility, Application, Compliance Tracking System |
| EHS | Extremely Hazardous Substance |
| EPA | United States Environmental Protection Agency |
| FML | Fuel material location |
| FUEL MAT LOC | Fuel material location |
| Hg | Mercury |
| IN | Incinerator |
| INC | Incinerator |
| MACT | Maximum Achievable Control Technology |
| MBTU | Thousand Btu |
| MMBTU | Million Btu |
| NAICS | North American Industrial Classification System |
| NOx | Nitrogen oxides |
| Pb | Lead |
| PCB | Polychlorobiphenols |
| P000 | General particulate |
| PM10 | Particulate matter less than 10 microns in diameter |
| PM2.5 | Particulate matter less than 2.5 microns in diameter |
| POM | Polycyclic Organic Matter |
| PR | Process |
| PTE | Potential to Emit |
| RAQ | Regional Air Quality |
| SCC | Sub Facility Classification Code |
| SCFM | Standard cubic feet per minute |
| SIC | Standard Industrial Classification |
| SOx | Sulfur oxides Topo per Year |
| TPY | Tons per Year |
| VOC | Volatile organic compounds |

13. Table A: Hazardous Air Pollutants (112 [b]) Sorted Alphabetically by Pollutant Name

| CAS | POLLUTANT (Alphabetical By Pollutant Name) |
|---------|--|
| 75070 | Acetaldehyde |
| 60355 | Acetamide |
| 75058 | Acetonitrile |
| 98862 | Acetophenone |
| 53963 | 2-Acetylaminofluorene |
| 107028 | Acrolein |
| 79061 | Acrylamide |
| 79107 | Acrylic acid |
| 107131 | Acrylonitrile |
| 107051 | Allyl chloride |
| 92671 | 4-Aminobiphenyl |
| 62533 | Aniline |
| 90040 | o-Anisidine |
| 1332214 | Asbestos |
| 71432 | Benzene (including Benzene from gasoline) |
| 92875 | Benzidine |
| 98077 | Benzotrichloride |
| 100447 | Benzyl chloride |
| 92524 | Biphenyl |
| 117817 | Bis(2-ethylhexyl)phthalate (DEHP) |
| 542881 | Bis(chloromethyl)ether |
| 75252 | Bromoform |
| 106990 | 1,3-Butadiene |
| 156627 | Calcium cyanamide |
| 133062 | Captan |
| 63252 | Carbaryl |
| 75150 | Carbon disulfide |
| 56235 | Carbon tetrachloride |
| 463581 | Carbonyl sulfide |
| 120809 | Catechol |
| 133904 | Chloramben |
| 57749 | Chlordane |
| 7782505 | Chlorine |

| CAS | POLLUTANT (Alphabetical By Pollutant Name) |
|---------|--|
| 79118 | Chloroacetic acid |
| 532274 | 2-Chloroacetophenone |
| 108907 | Chlorobenzene |
| 510156 | Chlorobenzilate |
| 67663 | Chloroform |
| 107302 | Chloromethyl methyl ether |
| 126998 | Chloroprene (2-chloro-1,3-butadiene) |
| 1319773 | Cresols/Cresylic acid (isomers and mixture) |
| 95487 | o-Cresol |
| 108394 | m-Cresol |
| 106445 | p-Cresol |
| 98828 | Cumene (Isopropylbenzene) |
| 94757 | 2,4-D, salts,esters (Dichlorophenoxyacetic acid) |
| 72559 | DDE (p,p-Dichlorodiphenyldichloroethylene) |
| 334883 | Diazomethane |
| 132649 | Dibenzofurans |
| 96128 | 1,2-Dibromo-3-chloropropane |
| 84742 | Dibutylphthalate |
| 106467 | 1,4-Dichlorobenzene |
| 91941 | 3,3-Dichlorobenzidine |
| 111444 | Dichloroethyl ether (Bis(2 chloroethyl)ether) |
| 542756 | 1,3-Dichloropropene (mixture) |
| 62737 | Dichlorvos |
| 111422 | Diethanolamine |
| 121697 | N,N-Dimethylaniline |
| 64675 | Diethyl sulfate |
| 119904 | 3,3-Dimethoxybenzidine |
| 60117 | Dimethyl aminoazobenzene |
| 119937 | 3,3-Dimethyl benzidine |
| 79447 | Dimethyl carbamoyl chloride |
| 68122 | Dimethyl formamide |
| 57147 | 1,1-Dimethyl hydrazine |
| 131113 | Dimethyl phthalate |
| 77781 | Dimethyl sulfate |
| 534521 | 4,6-Dinitro-o-cresol, and salts |
| 51285 | 2,4-Dinitrophenol |
| 121142 | 2,4-Dinitrotoluene |

| CAS | POLLUTANT (Alphabetical By Pollutant Name) |
|---------|---|
| 123911 | 1,4-Dioxane (1,4-Diethyleneoxide) |
| 122667 | 1,2-Diphenylhydrazine |
| 106898 | Epichlorohydrin (1-chloro-2,3-epoxypropane) |
| 106887 | 1,2-Epoxybutane (1,2-Butylene oxide) |
| 140885 | Ethyl acrylate |
| 100414 | Ethyl benzene |
| 51796 | Ethyl carbamate (Urethane) |
| 75003 | Ethyl chloride (Chloroethane) |
| 106934 | Ethylene dibromide (1,2-Dibromoethane) |
| 107062 | Ethylene dichloride (1,2-Dichloroethane) |
| 107211 | Ethylene glycol |
| 151564 | Ethylene imine (Aziridine) |
| 75218 | Ethylene oxide |
| 96457 | Ethylene thiourea |
| 75343 | Ethylidene dichloride (1,1-Dichloroethane) |
| 50000 | Formaldehyde |
| 76448 | Heptachlor |
| 118741 | Hexachlorobenzene |
| 87683 | Hexachlorobutadiene |
| 77474 | Hexachlorocyclopentadiene |
| 67721 | Hexachloroethane |
| 822060 | Hexamethylene 1,6-diisocyanate |
| 680319 | Hexamethylphosphoramide |
| 110543 | Hexane |
| 302012 | Hydrazine |
| 7647010 | Hydrochloric acid |
| 7664393 | Hydrogen fluoride (Hydrofluoric acid) |
| 123319 | Hydroquinone |
| 78591 | Isophorone |
| 58899 | Lindane (gamma hexachlorocyclohexane) (all isomers) |
| 108316 | Maleic anhydride |
| 67561 | Methanol |
| 72435 | Methoxychlor |
| 74839 | Methyl bromide (Bromomethane) |
| 74873 | Methyl chloride (Chloromethane) |
| 71556 | Methyl chloroform (1,1,1-Trichloroethane) |
| 78933 | Methyl ethyl ketone (2-Butanone) |

| CAS | POLLUTANT (Alphabetical By Pollutant Name) |
|---------|--|
| 60344 | Methyl hydrazine |
| 74884 | Methyl iodide (lodomethane) |
| 108101 | Methyl isobutyl ketone (4-methyl-2-pentanone) (Hexone) |
| 624839 | Methyl isocyanate |
| 80626 | Methyl methacrylate |
| 1634044 | Methyl tert butyl ether |
| 101144 | 4,4-Methylene-bis(2-chloroaniline) |
| 75092 | Methylene chloride (Dichloromethane) |
| 101688 | Methylene diphenyl diisocyanate (MDI) |
| 101779 | 4,4-Methylenedianiline |
| 91203 | Naphthalene |
| 98953 | Nitrobenzene |
| 92933 | 4-Nitrobiphenyl |
| 100027 | 4-Nitrophenol |
| 79469 | 2-Nitropropane |
| 684935 | N-Nitroso-N-methylurea |
| 62759 | N-Nitrosodimethylamine |
| 59892 | N-Nitrosomorpholine |
| 56382 | Parathion |
| 82688 | Pentachloronitrobenzene (Quintobenzene) |
| 87865 | Pentachlorophenol |
| 108952 | Phenol |
| 106503 | p-Phenylenediamine |
| 75445 | Phosgene |
| 7803512 | Phosphine |
| 7723140 | Phosphorus |
| 85449 | Phthalic anhydride |
| 1336363 | Polychlorinated biphenyls (PCB's) (Aroclors) |
| 1120714 | 1,3-Propane sultone |
| 57578 | beta Propiolactone |
| 123386 | Propionaldehyde |
| 114261 | Propoxur (Baygon) |
| 78875 | Propylene dichloride (1,2-Dichloropropane) |
| 75569 | Propylene oxide |
| 75558 | 1,2-Propylenimine (2-Methyl aziridine) |
| 91225 | Quinoline |
| 106514 | Quinone (1,4-benzoquinone) |

| CAS | POLLUTANT (Alphabetical By Pollutant Name) |
|---------|--|
| 100425 | Styrene |
| 96093 | Styrene oxide |
| 1746016 | 2,3,7,8-Tetrachlorodibenzo p dioxin |
| 79345 | 1,1,2,2-Tetrachloroethane |
| 127184 | Tetrachloroethylene (Perchloroethylene) |
| 7550450 | Titanium tetrachloride |
| 108883 | Toluene |
| 95807 | 2,4-Toluene diamine |
| 584849 | 2,4-Toluene diisocyanate |
| 95534 | o-Toluidine |
| 8001352 | Toxaphene (chlorinated camphene) |
| 120821 | 1,2,4-Trichlorobenzene |
| 79005 | 1,1,2-Trichloroethane |
| 79016 | Trichloroethylene |
| 95954 | 2,4,5-Trichlorophenol |
| 88062 | 2,4,6-Trichlorophenol |
| 121448 | Triethylamine |
| 1582098 | Trifluralin |
| 540841 | 2,2,4-Trimethylpentane |
| 108054 | Vinyl acetate |
| 593602 | Vinyl bromide (bromoethene) |
| 75014 | Vinyl chloride |
| 75354 | Vinylidene chloride (1,1-Dichloroethylene) |
| 1330207 | Xylenes (isomers and mixture) |
| 95476 | o-Xylenes |
| 108383 | m-Xylenes |
| 106423 | p-Xylenes |

14. Table B: Hazardous Air Pollutants (112 [b]) Sorted by Chemical Abstract Service Number

| CAS | POLLUTANT (by Chemical Abstract Service Number) |
|----------------|---|
| 50000 | Formaldehyde |
| 51285 | 2,4-Dinitrophenol |
| 51796 | Ethyl carbamate (Urethane) |
| 53963 | · · · · · · · · · · · · · · · · · · · |
| 56235 | 2-Acetylaminofluorene Carbon tetrachloride |
| | |
| 56382 57147 | Parathion |
| _ | 1,1-Dimethyl hydrazine |
| 57578 57740 | beta Propiolactone |
| 57749 | Chlordane |
| 58899 | Lindane (gamma hexachlorocyclohexane) (all isomers) |
| 59892 | N-Nitrosomorpholine |
| 60117 | Dimethyl aminoazobenzene |
| 60344 | Methyl hydrazine |
| 60355 | Acetamide |
| 62533 | Aniline |
| 62737 | Dichlorvos |
| 62759 | N-Nitrosodimethylamine |
| 63252 | Carbaryl |
| 64675 | Diethyl sulfate |
| 67561 | Methanol |
| 67663 | Chloroform |
| 67721 | Hexachloroethane |
| 68122 | Dimethyl formamide |
| 71432 | Benzene (including Benzene from gasoline) |
| 71556 | Methyl chloroform (1,1,1-Trichloroethane) |
| 72435 | Methoxychlor |
| 72559 | DDE (p,p-Dichlorodiphenyldichloroethylene) |
| 74839 | Methyl bromide (Bromomethane) |
| 74873 | Methyl chloride (Chloromethane) |
| 74884 | Methyl iodide (lodomethane) |
| 75003 | Ethyl chloride (Chloroethane) |
| 75014 | Vinyl chloride |
| 75058 | Acetonitrile |
| 75070 | Acetaldehyde |
| 75092 | Methylene chloride (Dichloromethane) |
| 75150 | Carbon disulfide |
| 75218 | Ethylene oxide |
| 75252 | Bromoform |
| 75343 | Ethylidene dichloride (1,1-Dichloroethane) |
| 75354 | Vinylidene chloride (1,1-Dichloroethylene) |
| 75445 | Phosgene |
| 75558 | 1,2-Propylenimine (2-Methyl aziridine) |
| 75569 | Propylene oxide |
| 76448 | Heptachlor |

| CAS | POLLUTANT (by Chemical Abstract Service Number) |
|------------------|--|
| 77474 | Hexachlorocyclopentadiene |
| 77781 | Dimethyl sulfate |
| 78591 | Isophorone |
| 78875 | Propylene dichloride (1,2-Dichloropropane) |
| 78933 | Methyl ethyl ketone (2-Butanone) |
| 79005 | 1,1,2-Trichloroethane |
| 79016 | Trichloroethylene |
| 79061 | Acrylamide |
| 79107 | Acrylic acid |
| 79118 | Chloroacetic acid |
| 79345 | 1,1,2,2-Tetrachloroethane |
| 79447 | Dimethyl carbamoyl chloride |
| 79469 | 2-Nitropropane |
| 80626 | Methyl methacrylate |
| 82688 | Pentachloronitrobenzene (Quintobenzene) |
| 84742 | Dibutylphthalate |
| 85449 | Phthalic anhydride |
| 87683 | Hexachlorobutadiene |
| 87865 | Pentachlorophenol |
| 88062 | 2,4,6-Trichlorophenol |
| 90040 | o-Anisidine |
| 91203 | Naphthalene |
| 91225 | Quinoline |
| 91941 | 3,3-Dichlorobenzidine |
| 92524 | Biphenyl |
| 92671 | 4-Aminobiphenyl |
| 92875 | Benzidine |
| 92933 | 4-Nitrobiphenyl |
| 94757 | 2,4-D, salts,esters (Dichlorophenoxyacetic acid) |
| 95476 | o-Xylenes |
| 95487 | o-Cresol |
| 95534 | o-Toluidine |
| 95807 | 2,4-Toluene diamine |
| 95954 | 2,4,5-Trichlorophenol |
| 96093 | Styrene oxide |
| 96128 | 1,2-Dibromo-3-chloropropane |
| 96457 | Ethylene thiourea |
| 98077 | Benzotrichloride |
| 98828 | Cumene (Isopropylbenzene) |
| 98862 | Acetophenone |
| 98953 | Nitrobenzene |
| 100027 | 4-Nitrophenol |
| 100027 | Ethyl benzene |
| 100414 | Styrene |
| 100425 | Benzyl chloride |
| 101144 | 4,4-Methylene-bis(2-chloroaniline) |
| | Methylene diphenyl diisocyanate (MDI) |
| 101688 101779 | |
| | 4,4-Methylenedianiline |
| 106423 | p-Xylenes |
| 106445 | p-Cresol |

| CAS | POLLUTANT (by Chemical Abstract Service Number) |
|---------------------|--|
| 106467 | 1,4-Dichlorobenzene |
| 106503 | p-Phenylenediamine |
| 106514 | Quinone (1,4-benzoquinone) |
| 106887 | 1,2-Epoxybutane (1,2-Butylene oxide) |
| 106898 | Epichlorohydrin (1-chloro-2,3-epoxypropane) |
| 106934 | Ethylene dibromide (1,2-Dibromoethane) |
| 106990 | 1,3-Butadiene |
| 107028 | Acrolein |
| 107051 | Allyl chloride |
| 107062 | Ethylene dichloride (1,2-Dichloroethane) |
| 107131 | Acrylonitrile |
| 107211 | Ethylene glycol |
| 107302 | Chloromethyl methyl ether |
| 108054 | Vinyl acetate |
| 108101 | Methyl isobutyl ketone (4-methyl-2-pentanone) (Hexone) |
| 108316 | Maleic anhydride |
| 108383 | m-Xylenes |
| 108394 | m-Cresol |
| 108883 | Toluene |
| 108907 | Chlorobenzene |
| 108952 | Phenol |
| 110543 | Hexane |
| 111422 | Diethanolamine |
| 111444 | Dichloroethyl ether (Bis(2 chloroethyl)ether) |
| 114261 | Propoxur (Baygon) |
| 117817 | Bis(2-ethylhexyl)phthalate (DEHP) |
| 118741 | Hexachlorobenzene |
| 119904 | 3,3-Dimethoxybenzidine |
| 119937 | 3,3-Dimethoxyberizidine |
| 120809 | Catechol |
| 120821 | 1,2,4-Trichlorobenzene |
| 121142 | 2,4-Dinitrotoluene |
| 121448 | Triethylamine |
| 121697 | N,N-Dimethylaniline |
| 122667 | 1,2-Diphenylhydrazine |
| 123319 | Hydroquinone |
| 123386 | Propionaldehyde |
| 123911 | 1,4-Dioxane (1,4-Diethyleneoxide) |
| 126998 | Chloroprene (2-chloro-1,3-butadiene) |
| 127184 | Tetrachloroethylene (Perchloroethylene) |
| 131113 | Dimethyl phthalate |
| 132649 | Dibenzofurans |
| 133062 | Captan |
| 133904 | Chloramben |
| 140885 | Ethyl acrylate |
| 151564 | Ethylene imine (Aziridine) |
| 156627 | Calcium cyanamide |
| 302012 | Hydrazine |
| 334883 | Diazomethane |
| 463581 | Carbonyl sulfide |
| 1 0000 I | Carbonyi Suniuc |

| CAS | POLLUTANT (by Chaminal Abstract Sarvina Number) |
|---------|---|
| | POLLUTANT (by Chemical Abstract Service Number) |
| 510156 | Chlorobenzilate |
| 532274 | 2-Chloroacetophenone |
| 534521 | 4,6-Dinitro-o-cresol, and salts |
| 540841 | 2,2,4-Trimethylpentane |
| 542756 | 1,3-Dichloropropene (mixture) |
| 542881 | Bis(chloromethyl)ether |
| 584849 | 2,4-Toluene diisocyanate |
| 593602 | Vinyl bromide (bromoethene) |
| 624839 | Methyl isocyanate |
| 680319 | Hexamethylphosphoramide |
| 684935 | N-Nitroso-N-methylurea |
| 822060 | Hexamethylene 1,6-diisocyanate |
| 1120714 | 1,3-Propane sultone |
| 1319773 | Cresols/Cresylic acid (isomers and mixture) |
| 1330207 | Xylenes (isomers and mixture) |
| 1332214 | Asbestos |
| 1336363 | Polychlorinated biphenyls (PCB's) (Aroclors) |
| 1582098 | Trifluralin |
| 1634044 | Methyl tert butyl ether |
| 1746016 | 2,3,7,8-Tetrachlorodibenzo p dioxin |
| 7550450 | Titanium tetrachloride |
| 7647010 | Hydrochloric acid |
| 7664393 | Hydrogen fluoride (Hydrofluoric acid) |
| 7723140 | Phosphorus |
| 7782505 | Chlorine |
| 7803512 | Phosphine |
| 8001352 | Toxaphene (chlorinated camphene) |

15. Table C: Compounds As Listed In 112(b)

Compound Name

Antimony Compounds

Arsenic Compounds (inorganic including arsine)

Beryllium Compounds

Cadmium Compounds

Chromium Compounds

Cobalt Compounds

Coke Oven Emissions

Cyanide Compounds 1

Fine mineral fibers ³

Glycol ethers 2

Lead Compounds

Manganese Compounds

Mercury Compounds

Nickel Compounds

Polycyclic Organic Matter 4

Radionuclides (including radon) ⁵

Selenium Compounds

Note: Unless otherwise specified, "Glycol ethers" and all listings above that contain the word "compounds" are defined as including any unique chemical substance that contains the named chemical (i.e., antimony, arsenic, etc.) as part of that chemical's infrastructure.

 1 X'CN where X = H' or any other group where a formal dissociation may occur. For example, KCN or Ca(CN)₂.

² Includes mono- and di-ethers of ethylene glycol, diethylene glycol, and triethylene glycol R(OCH2CH2)_n-OR' where

n = 1, 2, or 3

R = alkyl or aryl groups

R' = R, H, or groups which, when removed, yield glycol ethers with the structure: $R(OCH2CH2)_n$ -OH. Polymers are excluded from the glycol category.

³ Includes mineral fibers emissions from facilities manufacturing or processing glass, rock, or slag fibers (or other mineral derived fibers) of average diameter 1 micrometer or less.

 $^{^4\,}$ Includes organic compounds with more than one benzene ring, and which have a boiling point greater than or equal to 100 $^\circ\,$ C.

⁵ A type of atom that spontaneously undergoes radioactive decay.

Appendix A WORKSHEET FOR A NEW FACILITY

| Date*: | For Year*: | Tax ID/Plant Co | ode*: |
|-------------------------|------------|-----------------|-----------|
| Facility Name*: | | Primary Facil | ity ID*: |
| Region*: | County*: | Munici | pality*: |
| SIC*: | | NAICS: | |
| Contact Type | Name | Address | Telephone |
| Firm* | | | |
| | | | |
| | | | |
| Location | | | |
| | | | |
| | | | |
| Corporate | | | |
| | | | |
| | | | |
| Fee | | | |
| | | | |
| Inspection | | | |
| Порсоцоп | | | |
| | | | |
| Permit | | | |
| | | | |
| | | | |
| Responsible Official | | | |
| | | | |

Appendix A WORKSHEET FOR A NEW FACILITY (cont'd)

| | | Location I | nforma | ation | | |
|-----------------|-----------|--|--------|--------------------------------------|-----------|----------|
| Latitude*: | | UTM | Eleva | ation: | North: | |
| Longitude*: | | Coordinates | Zone | : | East: | |
| | | | | | | |
| | | Fuel Use | Summ | ary* | | |
| Туре | Total Use | | | Туре | Total Use | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | , | |
| | | Pollutant | Summ | ary* | | |
| | | Individual and Mi Emission Estimate | | eous Sub Facilities)) Tons/Year) | | |
| Ammonia | | | | PM10 | | _ |
| CO | | | | PM2.5 | | |
| Lead | | | | SO _X | | <u> </u> |
| NO _X | | | | VOC | | <u> </u> |

^{*}Indicates a required field

Appendix B WORKSHEET FOR MISCELLANEOUS SOURCE EMISSIONS

| Date*: | For Year*: Tax II | | ID/Plant Code*: | | | | |
|---|-------------------|-----|-----------------------|-------------|--|--|--|
| Facility Name*: | | | Primary Facility ID*: | | | | |
| | | | | | | | |
| Other Miscellaneous Sub Facility Emissions (Criteria/HAPs/Non-Criteria) | | | | | | | |
| Sub Facility (optional name) | Pollutant | CAS | Amount (0.00) | Calc Method | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Note: Most criteria pollutants and HAPs need to be reported if greater than 0.5 TPY. The following pollutants need to be reported if greater than the amount listed:

 Polychlorobiphenyls (PCBs)
 0.01 TPY

 Mercury (Hg)
 0.01 TPY

 Lead (Pb)
 0.01 TPY

 Polycyclic Organic Matter (POM)
 0.01 TPY

 Dioxins
 0.02 Lbs/Yr

 Furans
 0.02 Lbs/Yr

*Indicates a required field

Appendix C WORKSHEET FOR NEW COMBUSTION UNITS

| Date: Fo | | or Year: Tax ID/Plant Code: | | | | |
|---|-----------|--|----------------------------|------------|-----------------------------|--|
| Facility Name: | | | Primary Fa | acility ID |): | |
| Unit Name: | | | | | | |
| Description: | | | | | | |
| Manufacturer: | | Model: | Dat | e Install | ed: | |
| DEP Permit No.: | | Connected to FML(| s)?: | | - | |
| | | | | | | |
| | | | | | | |
| Actual Emission | Estimat | tes (Tons/Yr) for | Emission Fees and I | Emiss | ion Statements | |
| Pollutant | | CAS | Emission Amt (0.00 TI | | Calculation Method | |
| CO | | | | , | | |
| Lead | | | | | | |
| NH ₃ | | | | | | |
| NOX | | | | | | |
| PM10 | | | | | | |
| PM2.5 | | | | | | |
| SOX | | | | | | |
| VOC | | | | | | |
| Additional Pollutants (enter | HAPs indi | vidually): | | • | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| NOTE: Most Criteria pollutant reported if greater than the an | | | d if greater than 0.5 TPY. | The foll | owing pollutants need to be | |
| Polychlorobiphenols (PCB) Mercury (Hg) Lead (Pb) Polycyclic Organic Matter (POM) Dioxins (submit Lbs/Yr only) Furans (submit Lbs/Yr only) | | 0.01 TPY 0.01 TPY 0.01 TPY 0.01 TPY 0.02 Lbs/Yr 0.02 Lbs/Yr | | | | |

Appendix C WORKSHEET FOR NEW COMBUSTION UNITS (cont'd)

| First Fuel Burned: | | Maximum 1 | Throughput/Hr | : | |
|------------------------------|---------------------------------------|--------------------|---------------|------------------------------|--|
| SCC, if known: | · · · · · · · · · · · · · · · · · · · | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | |
| Total Hours: | | JUL: | AUG: | SEP: | |
| Days per Week: | | OCT: | NOV: | DEC: | |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | |
| Total Hours: | | JUL: | AUG: | SEP: | |
| Days per Week: | | OCT: | NOV: | DEC: | |
| | | | | | |
| 2 nd Fuel Burned: | | Maximum 1 | Γhroughput/Hr | : | |
| SCC, if known: | | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | |
| Total Hours: | | JUL: | AUG: | SEP: | |
| Days per Week: | | OCT: | NOV: | DEC: | |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | |
| Total Hours: | | JUL: | AUG: | SEP: | |
| Days per Week: | | OCT: | NOV: | DEC: | |

Appendix C WORKSHEET FOR NEW COMBUSTION UNITS (cont'd)

First Control Device

| Type (Baghouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|-----------|-------------------|---|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP II |) number? | Is Material Collected/ Land filled on Site? |
| | | Pollutant Cont | rol Effic | iencies | |
| Pollutant | | Efficiency % | ı | Sub Facility (mfr | rating, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Second Control Device

| Type (Bughouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|----------------|-------------------|--|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP ID number? | | Is Material Collected Land filled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr | rating, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Appendix C WORKSHEET FOR NEW COMBUSTION UNITS (cont'd)

First Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | | |
|---------------------------------|-------------------------------------|------------------------------------|--|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | | |
| Temperature °F: | Moisture %: | DEP ID Number? | | | | |
| Stack Discharge Type: | | | | | | |
| S = Vertical Unobstructed | Opening | | | | | |
| W = Vertical Weather Cap | or Similar Obstruction | | | | | |
| X = Horizontal or Nearly F | X = Horizontal or Nearly Horizontal | | | | | |
| Y = Downward or Nearly Downward | | | | | | |
| Z = Fugitive Emissions | | | | | | |

Second Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | | |
|-------------------------------------|-----------------------|------------------------------------|--|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | | |
| Temperature °F: | Moisture %: | DEP ID Number? | | | | |
| Stack Discharge Type: | Stack Discharge Type: | | | | | |
| S = Vertical Unobstructed Opening | | | | | | |
| W = Vertical Weather Cap or Sir | milar Obstruction | | | | | |
| X = Horizontal or Nearly Horizontal | | | | | | |
| Y = Downward or Nearly Downward | | | | | | |
| Z = Fugitive Emissions | | | | | | |

Appendix D WORKSHEET FOR NEW PROCESSES

| Date: | _ Fo | For Year: Tax ID/Plant Code: | | | e: |
|---|-----------|------------------------------|--|-----------|--------------------------------|
| Facility Name: | | Primary Facility ID: | | | |
| Process Name: | | | | | |
| Description: | | | | | |
| Manufacturer: | | Model: | 1 | Date Inst | alled: |
| DEP Permit No.: | | Connected to FML(| s)?: | | |
| | | | | | |
| | | | | | |
| Actual Emis | sion Esti | mates (Tons/Yr) for | Emission Fees and E | mission | Statements |
| Pollutant | | CAS | Emission Amt (0.00 | | Calculation Method |
| СО | | | | | |
| Lead | | | | | |
| NH ₃ | | | | | |
| NOX | | | | | |
| PM10 | | | | | |
| PM2.5 | | | | | |
| SOX | | | | | |
| VOC | | | | | |
| Additional Pollutants (enter | HAPs indi | vidually): | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NOTE: Most Criteria pollutant reported if greater than the ar | | | d if greater than 0.5 TF | PY. The f | ollowing pollutants need to be |
| Polychlorobiphenols (PCB) Mercury (Hg) Lead (Pb) Polycyclic Organic Matter (PC Dioxins (Submit Lbs/Yr only) Furans (Submit Lbs/Yr only) | DM) | | 0.01 TPY 0.01 TPY 0.01 TPY 0.01 TPY 0.02 Lbs/Yr 0.02 Lbs/Yr | | |

| First Material Processed or P | roduced: | | | | |
|---------------------------------------|------------------------|------------------|------|--|--|
| SCC, if known: | Maximum Throughput/Hr: | | | | |
| SCHEDULE 1 | | | | | |
| Date Effective: | Monthly Through | hput in (Units): | | | |
| Date End: | JAN: | FEB: | MAR: | | |
| Total Days: | APR: | MAY: | JUN: | | |
| Total Hours: | JUL: | AUG: | SEP: | | |
| Days per Week: | OCT: | NOV: | DEC: | | |
| | SCHEDULI | 2 | | | |
| Date Effective: | Monthly Through | hput in (Units): | | | |
| Date End: | JAN: | FEB: | MAR: | | |
| Total Days: | APR: | MAY: | JUN: | | |
| Total Hours: | JUL: | AUG: | SEP: | | |
| Days per Week: | OCT: | NOV: | DEC: | | |
| | | | | | |
| 2nd Material Processed or P | roduced: | | | | |
| SCC, if known: Maximum Throughput/Hr: | | | | | |

| 2nd Material Processed or Produce | ed: | | | | |
|-----------------------------------|----------------|--------------------|------|--|--|
| SCC, if known: | Maxim | num Throughput/Hr: | | | |
| SCHEDULE 1 | | | | | |
| Date Effective: | Monthly Throug | hput in (Units): | | | |
| Date End: | JAN: | FEB: | MAR: | | |
| Total Days: | APR: | MAY: | JUN: | | |
| Total Hours: | JUL: | AUG: | SEP: | | |
| Days per Week: | OCT: | NOV: | DEC: | | |
| | SCHEDULE | 2 | | | |
| Date Effective: | Monthly Throug | hput in (Units): | | | |
| Date End: | JAN: | FEB: | MAR: | | |
| Total Days: | APR: | MAY: | JUN: | | |
| Total Hours: | JUL: | AUG: | SEP: | | |
| Days per Week: | OCT: | NOV: | DEC: | | |

| First Fuel Burned: | | Maximum 1 | Throughput/Hr: | | |
|------------------------------|-----------|--------------------|----------------|------------------------------|---|
| SCC, if known: | | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | , |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | • | | | |
| 2 nd Fuel Burned: | | Maximum 1 | | | |
| SCC, if known: | | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | |

First Control Device

| Type (Baghouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|------------|--------------------------|---|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP IC |) number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Second Control Device

| Type (Baghouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|------------|--------------------------|---|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP IC | number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

First Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | | |
|-------------------------------------|-----------------------------------|------------------------------------|--|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | | |
| Temperature °F: | erature °F: Moisture %: | | | | | |
| Stack Discharge Type: | | | | | | |
| S = Vertical Unobstructed Open | S = Vertical Unobstructed Opening | | | | | |
| W = Vertical Weather Cap or Si | milar Obstruction | | | | | |
| X = Horizontal or Nearly Horizontal | | | | | | |
| Y = Downward or Nearly Downward | | | | | | |
| Z = Fugitive Emissions | | | | | | |

Second Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | |
|-------------------------------------|-------------------|------------------------------------|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | |
| Temperature °F: | Moisture %: | DEP ID Number? | | | |
| Stack Discharge Type: | | | | | |
| S = Vertical Unobstructed Opening | | | | | |
| W = Vertical Weather Cap or Sir | milar Obstruction | | | | |
| X = Horizontal or Nearly Horizontal | | | | | |
| Y = Downward or Nearly Downward | | | | | |
| Z = Fugitive Emissions | | | | | |

| Date: | For Year: | | Tax ID/ | Plant Code | e: |
|---|-------------|--|---------------------|--------------|---------------------|
| Facility Name: | | | Prima | ary Facility | ID: |
| Incinerator Name: | | | | | |
| Description: | | | | | |
| Manufacturer: | | Model: | | Date Inst | alled: |
| Incinerator Capacity: | | Primary Burner Cap | pacity: | Seconda | ry Burner Capacity: |
| Incinerator Class: | | Waste Type (see b | ack): | DEP Peri | mit No.: |
| Exhaust Flow(ACFM): | | Exhaust Temp: | | Exhaust | Moisture (%): |
| Exhaust CO2 (%): | | Connected to FML(| (s)? | • | |
| Actual Emission Estimates (T | ons/Yr) for | Emission Fees and | Emission Statements | :: | |
| Pollutant | | CAS | Emission Amt (0.0 | 00 TPY) | Calculation Method |
| СО | | | | | |
| Lead | | | | | |
| NH ₃ | | | | | |
| NOX | | | | | |
| PM10 | | | | | |
| PM2.5 | | | | | |
| SOX | | | | | |
| VOC | | | | | |
| Additional Pollutants (enter H | APs individ | lually): | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NOTE: Most Criteria pollutants and HAPS need to be reported if greater than 0.5 TPY. The following pollutants need to be reported if greater than the amounts listed: | | | | | |
| Polychlorobiphenols (PCB) Mercury (Hg) Lead (Pb) Polycyclic Organic Matter (POM) Dioxins (Submit Lbs/Yr only) Furans (Submit Lbs/Yr only) | | 0.01 TPY 0.01 TPY 0.01 TPY 0.01 TPY 0.02 Lbs/Yr 0.02 Lbs/Yr | | | |

| Primary | Material Incinerated | | | |
|-----------------|----------------------|-------------------|------------------|------|
| SCC, if known: | | Maximum | Throughput/Hr: _ | |
| | | SCHEDULE 1 | | |
| Date Effective: | | Monthly Throughpu | t in (Units): | |
| Date End: | | JAN: | FEB: | MAR: |
| Total Days: | | APR: | MAY: | JUN: |
| Total Hours: | | JUL: | AUG: | SEP: |
| Days per Week: | | OCT: | NOV: | DEC: |
| | | SCHEDULE 2 | | |
| Date Effective: | | Monthly Throughpu | t in (Units): | |
| Date End: | | JAN: | FEB: | MAR: |
| Total Days: | | APR: | MAY: | JUN: |
| Total Hours: | | JUL: | AUG: | SEP: |
| Days per Week: | | OCT: | NOV: | DEC: |

| Secondary Material Incinerated | d t | | |
|--------------------------------|----------------------|---------------|------|
| SCC, if known: | Maximum TI | nroughput/Hr: | |
| | SCHEDULE 1 | | |
| Date Effective: | Monthly Throughput i | n (Units): | |
| Date End: | JAN: | FEB: | MAR: |
| Total Days: | APR: | MAY: | JUN: |
| Total Hours: | JUL: | AUG: | SEP: |
| Days per Week: | OCT: | NOV: | DEC: |
| | SCHEDULE 2 | | |
| Date Effective: | Monthly Throughput i | n (Units): | |
| Date End: | JAN: | FEB: | MAR: |
| Total Days: | APR: | MAY: | JUN: |
| Total Hours: | JUL: | AUG: | SEP: |
| Days per Week: | OCT: | NOV: | DEC: |

| First Fuel Burned: | | Maximum 1 | Throughput/Hr: | | |
|------------------------------|-----------|--------------------|----------------|------------------------------|---|
| SCC, if known: | | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | , |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | • | | | |
| 2 nd Fuel Burned: | | Maximum 1 | | | |
| SCC, if known: | | | | | |
| FML? (y/n) | % Sulfur: | % Ash: | | BTU/lb-gal-ft ³ : | |
| | | SCHEDULE 1 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | _ |
| | | SCHEDULE 2 | | | |
| Date Effective: | | Monthly Throughput | in (Units): | | |
| Date End: | | JAN: | FEB: | MAR: | |
| Total Days: | | APR: | MAY: | JUN: | _ |
| Total Hours: | | JUL: | AUG: | SEP: | _ |
| Days per Week: | | OCT: | NOV: | DEC: | |

First Control Device

| Type (Baghouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|--|-----------|---|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP IC |) number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | Sub Facility (mfr rating, calculated, other) | | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Second Control Device

| Type (Baghouse, ESP, etc.): | Manufact | urer: | Model: | | Date Installed: |
|-----------------------------|-------------------------------|----------------|------------|--------------------------|---|
| Pressure Drop (in/water): | Scrubber Flow Rate (gal/min): | | DEP II | number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

First Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | |
|-------------------------------------|-----------------------------------|------------------------------------|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | |
| Temperature °F: | Moisture %: | DEP ID Number? | | | |
| Stack Discharge Type: | | | | | |
| S = Vertical Unobstructed Open | S = Vertical Unobstructed Opening | | | | |
| W = Vertical Weather Cap or Si | milar Obstruction | | | | |
| X = Horizontal or Nearly Horizontal | | | | | |
| Y = Downward or Nearly Downward | | | | | |
| Z = Fugitive Emissions | | | | | |

Second Stack

| Inside Diameter: | Height: | Distance to Nearest Property Line: | | | | |
|-------------------------------------|-----------------------------------|------------------------------------|--|--|--|--|
| Flow Volume ACFM: | Velocity (m/sec): | | | | | |
| Temperature °F: | Moisture %: | DEP ID Number? | | | | |
| Stack Discharge Type: | | | | | | |
| S = Vertical Unobstructed Open | S = Vertical Unobstructed Opening | | | | | |
| W = Vertical Weather Cap or Sir | milar Obstruction | | | | | |
| X = Horizontal or Nearly Horizontal | | | | | | |
| Y = Downward or Nearly Downward | | | | | | |
| Z = Fugitive Emissions | | | | | | |

INCINERATOR CLASS CODES

| Class I | Portable packaged incinerators having a burning rate up to but not including 100 pounds per hour of Type 0 or Type 1 waste or 75 pounds per hour of Type 2 or Type 3 waste. |
|-----------|---|
| Class II | Flue fed single chamber incinerators capable of burning Type 0 or Type 1 waste at the rate of 100 pounds or more per hour or Type 2 waste at the rate of 75 pounds or more per hour. New installations of these units are not acceptable to the Department. |
| Class IIA | Chute fed multi-chamber incinerators suitable for burning Type 0 and Type 1 waste at the rate of 100 pounds or more per hour. |
| Class III | Direct fed incinerators suitable for burning Type 0 and Type 1 waste at the rate of 100 pounds or more per hour or Type 2 waste at the rate of 75 pounds or more per hour. |
| Class IV | Incinerators suitable for burning Type 3 waste at the rate of 75 pounds or more per hour. |
| Class V | Municipal incinerators suitable for burning a combination of wastes. |
| Class VI | Crematory and pathological incinerators suitable for burning Type 4 waste at the rate of 25 pounds or more per hour. |
| Class VII | Special incinerators designed to burn Type 5, Type 6, Type 7 or special wastes at the rate of 25 pounds or more per hour. |
| Class CA | Controlled air incinerators designed to burn waste from institutional, commercial and industrial operation. |

INCINERATOR WASTE TYPE CODES

Trash: a mixture of highly combustible waste such as paper, cardboard cartons, wood boxes, and combustible floor sweepings from commercial and industrial activities containing up to 10% by-weight of plastic bags, coated paper, laminated paper, treated corrugated cardboard, oily rags and plastic or rubber scraps.

Rubbish: a mixture of combustible waste such as paper, cardboard cartons, wood scrip, foliage and combustible floor sweepings from domestic, commercial, and industrial activities containing up to 20% by-weight of restaurant or cafeteria waste, but little or no treated papers, plastic or rubber wastes.

Refuse: consisting of approximately an even mixture of rubbish and garbage by-weight.

Garbage: consisting of animal and vegetable uses from cafeterias, hotels, hospitals, markets, and like installations.

Remains: human and/or animal consisting of carcasses, organs and solid organic wastes from hospitals, laboratories, abattoirs, animal pounds and similar sub facilities.

By-prod: gaseous, liquid, or semi-liquid, such as tar, paints, solvents, sludge, fumes, etc., from industrial operations.

Solids: by-product waste such as rubber, plastics, wood waste, etc., from industrial operations.

Sludge: the accumulated settled solids deposited from sewage.

Appendix F WORKSHEET FOR NEW CONTROL DEVICES

| Date: | For Year: | | | Tax ID/Plant Code: | |
|-----------------------------|-----------------------|----------------|------------|--------------------------|---|
| Facility Name: | | | | Primary Facility | ID: |
| First Control Device | | | | | |
| Type (Baghouse, ESP, etc.): | Manufact | turer: | Model: | | Date Installed: |
| Pressure Drop (in/water): | Scrubber (gal/min) | Flow Rate | DEP II | O number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Second Control Device | | | | | |
| Type (Baghouse, ESP, etc.): | Manufact | turer: | Model: | | Date Installed: |
| Pressure Drop (in/water): | Scrubber (gal/min) | Flow Rate | DEP II | O number? | Is Material Collected/ Landfilled on Site? |
| | | Pollutant Cont | rol Effici | encies | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating | g, calculated, other) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Appendix G WORKSHEET FOR NEW STACKS

| Date: | For Year: | Tax ID/Plant Code: |
|----------------|-----------|----------------------|
| Facility Name: | | Primary Facility ID: |

Stack 1

| Company Designation: | | Base Elevation (Ft): | : |
|-----------------------------|---------------------|-----------------------|----------------------------|
| Inside Diameter: | Height: | | |
| Flow Volume ACFM: | Velocity (m/sec): | | |
| | Moisture %: | | DEP ID Number? |
| | 9 | S = Vertical Unobstru | cted Opening |
| Stack Discharge Type: | | W = Vertical Weather | Cap or Similar Obstruction |
| | > | K = Horizontal or Nea | rly Horizontal |
| | \ | Y = Downward or Nea | arly Downward |
| | Z | Z = Fugitive Emission | s |
| Latitude* (to 0.0 seconds): | | Longitude* (to 0.0 s | econds): |
| Latitude (to 0.0 seconds): | | Longitude (to 0.0 se | econds): |
| Method: | Horizontal Accuracy | y: | Geometric Type: |
| Horizontal Reference Datum: | | Reference Point: | |

Stack 2

| Company Designation: | | Base Elevation (Ft): | |
|-----------------------------|-----------------------|---|-----------------|
| Inside Diameter: | Height: | | |
| Flow Volume ACFM: | Velocity (m/sec): | | |
| Temperature °F: | Moisture %: | | DEP ID Number? |
| | | S = Vertical Unobstru | cted Opening |
| Stack Discharge Type: | | W = Vertical Weather Cap or Similar Obstruction | |
| | X = Horizontal or Nea | | ırly Horizontal |
| | ` | Y = Downward or Nea | arly Downward |
| | 2 | Z = Fugitive Emission | os |
| Latitude (to 0.0 seconds): | | Longitude (to 0.0 seconds): | |
| Method: | Horizontal Accuracy | y: | Geometric Type: |
| Horizontal Reference Datum: | | Reference Point: | |

Appendix H WORKSHEET FOR NEW FUEL MATERIAL LOCATIONS

| Date: | For Year: | Tax ID/Plant Code: |
|----------------|-----------|----------------------|
| Facility Name: | | Primary Facility ID: |

Please identify all locations that store fuel used by more than one air pollution sub facility or Control Device in the emissions year. The reason we are identifying fuel locations is to associate the characteristics of the fuel (%Sulfur, %Ash, Btu) once with the fuel location, instead of multiple times with each sub facility fed by the fuel location. Rules for creating fuel locations are:

- 1. Create a fuel location only if it supplies fuel to more than one sub facility in an emissions year. If a sub facility is fed by its own fuel location, enter the fuel characteristics with its fuel record in your operations data.
- 2. A fuel location can store only one type of fuel in an emissions year.
- 3. If it changed the fuel stored during the year, create a separate fuel location for each of the fuels used.
- 4. A sub facility can be fed a specific fuel from only one fuel location in a year.

Fuel Material Location 1

| Company Name: | | Fuel Type: | | | |
|-------------------|----------|----------------|-----------------|---------------------|---------------|
| Storage Capacity: | | | Date Installed: | | |
| | Sub | Facilities Fed | d By This loc | ation | |
| | | | | | |
| | | | | | |
| | Fuel | Analyses fo | r Reporting \ | ⁄ear | |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: |
| | L | | | | |

Appendix H WORKSHEET FOR NEW FUEL MATERIAL LOCATIONS (cont'd)

Fuel Material Location 2

| Company Name: | | | Fuel Type: | | | |
|--------------------|----------------------------------|------|---------------------|---------------|--|--|
| Storage Capacity: | | | Date Installed: | | | |
| Sub Facilities Fed | | | d By This location | | | |
| | | | | | | |
| | | | | | | |
| | Fuel Analyses for Reporting Year | | | | | |
| %ASH: | %Sulfur: | BTU: | Units(lb-gal-cuft): | Date Sampled: | | |
| %ASH: | %Sulfur: | BTU: | Units(lb-gal-cuft): | Date Sampled: | | |
| %ASH: | %Sulfur: | BTU: | Units(lb-gal-cuft): | Date Sampled: | | |
| %ASH: | %Sulfur: | BTU: | Units(lb-gal-cuft): | Date Sampled: | | |

Fuel Material Location 3

| Company Name: | | | Fuel Type: | | | |
|--------------------|----------------------------------|------|--------------------|---------------------|---------------|--|
| Storage Capacity: | | | Date Installed: | | | |
| Sub Facilities Fed | | | d By This location | | | |
| | | | | | | |
| | | | | | | |
| | Fuel Analyses for Reporting Year | | | | | |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: | |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: | |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: | |
| %ASH: | %Sulfur: | BTU: | | Units(lb-gal-cuft): | Date Sampled: | |

Appendix I WORKSHEET FOR CHANGES TO EXISTING STACKS OR CONTROL DEVICES

| Date: F | or Year: | Tax ID | /Plant Code: | |
|------------------------------------|--------------------|-----------------|------------------------------------|--|
| Facility Name: | | Prima | ary Facility ID: | |
| | | | | |
| DEP ID of First Stack: | _ | | | |
| | Enter only changed | characteristics | | |
| Inside Diameter: | Height: | | Distance to Nearest Property Line: | |
| Flow Volume ACFM: | Velocity (m/sec): | | | |
| Temperature °F: | Moisture %: | | | |
| Stack Discharge Type: | | S = Vertical Un | obstructed Opening | |
| | | W = Vertical W | eather Cap or Similar Obstruction | |
| | | X = Horizontal | or Nearly Horizontal | |
| | | Y = Downward | or Nearly Downward | |
| | | Z = Fugitive En | nissions | |
| Notes: | | | | |
| | | | | |
| | | | | |
| DEP ID of Second Stack: | | | | |
| Enter only changed characteristics | | | | |
| Inside Diameter: | Height: | | Distance to Nearest Property Line: | |
| Flow Volume ACFM: | Velocity (m/sec): | | | |
| Temperature °F: | Moisture %: | | | |
| Stack Discharge Type: | | S = Vertical Un | obstructed Opening | |
| | | W = Vertical W | eather Cap or Similar Obstruction | |
| | | X = Horizontal | or Nearly Horizontal | |
| | | Y = Downward | or Nearly Downward | |

Notes:

Z = Fugitive Emissions

Appendix I WORKSHEET FOR CHANGES TO EXISTING STACKS OR **CONTROL DEVICES (cont'd)**

| DEP ID of First Control Device: | | | | | | |
|------------------------------------|---------------------|-------------------|---|--|--|--|
| Enter only changed characteristics | | | | | | |
| | | Flow Rate | | | | |
| | | Pollutant Cont | rol Effici | encies | | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating, calculated, other) | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Notes: | | | | | | |
| DEP ID of Second Control De | evice: | | | | | |
| | | Enter only change | ed char | acteristics | | |
| Pressure Drop (in/water): | Scrubber (gal/min): | Flow Rate | Is Material Collected Landfilled on Site? | | | |
| | <u> </u> | Pollutant Cont | rol Effici | encies | | |
| Pollutant | | Efficiency % | | Sub Facility (mfr rating, calculated, other) | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | _ | | |
| | | | | _ | | |
| | | | | | | |

- 59 -

December 2005

Notes:

DEP Bureau of Air Quality

Appendix J CERTIFICATION OF DATA ACCURACY

AIR POLLUTION CONTROL ACT CERTIFICATION OF DATA ACCURACY

FOR COMPANIES SUBJECT TO EMISSION STATEMENT REGULATION

| Firm-Plant Code (federal | tax ID + plant code assigned by DEP): | | |
|--|---|--|---|
| AFS | Number (AIRS ID assigned by DEP): | | |
| Р | rimary Facility ID (assigned by DEP): _ | | |
| Company Name: | | | |
| Plant Address: | | | |
| | | | |
| | | | |
| | | | |
| | , certify under penalty of la | nw as provided in 18 Pa. C.S | S 84904 and |
| nanager or authorized repertify that, based on infor | Pollution Control Act, 35 P.S., §4009(presentative of the facility identified al mation and belief formed after reason Statement are true, accurate, and co | b)(2) that I am a company o bove, authorized to make th nable inquiry, the statement | fficer or plant is affidavit. I further |
| | | | |
| Signature: | | | |
| 3 | | | - |
| | | | |
| Name: | | | _ |
| | (Print or Typ | ee) | |
| Title: | | | _ |
| | (Print or Typ | e) | |
| Date: | | | |

APPENDIX B-2 STATIONARY POINT SOURCE ANNUAL EMISSIONS

Bureau of Air Quality Department of Environmental Protection This page blank for copying purposes.