

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
ACENAPHTHENE	83-32-9	0.06	I			4900		3.8	1,5,6				279	1.24				
ACENAPHTHYLENE	208-96-8	0.06	S			4500		16.1	5,6,7				280	2.11				
ACEPHATE	30560-19-1	0.004	I	0.0087	I			3	818000	6			340					
ACETALDEHYDE	75-07-0				0.009	I	0.0000022	I	4.1	X	1000000	1	13100	15100	X	20		
ACETONE	67-64-1	0.9	I		31	D		0.31	X	1000000	1	13100	15000	X	56	18.07		
ACETONITRILE	75-05-8				0.06	I		0.5	X	1000000	1	13100	15000	X	82	4.50		
ACETOPHENONE	98-86-2	0.1	I					170		5500	1			X	203			
ACETYLAMINO-FLUORENE, 2- (2AAF)	53-96-3				3.8	C		0.0013	C	1600					303	0.69		
ACROLEIN	107-02-8	0.0005	I		0.00002	I		0.56	X	208000	1,2,4	13100	15100	X	53	4.50		
ACRYLAMIDE	79-06-1	<b>[0.0002]</b> <b>0.002</b>	I	<b>[4.5]</b> <b>0.5</b>	I	<b>0.006</b>	I	<b>[0.0013]</b> <b>0.0001</b>	I	25	X	2151000	4	13000	15000		193	
ACRYLIC ACID	79-10-7	0.5	I		0.001	I		29	X	1000000	2	13000	14900	X	141	1.39		
ACRYLONITRILE	107-13-1	0.04	D	0.54	I	0.002	I	0.000068	I	11	X	73500	1	13100	15100	X	77	5.50
ALACHLOR	15972-60-8	0.01	I	0.056	C			110		140	2				378			
ALDICARB	116-06-3	0.001	I					22		6000	2				287	0.40		
ALDICARB SULFONE	1646-88-4	0.001	I					10		8000	5				317			
ALDICARB SULFOXIDE	1646-87-3	0.001	[ I ] M					0.22		330000	5				307			
ALDRIN	309-00-2	0.00003	I	17	I			0.0049	I	48000					330	0.22		
ALLYL ALCOHOL	107-18-6	0.005	I		<b>[0.0003]</b> <b>0.0001</b>	[ P ] X		3.2	X	1000000	2	13100	15000	X	97	18.07		
AMETRYN	834-12-8	0.009	I					389		185	5				345			
AMINOBIHENYL, 4-	92-67-1			21	C			0.006	C	110					302	18.07		
AMITROLE	61-82-5			0.94	C			0.00027	C	120					258	0.69		
AMMONIA	7664-41-7	0.97	H		0.1	I		3	X	310000	2,5,7	13100	15000	X	-33			
AMMONIUM SULFAMATE	7773-06-0	0.2	I					3		2160000	10				603			
ANILINE	62-53-3	0.007	P	0.0057	I	0.001	I	0.0000016	C	190	X	33800	1	13000	14900	X	184	

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer  
 Potency Factor  
 D = ATSDR Minimal Risk  
 Level  
 H = Health Effects  
 Assessment Summary Table  
 (HEAST)  
 I = Integrated Risk  
 information System (IRIS)  
 M = EPA Drinking Water  
 Regulations and Health  
 Advisories

N = EPA NCEA Provisional Values  
 P = EPA Provisional Peer-Reviewed Toxicity Value  
 S = surrogate  
 T = TEF  
 TE = TERA ITER Peer-Reviewed  
 Value  
**X = EPA Provisional Peer-Reviewed  
 Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
ANTHRACENE	120-12-7	0.3	I							21000		0.066	1,5,6,7,8,9				340	0.28
ATRAZINE	1912-24-9	0.035	I	0.23	C					130		70	2,4,5				313	
AZINPHOS-METHYL (GUTHION)	86-50-0	0.003	D			0.01	D			407.4		31.5	1, 2				421	
BAYGON (PROPOXUR)	114-26-1	0.004	I							31		2000	2,4,5				decomp.	4.50
BENOMYL	17804-35-2	0.05	I							1,900		2	5				520	
BENTAZON	25057-89-0	0.03	I							13		500	2				415	
BENZENE	71-43-2	0.004	I	0.055	I	0.03	I	0.0000078	I	58	X	1780.5	1,2,3,4	13100	15000	X	81	0.35
BENZIDINE	92-87-5	0.003	I	230	I			0.067	I	530,000		520	1,2,4				400	15.81
BENZO[A]ANTHRACENE	56-55-3			<u>[0.73]</u> <u>0.7</u>	[ N ] X			0.00011	C	350000		0.011	1,5,6				438	0.19
BENZO[A]PYRENE	50-32-8			7.3	I			0.0011	C	910000		0.0038	1,5,6				495	0.24
BENZO[B]FLUORANTHENE	205-99-2			<u>[0.73]</u> <u>1.2</u>	[ N ] C			0.00011	C	550000		0.0012	5,6,7				357	0.21
BENZO[GHI]PERYLENE	191-24-2	0.06	S							2800000		0.00026	1,5,6				500	0.19
BENZO[K]FLUORANTHENE	207-08-9			<u>[0.073]</u> <u>1.2</u>	[ N ] C			0.00011	C	4400000		0.00055	5,6,7				480	0.06
BENZOIC ACID	65-85-0	4	I							32		2700	2,3,4,5				249	
BENZOTRICHLORIDE	98-07-7			13	I					920		53	1,5,13			X	221	121413.60
BENZYL ALCOHOL	100-51-6	<u>[0.5]</u> 0.1	P							100		40000	1,2,3			X	205	
BENZYL CHLORIDE	100-44-7	0.002	P	0.17	I	0.001	P	0.000049	C	190	X	493	1	13000	15000	X	179	20.90
BETA PROPIOLACTONE	57-57-8			14	C			0.004	C	4	X	370000	2	13100	15000	X	162	0.01
BHC, ALPHA	319-84-6	0.008	D	6.3	I			0.0018	I	1800		1.7	4,5,6,7				288	0.94

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )			
BHC, BETA-	319-85-7		1.8	I	0.00053	I	2300	0.1	6				304	1.02			
BHC, GAMMA (LINDANE)	58-89-9	0.0003	1.1	C	0.00031	C	1400	7.3	4,5,6				323	1.05			
BIPHENYL, 1,1-	92-52-4	0.05	<b>0.008</b>	<b>X</b>	<b>0.0004</b>	<b>X</b>	1,700	7.2	1				255	18.07			
BIS(2-CHLORO ETHOXY)METHANE	111-91-1	0.003	P				61	100500	4,6,7,9,10,11			X	218				
BIS(2- CHLOROETHYL)ETHER	111-44-4		1.1	I	0.00033	I	76	X	10200	1,4,5	13000	14900	X	179	0.69		
BIS(2-CHLORO- ISOPROPYL)ETHER	108-60-1	0.04	0.07	H	0.00001	H	62	X	1700	5	13000	14900	X	189	0.69		
BIS(CHLOROMETHYL)ETHE R	542-88-1		220	I	0.062	I	16	X	22000	6	13100	15100	X	105	57270.57		
BIS[2-ETHYLHEXYL] PHTHALATE	117-81-7	0.02	0.014	I	0.0000024	C	87000	0.285	4,5,6			X	384	0.65			
BISPHENOL A	80-05-7	0.05	I				1,500	120	4				220	0.69			
BROMACIL	314-40-9	0.1	M				58	815	2				421				
BROMOCHLOROMETHANE	74-97-5	0.01	M		<b>0.04</b>	<b>X</b>	27	X	16700	4	13100	15000	X	68			
BROMODICHLOROMETHAN E	75-27-4	0.02	I	0.062	I	0.000037	C	93	X	4500	6	13100	15000	X	87		
BROMOMETHANE	74-83-9	0.0014	I		0.005	I	170	X	17500	2	13100	15000	X	4	6.66		
BROMOXYNIL	1689-84-5	0.02	I				300	130	2				329				
BROMOXYNIL OCTANOATE	1689-99-2	0.02	I				18,000	0.08	12				414	5.75			
BUTADIENE, 1,3-	106-99-0		3.4	C	0.002	I	0.00003	I	120	X	735	1	13200	15000	X	-4.5	4.50
BUTYL ALCOHOL, N-	71-36-3	0.1	I				3.2	X	74000	1	13000	14900	X	118	4.68		
BUTYLATE	2008-41-5	0.05	I				540	X	45	2	13200	15200	X	138			
BUTYLBENZENE, N-	104-51-8	<b>[0.04]</b> <b>0.05</b>	[ N ] P				2,500	X	15	1,6,7	13100	15100	X	183			
BUTYLBENZENE, SEC-	135-98-8	<b>[0.04]</b> <b>0.1</b>	[ N ] X				890	X	17	1,6,7	13100	15000	X	174			

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer

N = EPA NCEA Provisional Values

Potency Factor

D = ATSDR Minimal Risk

P = EPA Provisional Peer-Reviewed Toxicity Value

Level

H = Health Effects

S = surrogate

Assessment Summary Table

(HEAST)

I = Integrated Risk

T = TEF

information System (IRIS)

M = EPA Drinking Water

TE = TERA ITER Peer-Reviewed

Regulations and Health

Value

Advisories

**X = EPA Provisional Peer-Reviewed**

**Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>-1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
BUTYLBENZENE, TERT-	98-06-6	<u>0.04</u> <u>0.1</u>	[ N ] X			680	X	30	1,6,7	13100	15000	X	169					
BUTYLBENZYL PHTHALATE	85-68-7	0.2	I	0.0019	P	34000		2.69	4,5,6			X	370	1.39				
CAPTAN	133-06-2	0.13	I	0.0023	C	0.00000066	C	200	0.5	4			259	589.39				
CARBARYL	63-25-2	0.1	I			190		120	2,4,5				315	4.22				
CARBAZOLE	86-74-8			0.02	H	2,500		1.2	1,5,6				355					
CARBOFURAN	1563-66-2	0.005	I			43		700	2				311					
CARBON DISULFIDE	75-15-0	0.1	I		0.7	300	X	2100	1,2,3	13100	15100	X	46					
CARBON TETRACHLORIDE	56-23-5	[ <u>0.0007</u> ] <u>0.004</u>	I	[ <u>0.13</u> ] <u>0.07</u>	I	[ <u>0.19</u> ] <u>0.1</u>	[ D ] I	[ <u>0.000015</u> ] <u>0.000006</u>	I	160	X	795	1,2,3	13100	15000	X	77	0.07
CARBOXIN	5234-68-4	0.1	I			260		170	5,6,8				407					
CHLORAMBEN	133-90-4	0.015	I			20		700	2				210					
CHLORDANE	57-74-9	0.0005	I	0.35	I	0.0007	I	0.0001	I	98000	0.056	4,5,7	351	0.09				
CHLORO-1,1-DIFLUOROETHANE, 1-	75-68-3				50	I		22	X	1400	4	13100	15000	X	-9			
CHLORO-1-PROPENE, 3-(ALLYL CHLORIDE)	107-05-1			0.021	C	0.001	I	0.000006	C	48	X	3300	1,3,5,7,10	13100	15000	X	45	18.07
<b>CHLOROACETALDEHYDE</b>	<b>107-20-0</b>			<u>0.3</u>	<u>X</u>			<u>3.2</u>	<u>X</u>	<u>1000000</u>	<u>9</u>	<u>13000</u>	<u>14900</u>	<u>X</u>	<u>85</u>			
CHLOROACETOPHENONE, 2-	532-27-4				0.00003	I		76		1100	3		247	4.50				
CHLOROANILINE, P-	106-47-8	0.004	I	0.2	P			460		3900	1		232					
CHLOROBENZENE	108-90-7	0.02	I		0.05	P		200	X	490	3	13100	15000	X	132	0.84		
CHLOROBENZILATE	510-15-6	0.02	I	0.11	C			0.000031	C	2600	13		415	3.60				
CHLOROBUTANE, 1-	109-69-3	[ <u>0.4</u> ] <u>0.04</u>	P					580	X	680	1,2,3,4	13200	15000	X	79			
CHLORODIBROMOMETHANE	124-48-1	0.02	I	0.084	I			0.000027	C	83	X	4200	4,6,7,9	13100	15100	X	116	1.39
CHLORODIFLUOROMETHANE	75-45-6				50	I		59	X	2899	4	13200	15000	X	-41			

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer  
 Potency Factor  
 D = ATSDR Minimal Risk  
 Level  
 H = Health Effects  
 Assessment Summary Table  
 (HEAST)  
 I = Integrated Risk  
 information System (IRIS)  
 M = EPA Drinking Water  
 Regulations and Health  
 Advisories

N = EPA NCEA Provisional Values  
 P = EPA Provisional Peer-Reviewed Toxicity Value  
 S = surrogate  
 T = TEF  
 TE = TERA ITER Peer-Reviewed  
 Value  
X = EPA Provisional Peer-Reviewed  
 Toxicity Value Appendix

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
CHLOROETHANE	75-00-3	0.4	N	0.0029	N	10	I		42	X	5700	1	13100	15000	X	12	4.50
CHLOROFORM	67-66-3	0.01	I	<b>0.019</b>	<b>C</b>	0.098	D	0.000023	56	X	8000	1,2,3	13100	15000	X	61	0.01
CHLORONAPHTHALENE, 2-	91-58-7	0.08	I						8500		11.7	1				256	
CHLORONITROBENZENE, P-	100-00-5	0.001	P	0.0063	P	0.0006	P		480		220	1				242	
CHLOROPHENOL, 2-	95-57-8	0.005	I						400	X	24000	1,3,4	12900	14900	X	175	
CHLOROPRENE	126-99-8	0.02	H			<b>[0.007]</b> <b>0.02</b>	<b>[ H ]</b> <b>[ I ]</b> <b>[ D ]</b>	<b>0.003</b>	50	X	1736	9	13100	15000	X	59	0.69
CHLOROPROPANE, 2-	75-29-6					0.1	H		260	X	3100	1,3,5	13200	15000	X	47	
CHLOROTHALONIL	1897-45-6	0.015	I	0.0031	C			0.00000089	980		0.6	2				350	
CHLOROTOLUENE, O-	95-49-8	0.02	I						760	X	422	<b>[14, 15]</b> <b>1,4,5</b>	13100	15000	X	159	
CHLOROTOLUENE, P-	106-43-4	<b>[0.07]</b> <b>0.02</b>	<b>[ P ]</b> <b>[ X ]</b>						375	X	106	12	13000	14900	X	162	
CHLORPYRIFOS	2921-88-2	<b>[0.003]</b> <b>0.001</b>	<b>[ I ]</b> <b>[ D ]</b>						4600		1.12	2,4,6,7				377	
CHLORSULFURON	64902-72-3	0.05	I						11		192	2,5,6,8,9				531	
CHLORTHAL-DIMETHYL (DACTHAL) (DCPA)	1861-32-1	0.01	I						6,500		0.5	2,5,7				360	1.37
CHRYSENE	218-01-9			<b>[0.0073]</b> <b>0.12</b>	<b>[ N ]</b> <b>[ C ]</b>			0.000011	C	490000	0.0019	1				448	0.13
CRESOL(S)	1319-77-3	<b>[0.005]</b> <b>0.1</b>	<b>[ S ]</b> <b>[ D ]</b>			0.06	C		25	X	20000	2	13000	14900	X	139	5.16

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
CRESOL, DINITRO-O-, 4,6-	534-52-1	0.0001	P							257		150	4				312	6.02
CRESOL, O- (METHYLPHENOL, 2-)	95-48-7	0.05	I							22	X	2500	3,5,6	13000	14900		191	18.07
CRESOL, M (METHYLPHENOL, 3-)	108-39-4	0.05	I							35		2500	2			X	202	5.16
CRESOL, P (METHYLPHENOL, 4-)	106-44-5	0.005	H							49		22000	6				202	9.03
CRESOL, P-CHLORO-M-	59-50-7	<b>[0.005] 0.1</b>	<b>[ S ] X</b>							780		3846	2				235	
CROTONALDEHYDE	4170-30-3			1.9	S					5.6	X	180000	3	13000	14900	X	104	18.07
CROTONALDEHYDE, TRANS-	123-73-9	<b>0.001</b>	<b>P</b>	1.9	H					6.1	X	156000	1	13100	15100	X	104	18.07
CUMENE (ISOPROPYL BENZENE)	98-82-8	0.1	I			0.4	I			2800	X	50	1,5,6	13100	15100	X	152	15.81
CYANAZINE	21725-46- 2	0.002	M	0.84	H					199		171	2,5				369	
CYCLOHEXANE	110-82-7					6	I			479	X	55	1,2,4,5,6	13100	15100	X	81	
CYCLOHEXANONE	108-94-1	5	I			<b>0.7</b>	<b>P</b>			66	X	36500	1,2,4,5	13000	14900	X	157	
CYFLUTHRIN	68359-37- 5	0.025	I							130,000		0.001	2				448	
CYROMAZINE	66215-27- 8	0.0075	I							1,200		11000	12				222	
DDD, 4,4'-	72-54-8	<b>[0.002]</b>	<b>[ P ]</b>	0.24	I			0.000069	C	44000		0.16	5,6,7				350	0.02
DDE, 4,4'-	72-55-9			0.34	I			0.000097	C	87000		0.04	5				348	0.02
DDT, 4,4'-	50-29-3	0.0005	I	0.34	I			0.000097	I	240000		0.0055	5,6,7				260	0.02
DI(2-ETHYLHEXYL)ADIPATE	103-23-1	0.6	I	0.0012	I					47,000,0 00		200	5			X	214	4.50
DIALATE	2303-16-4			0.061	H					190		40	2,4,6,8			X	328	1.39
DIAMINOTOLUENE, 2,4-	95-80-7			<b>[3-8] 4</b>	C			0.0011	C	36		7470	4				292	0.69

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
DIAZINON	333-41-5	0.0007	D							500		50	2,4,6,8			X	306	
DIBENZO[A,H]ANTHRACEN E	53-70-3			[7-3] 4.1	[ N ] C			0.0012	C	1800000		0.0006	1,5,6				524	0.13
DIBENZOFURAN	132-64-9	0.001	[ P ] X							10233		4.48	1,6,7,9				287	7.23
DIBROMO-3- CHLOROPROPANE, 1,2-	96-12-8	0.0002	P	0.8	P	0.0002	I	0.006	P	140	X	1000	4	13000	15000	X	196	0.69
DIBROMOBENZENE, 1,4-	106-37-6	0.01	I							1,600		20	1				220	
DIBROMOETHANE, 1,2- (ETHYLENE DIBROMIDE)	106-93-4	0.009	I	2	I	0.009	I	0.0006	I	54	X	4150	1,2,3,5	13100	15100	X	131	2.11
DIBROMOMETHANE	74-95-3	0.01	H			0.004	X			110	X	11400	1	13100	15100	X	96	4.50
DIBUTYL PHTHALATE, N-	84-74-2	0.1	I							1600		400	1,2,3			X	340	11.00
DICAMBA	1918-00-9	0.03	I							0.27		5600	4,5,6,8,10				329	
DICHLOROACETIC ACID	76-43-6	0.004	I	0.05	I					8.1	X	1000000	1	12900	14900	X	194	
DICHLORO-2-BUTENE, 1,4-	764-41-0							0.0042	P	180	X	850	9	13100	15000	X	156	
DICHLORO-2-BUTENE, TRANS-1,4-	110-57-6							0.0042	S	215	X	850	9	12900	14800	X	155	
DICHLOROBENZENE, 1,2-	95-50-1	0.09	I			0.2	H			350	X	147	1,4,5,6,7	13100	15100	X	180	0.69
DICHLOROBENZENE, 1,3-	541-73-1	[0.003] 0.09	[ N ] M							360	X	106	1	13100	15100	X	173	0.69
DICHLOROBENZENE, P-	106-46-7	0.07	D	0.0054	C	0.8	I	0.000011	C	510	X	82.9	1	12900	14900		174	0.69
DICHLOROBENZIDINE, 3,3'-	91-94-1			0.45	I			0.00034	C	22000		3.11	4,5,6				368	0.69
DICHLORODIFLUOROMETH ANE (FREON 12)	75-71-8	0.2	I			[0.2] 0.1	[ H ] X			360	X	280	1	13200	15000	X	-30	0.69
DICHLOROETHANE, 1,1-	75-34-3	0.2	P	0.0057	C	0.5	H	0.0000016	C	52	X	5000	2	13100	15000	X	57	0.16

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer  
Potency Factor  
D = ATSDR Minimal Risk  
Level  
H = Health Effects  
Assessment Summary Table  
(HEAST)  
I = Integrated Risk  
information System (IRIS)  
M = EPA Drinking Water  
Regulations and Health  
Advisories

N = EPA NCEA Provisional Values  
P = EPA Provisional Peer-Reviewed Toxicity Value  
S = surrogate  
T = TEF  
TE = TERA ITER Peer-Reviewed  
Value  
**X = EPA Provisional Peer-Reviewed  
Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
DICHLOROETHANE, 1,2-	107-06-2	[0.02] 0.006	[ P ] X	0.091	I	[2.4] 0.007	[ D ] P	0.000026	I	38	X	8412	1,2,3,4	13100	15000	X	83	0.07
DICHLOROETHYLENE, 1,1-	75-35-4	0.05	I			0.2	I			65	X	2500	1,4,5	13100	15000	X	32	0.19
DICHLOROETHYLENE, CIS-1,2-	156-59-2	[0.01] 0.002	[ P ] I							49	X	3500	1	13100	15000	X	60	0.01
DICHLOROETHYLENE, TRANS-1,2-	156-60-5	0.02	I			0.06	P			47	X	6300	1	13100	15000	X	48	0.01
DICHLOROMETHANE (METHYLENE CHLORIDE)	75-09-2	[0.06] 0.006	I	[0.0075] 0.002	I	[1] 0.6	[ D ] I	[0.00000047] 0.00000001	I	16	X	20000	1,2,3	13100	15000	X	40	4.50
DICHLOROPHENOL, 2,4-	120-83-2	0.003	I							160		4500	1				210	5.88
DICHLOROPHENOXYACETIC ACID, 2,4- (2,4-D)	94-75-7	0.01	I							59		677	4,5,6,7,10				215	1.39
DICHLOROPROPANE, 1,2-	78-87-5	0.09	D	0.036	C	0.004	I	0.00001	C	47	X	2700	1,3,4	13100	15000	X	96	0.10
DICHLOROPROPENE, 1,3-	542-75-6	0.03	I	0.1	I	0.02	I	0.000004	I	27	X	2700	6	13100	15000	X	108	22.38
DICHLOROPROPIONIC ACID, 2,2- (DALAPON)	75-99-0	0.03	I							62	X	500000	5	13000	14900	X	190	2.11
DICHLORVOS	62-73-7	0.0005	I	0.29	I	0.0005	I	0.000083	C	50		10000	2,4,5			X	234	
DICYCLOPENTADIENE	77-73-6	0.008	P			[0.007] 0.0003	[ P ] X			810	X	40	5	13000	14900		167	
DIELDRIN	60-57-1	0.00005	I	16	I			0.0046	I	11000		0.17	4,5,6				385	0.12
DIETHANOLAMINE	111-42-2	0.002	P			[0.003] 0.0002	[ C ] P			4		1000000	2,3,9			X	269	
DIETHYL PHTHALATE	84-66-2	0.8	I							81		1080	4,5,6			X	298	2.25

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**



**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
DIFLUBENZURON	35367-38-5	0.02	I							1,000		0.2	2				201	
DIISOPROPYL METHYLPHOSPHONATE DIMETHOATE	1445-75-6	0.08	I							10	X	160000	9	13000	14900	X	190	
DIMETHOXYBENZIDINE, 3,3-	60-51-5	0.0002	I							110		25000	4				361	2.26
	119-90-4			<b>[0.014]</b> <b>1.6</b>	<b>[ H ]</b> <b>P</b>					1,300		60	9				331	0.69
DIMETHRIN	70-38-2	0.3	M							27,000		0.036	13				353	
DIMETHYLAMINOAZOBENZ ENE, P-	60-11-7			4.6	C			0.0013	C	1000		13.6	7				335	4.50
DIMETHYLANILINE, N,N-	121-69-7	0.002	I							180	X	1200	5,6,7,9	13000	14900	X	192	0.69
DIMETHYLBENZIDINE, 3,3-	119-93-7			11	<b>[ H ]</b> <b>P</b>					22,000		1300	10				300	18.07
DIMETHYL METHYLPHOSPHONATE	756-79-6	0.06	P	0.0017	P					5	X	1000000	14	13000	14900	X	181	
DIMETHYLPHENOL, 2,4-	105-67-9	0.02	I							130		7869	1,4,6,7			X	211	18.07
DINITROBENZENE, 1,3-	99-65-0	0.0001	I							150		523	3,5,6,7				291	0.69
DINITROPHENOL, 2,4-	51-28-5	0.002	I							0.79		5600	2,4,5,6,7				332	0.48
DINITROTOLUENE, 2,4-	121-14-2	0.002	I	0.31	C			0.000089	C	51		270	4,5,6				300	0.69
DINITROTOLUENE, 2,6- (2,6-DNT)	606-20-2	<b>[0.001]</b> <b>0.0003</b>	<b>[ P ]</b> <b>X</b>	<b>1.5</b>	<b>P</b>					74		200	6				300	0.69
DINOSEB	88-85-7	0.001	I							120		50	5				223	1.03
DIOXANE, 1,4-	123-91-1	<b>[0.1]</b> <b>0.03</b>	<b>[ D ]</b> <b>I</b>	<b>[0.011]</b> <b>0.1</b>	I	<b>[3.6]</b> <b>0.11</b>	D	0.0000077	C	7.8	X	1000000	5	13000	14900	X	101	0.69
DIPHENAMID	957-51-7	0.03	I							200		260	5				210	

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer  
Potency Factor  
D = ATSDR Minimal Risk  
Level  
H = Health Effects  
Assessment Summary Table  
(HEAST)  
I = Integrated Risk  
information System (IRIS)  
M = EPA Drinking Water  
Regulations and Health  
Advisories

N = EPA NCEA Provisional Values  
P = EPA Provisional Peer-Reviewed Toxicity Value  
S = surrogate

T = TEF

TE = TERA ITER Peer-Reviewed  
Value

**X = EPA Provisional Peer-Reviewed  
Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>-1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
DIPHENYLAMINE	122-39-4	0.025	I			190		300	3				302	4.50				
DIPHENYLHYDRAZINE, 1,2-DIQUAT	122-66-7			0.8	I			0.00022	I	660			309	0.69				
DISULFOTON	85-00-7	0.0022	I			2.6		700000		5			355					
DITHIANE, 1,4-DIURON	298-04-4	0.00004	I			1000		25	4,5,6			X	332	6.02				
ENDOSULFAN	505-29-3	0.01	I			22.7	[x] X	3000	15	13000	14900		199					
ENDOSULFAN I (ALPHA)	330-54-1	0.002	I			300		42	2,4,5				354					
ENDOSULFAN II (BETA)	115-29-7	0.006	I			2,000		0.48	4				401	2.78				
ENDOSULFAN SULFATE	959-98-8	0.006	S			2000		0.5	6				401					
ENDOTHALL	33213-65-9	0.006	S			2300		0.45	6				390					
ENDRIN	1031-07-8	0.006	S			2300		0.117	7,9				409					
EPICHLOROHYDRIN	145-73-3	0.02	I			120		100000	2				350					
ETHEPHON	72-20-8	0.0003	I			11000		0.23	4,6,7,9				245					
ETHION	106-89-8	0.006	P	0.0099	I	0.001	I	0.0000012	I	35	X	65800	1,3,4	13000	14900	X	116	4.50
ETHOXYETHANOL, 2-(EGEE)	16672-87-0	0.005	I			2		1240000	12				201					
ETHYL ACETATE	563-12-2	0.0005	I			8700		0.85	4,6,9,10			X	415					
ETHYL ACRYLATE	110-80-5	[0.4] 0.09	[ H ] P	0.2	I	12	X	1000000	2	13200	15000	X	136	4.50				
ETHYL BENZENE	141-78-6	0.9	I			59	X	80800	1,2,3,4,5,6	13100	15000	X	77	18.07				
ETHYLENE CHLORHYDRIN	140-88-5	0.005	P	0.048	H	0.008	P	110	X	15000	1,2,6	13100	15100	X	100	18.07		
ETHYLENE GLYCOL	100-41-4	0.1	I	0.011	C	1	I	0.0000025	C	220	X	161	1,3,4	13100	15000	X	136	1.11
ETHYL METHACRYLATE	759-94-4	0.025	I			240	X	365	2	12900	14900	X	127					
ETHYL METHACRYLATE	60-29-7	0.2	I			68	X	60400	1	13100	15100	X	35					
ETHYLENE GLYCOL	97-63-2	0.09	H			22	X	4635.5	9,10	13100	15000	X	117					
ETHYLENE GLYCOL	107-07-3	0.02	P			1	X	1000000	9	13000	14900	X	128					
ETHYLENE GLYCOL	107-21-1	2	I			4.4	X	1000000	2	13100	15100	X	198	10.54				

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
ETHYLENE THIOUREA (ETU)	96-45-7	0.00008	I	0.045	C			0.000013	C	0.23		20000	2				347	4.50
ETHYL P-NITROPHENYL PHENYLPHOSPHORO THIOATE	2104-64-5	0.00001	I							1,200		3.1	4				215	
FENAMIPHOS	22224-92-6	0.00025	I							300		329	2				390	
FENVALERATE (PYDRIN)	51630-58-1	0.025	I							4,400		0.085	5			X	300	
FLUOMETURON	2164-17-2	0.013	I							68		97.5	2,5,6,8				318	
FLUORANTHENE	206-44-0	0.04	I							49000		0.26	1,5,6				375	0.29
FLUORENE	86-73-7	0.04	I							7900		1.9	1				298	2.11
FLUOROTRICHLOROMETHANE (FREON 11)	75-69-4	0.3	I			0.7	H			130	X	1090	1,4,5,6	13100	15000	X	24	0.35
FONOFOS	944-22-9	0.002	I							1100		13	5,6,8			X	324	
FORMALDEHYDE	50-00-0	0.2	I			0.0098	D	0.000013	I	3.6	X	55000	1	13100	15100	X	-21	18.07
FORMIC ACID	64-18-6	[2] 0.9	[ H ] P			[0.003] 0.0003	[ P ] X			0.54	X	1000000	2	13000	14900	X	101	18.07
FOSETYL-AL	39148-24-8	3	I							310		120000	2				464	
FURAN	110-00-9	0.001	I							130	X	10000	1	13100	15000	X	31	2.25
FURFURAL	98-01-1	0.003	I			0.05	H			6.3	X	91000	1,2,3	13000	14900	X	162	
GLYPHOSATE	1071-83-6	0.1	I							3500		12000	1,5,6				417	
HEPTACHLOR	76-44-8	0.0005	I	4.5	I			0.0013	I	6800		0.18	4,6,7				310	46.84
HEPTACHLOR EPOXIDE	1024-57-3	0.000013	I	9.1	I			0.0026	I	21000		0.311	4,6,7,9				341	0.23
HEXACHLOROBENZENE	118-74-1	0.0008	I	1.6	I			0.00046	I	3800		0.006	1,4,5				319	0.06
HEXACHLOROBUTADIENE	87-68-3	0.001	P	0.078	I			0.000022	I	4700		2.89	4,5,6,7			X	215	0.69
HEXACHLOROCYCLOPENTADIENE	77-47-4	0.006	I			0.0002	I			7200		1.8	5,6,7			X	239	4.50

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
HEXACHLOROETHANE	67-72-1	[0.001] 0.0007	I	[0.014] 0.04	I	0.03	I	[0.000004] 0.00001	[ I ] [ C ]	2200	X	50	1	13000	15000		187	0.69
HEXANE	110-54-3	0.06	H			0.7	I			3600	X	9.5	1,5,6	13100	15000	X	69	
HEXAZINONE	51235-04-2	0.033	I							41		330000	1,2				408	
HEXYTHIAZOX (SAVEY)	78587-05-0	0.025	I							6,500		0.5	2				539	
HMX	2691-41-0	0.05	I							4		5	16				436	
HYDRAZINE/HYDRAZINE SULFATE	302-01-2			3	I	[0.0002] 0.00003	[ C ] [ P ]	0.0049	I	0.0053	X	1000000	2	13000	15000	X	114	18.07
HYDROQUINONE	123-31-9	0.04	P	[0.066] 0.06	P					10		70000	2,3,5				285	18.07
INDENO[1,2,3-CD]PYRENE	193-39-5			[0.73] 1.2	[ N ] [ C ]			0.00011	C	31000000		0.062	5				536	0.17
IPRODIONE	36734-19-7	0.04	I							1,100		13	2				545	
ISOBUTYL ALCOHOL	78-83-1	0.3	I							60	X	81000	1,2,3,4,5	13000	14900	X	108	17.57
ISOPHORONE	78-59-1	0.2	I	0.00095	I	2	C			31		12000	2,4,5			X	215	4.5
ISOPROPYL METHYLPHOSPHONATE	1832-54-8	0.1	I							[1.64] 1.84		50000	13			X	230	
KEPONE	143-50-0	[0.0005] 0.0003	[ D ] [ I ]	[16] 10	[ C ] [ I ]			0.0046	C	55000		7.6	4				350	0.17
MALATHION	121-75-5	0.02	I							1300		143	4			X	351	2.46
MALEIC HYDRAZIDE	123-33-1	0.5	I							2.8		6000	4				260	

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>-1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
MANEB	12427-38-2	0.005	I							1		23	9,13				351	
MERPHOS OXIDE	78-48-8	0.00003	I							53,000		2.3	8,10,12			X	392	
METHACRYLONITRILE	126-98-7	0.0001	I			<b>[0.0007] 0.03</b>	<b>[ H ] P</b>			21	X	25700	1	13100	15100	X	90	
METHAMIDOPHOS	10265-92-6	0.00005	I							5		2000000	5				223	
METHANOL	67-56-1	0.5	I			4	C			2.8	X	1000000	2	13100	15100	X	65	36.14
METHOMYL	16752-77-5	0.025	I							20		58000	2				228	
METHOXYCHLOR	72-43-5	0.005	I							63000		0.045	4,5,6				346	0.69
METHOXYETHANOL, 2-	109-86-4	<b>[0.003] 0.005</b>	P			0.02	I			<u>1</u>	X	1000000	2	13100	15000	X	124	4.50
METHYL ACETATE	79-20-9	1	H							30	X	243500	4,5,6	13100	15100	X	57	
METHYL ACRYLATE	96-33-3	0.03	H			<b>0.02</b>	<b>P</b>			55	X	52000	1,2,5	13100	15100	X	70	18.07
METHYL CHLORIDE	74-87-3	<b>[0.004]</b>	<b>[ M ] I</b>	0.013	H	0.09	I	0.0000018	H	6	X	6180	1,2,3,4	13200	15000	X	-24	4.50
METHYL ETHYL KETONE	78-93-3	0.6	I			5	I			32	X	275000	1,2,3,4,5	13100	15100	X	80	2.57
<b>METHYL HYDRAZINE</b>	<b>60-34-4</b>	<b>0.001</b>	<b>P</b>			<b>0.00002</b>	<b>X</b>	<b>0.001</b>	<b>X</b>	<u>1</u>	<b>X</b>	<b>1000000</b>	<b>2</b>	<b>1300</b>	<b>14900</b>	<b>X</b>	<b>88</b>	<b>5.27</b>
METHYL ISOBUTYL KETONE	108-10-1	0.08	H			3	I			17	X	19550	1,2,4,5	13100	15100	X	117	18.07
METHYL ISOCYANATE	624-83-9					0.001	C			10	X	100000	7	13000	15000	X	40	
METHYL N-BUTYL KETONE (2-HEXANONE)	591-78-6	<b>[0.04] 0.005</b>	<b>[ N ] I</b>			<b>[0.005] 0.03</b>	<b>[ N ] I</b>			54	X	17500	1	13100	15100	X	128	
METHYL METHACRYLATE	80-62-6	1.4	I			0.7	I			10	X	15600	1	13100	15100	X	100	4.50
METHYL METHANESULFONATE	66-27-3			0.099	C			0.000028	C	5.2		200000	2			X	203	
METHYL PARATHION	298-00-0	0.00025	I							790		25	4,5,6				348	3.61

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
METHYL STYRENE (MIXED ISOMERS)	25013-15-4	0.006	H			0.04	H			2,200	X	89	9	13100	15000	X	163	
METHYL TERT-BUTYL ETHER (MTBE)	1634-04-4			0.0018	C	3	I	0.00000026	C	12	X	45000	1,2,4,6	13100	15100	X	55	0.69
METHYLCHLOROPHENOXY ACETIC ACID (MCPA)	94-74-6	0.0005	I							112		1000	5,6,8,9				287	1.39
METHYLENE BIS(2-CHLOROANILINE), 4,4'	101-14-4	0.002	P	0.1	P			0.00043	C	3,000		13.9	10				379	
METHYLNAPHTHALENE, 2-	91-57-6	0.004	I			0.003	S			16000		25	1				241	
METHYLSTYRENE, ALPHA	98-83-9	0.07	H							660	X	560	9	13100	15100	X	165	
METOLACHLOR	51218-45-2	0.15	I							182	X	530	1,5	13000	15000	X	100	
METRIBUZIN	21087-64-9	0.025	I							95		1200	1,5				367	
MONOCHLOROACETIC ACID	79-11-8	<b>[0.01]</b> <b>0.002</b>	<b>[ M ]</b> <b>[ H ]</b>							0.24	X	858000	17	13000	14900		189	
NAPHTHALENE	91-20-3	0.02	I	<b>0.12</b>	<b>C</b>	0.003	I	<b>0.000034</b>	<b>C</b>	950		30	3				218	0.98
NAPHTHYLAMINE, 1-	134-32-7			1.8	S			0.00051	S	3200		1690	2				301	0.69
NAPHTHYLAMINE, 2-	91-59-8			1.8	C			0.00051	C	87		6.4	6				306	0.69
NAPROPAMIDE	15299-99-7	0.1	I							880		70	2				399	
<b>[NITROANILINE, M-]</b>	<b>[99-09-2]</b>	<b>[0.0003]</b>	<b>[ P ]</b>	<b>[0.024]</b>	<b>[ P ]</b>	<b>[0.004]</b>	<b>[ P ]</b>			<b>[18]</b>		<b>[100]</b>	<b>[3]</b>				<b>[306]</b>	
NITROANILINE, O-	88-74-4	<b>[0.003]</b> <b>0.01</b>	<b>[ P ]</b> <b>[ X ]</b>			<b>[0.0001]</b> <b>0.00005</b>	<b>[ P ]</b> <b>[ X ]</b>			27		1200	6				284	
NITROANILINE, P-	100-01-6	0.004	P	0.02	P	0.006	P			15		800	2				332	
NITROBENZENE	98-95-3	0.002	I			0.009	I	0.00004	I	130		2000	2			X	211	0.64

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer Potency Factor  
D = ATSDR Minimal Risk Level  
H = Health Effects Assessment Summary Table (HEAST)

N = EPA NCEA Provisional Values  
P = EPA Provisional Peer-Reviewed Toxicity Value  
S = surrogate

I = Integrated Risk information System (IRIS)

T = TEF  
TE = TERA ITER Peer-Reviewed Value

M = EPA Drinking Water Regulations and Health Advisories

**X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>-1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
NITROGUANIDINE	556-88-7	0.1	I			0.13		4400	9				231					
NITROPHENOL, 2-	88-75-5	0.008	S			37		2100	1,2,3,4,5,6				215	9.01				
NITROPHENOL, 4-	100-02-7	0.008	N			230		16000	2				279	25.81				
NITROPROPANE, 2-	79-46-9			0.02	I	0.0027	H	20	16700	1,3,4,5	13000	14900	X	120	0.69			
NITROSODIETHYLAMINE, N-	55-18-5		150	I		0.043	I	26	93000	10	13000	14900	X	176	0.69			
NITROSODIMETHYLAMINE, N-	62-75-9	0.000008	P	51	I	<u>0.00004</u>	X	0.014	I	8.5	X	1000000	2	13000	14900	X	154	0.69
NITROSO-DI-N-BUTYLAMINE, N-	924-16-3		5.4	I		<u>[0.016]</u>	I	450	1200	<u>[0, 13] 9, 10, 11</u>			X	235	0.69			
NITROSODI-N-PROPYLAMINE, N-	621-64-7		7	I		0.002	C	11	9900	6			X	206	0.69			
NITROSODIPHENYLAMINE, N-	86-30-6	<u>[0.02]</u>	[ P ]	0.0049	I			0.0000026	C	580			35	1			269	3.72
NITROSO-N-ETHYLUREA, N-	759-73-9		27	C		0.0077	C	2	13000	9				223	1734.48			
OCTYL PHTHALATE, DI-N-	117-84-0	<u>[0.04]</u> <u>0.01</u>	P					9800000 00	3	5			X	234	0.69			
OXAMYL (VYDATE)	23135-22-0	0.025	I			7.1		280000	2					334				
PARAQUAT	1910-42-5	0.0045	I			16200		660000	6,8					352				
PARATHION	56-38-2	0.006	H			2300		20	2,4,5,6,7				X	375				
PCB-1016 (AROCLOR)	12674-11-2	0.00007	I	<u>[0.07]</u> 2	[ I ] [ S ]	<u>[0.00002]</u> <u>0.00057</u>	[ I ] [ I ] [ S ]	110000	0.25	5			X	325				
PCB-1221 (AROCLOR)	11104-28-2			2	[ I ] [ S ]	0.00057	[ I ] [ I ] [ S ]	1900	0.59	5			X	275				

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
PCB-1232 (AROCOLOR)	11141-16-5			2	I			0.00057	1500		1.45	7			X	290	
PCB-1242 (AROCOLOR)	53469-21-9			2	I			0.00057	48000		0.1	5			X	325	
PCB-1248 (AROCOLOR)	12672-29-6			2	I			0.00057	190000		0.054	7,9,11			X	340	
PCB-1254 (AROCOLOR)	11097-69-1	0.00002	I	2	I			0.00057	810000		0.057	5			X	365	
PCB-1260 (AROCOLOR)	11096-82-5			2	I			0.00057	1800000		0.08	5				385	
PEBULATE	1114-71-2	0.05	H						630		92	5			X	303	
PENTACHLORO BENZENE	608-93-5	0.0008	I						32000		0.74	1,5,6,7				277	0.37
PENTACHLOROETHANE	76-01-7			0.09	P				1905	X	480	1,3	13100	15100	X	160	
PENTACHLORONITROBENZENE	82-68-8	0.003	I	0.26	H				7900		0.44	4,6,8				328	0.36
PENTACHLOROPHENOL	87-86-5	<b>[0.03]</b> <b>0.005</b>	I	<b>[0.12]</b> <b>0.4</b>	I			0.0000046	C	20000	14	1,2,4,5				310	0.17
PHENACETIN	62-44-2			0.0022	C			0.00000063	C	110	763	2,3,9				341	4.50
PHENANTHRENE	85-01-8	0.3	S						38000		1.1	1,4,5				341	0.63
PHENOL	108-95-2	0.3	I			0.2	C		22	X	84300	1,2,3,4	13000	14900		182	36.14

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**



**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>-1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )			
PHENYL MERCAPTAN	108-98-5	[0.00001] 0.001	[ H ] P			562	X	653	5,9	13000	15000	X	170				
PHENYLENEDIAMINE, M- PHENYLPHENOL, 2-	108-45-2 90-43-7	0.006	I			12 5,700		351000 700	3 5				286 280	4.50 18.07			
PHORATE	298-02-2	0.0002	H			810		50	2			X	319				
PHTHALIC ANHYDRIDE	85-44-9	2	I		0.02	C		79	2				285	13490.40			
PICLORAM	1918-02-1	0.07	I			15		430	2				373				
POLYCHLORINATED BIPHENYLS (AROCLORS) (PCBS)	1336-36-3	0.0000 0001	C	2	I	0.000000 07	C	0.00057	I				360				
PROMETON	1610-18-0	0.015	I			346		750	2,5				347				
PRONAMIDE	23950-58- 5	0.075	I			200		15	2				321				
PROPANIL	709-98-8	0.005	I			160		225	2				355				
PROPANOL, 2- (ISOPROPYL ALCOHOL)	67-63-0	2	P		[7] 0.2	[ C ] P		25	X	1000000	2	13000	14900	X	82		
PROPAZINE	139-40-2	0.02	I			155		8.6	1,5			X	318				
PROPHAM	122-42-9	0.02	I			51		250	5				257				
PROPYLBENZENE, N-	103-65-1	[0.04] 0.1	[ N ] X		1	X		720	X	52	6	13100	15100	X	159		
PROPYLENE OXIDE	75-56-9			0.24	I	0.03	I	0.0000037	I	25	X	405000	1	13100	15000	X	34
PYRENE	129-00-0	0.03	I			68000		0.132	1				393	0.07			
PYRIDINE	110-86-1	0.001	I			0.0066	X	1000000	2	13100	15000	X	115	18.07			
QUINOLINE	91-22-5			3	I			1,300	60000	1,3,5		X	238	12.65			
QUIZALOFOP (ASSURE)	76578-14- 8	0.009	I			580		0.3	2				220				

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>-1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )					
RDX	121-82-4	0.003	I	0.11	I			[0.0000031]	[ I ]	70			59.9	1,9			353		
RESORCINOL	108-46-3	2	T E					2		717000							280		
RONNEL	299-84-3	0.05	H					580		40			2				349		
SIMAZINE	122-34-9	0.005	I	0.12	H			110		5			5				225		
STRYCHNINE	57-24-9	0.0003	I					280		143			5				270	4.50	
STYRENE	100-42-5	0.2	I			1	I	910	X	300			5	13100	15100	X	145	1.20	
TEBUTHIURON	34014-18-1	0.07	I					620		2500			2				394		
TERBACIL	5902-51-2	0.013	I					53		710			2				396		
TERBUFOS	13071-79-9	0.000025	H					510		5			6			X	332		
TETRACHLOROBENZENE, 1,2,4,5-	95-94-3	0.0003	I					1,800		0.583			1,5,6,7				245	0.69	
TETRACHLORODIBENZO-P- DIOXIN, 2,3,7,8- (TCDD)	1746-01-6	[0.0000 0001] [0.000000 0007]	D	130000	C	0.00000004	C	38	C	4300000			0.0000193				412	0.21	
TETRACHLOROETHANE, 1,1,1,2-	630-20-6	0.03	I	0.026	I			0.0000074	I	980	X		1100	1	13000	14600	X	131	3.79
TETRACHLOROETHANE, 1,1,2,2-	79-34-5	[0.004] 0.02	I	0.2	I			0.000058	I	79	X		2860	2	13100	15100	X	147	0.56
TETRACHLOROETHYLENE (PCE)	127-18-4	[0.01] 0.006	I	[0.052] 0.0021	[ N ] I	[0.5] 0.04	[ N ] I	[0.0000005 8] 0.00000026	[ N ] I	300	X		162	1,2,3,4,5	13100	15000	X	121	0.03
TETRACHLOROPHENOL, 2,3,4,6-	58-90-2	0.03	I							6200			183	6			288	0.69	
TETRAETHYL LEAD	78-00-2	0.0000001	I							4900			0.8	5			X	202	4.50
TETRAETHYLDITHIOPYRO PHOSPHATE	3689-24-5	0.0005	I							550			25	2			X	349	

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

C = California EPA Cancer  
 Potency Factor  
 D = ATSDR Minimal Risk  
 Level  
 H = Health Effects  
 Assessment Summary Table  
 (HEAST)  
 I = Integrated Risk  
 information System (IRIS)  
 M = EPA Drinking Water  
 Regulations and Health  
 Advisories

N = EPA NCEA Provisional Values  
 P = EPA Provisional Peer-Reviewed Toxicity Value  
 S = surrogate  
 T = TEF  
 TE = TERA ITER Peer-Reviewed  
 Value  
**X = EPA Provisional Peer-Reviewed  
 Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>-1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
TETRAHYDROFURAN	109-99-9	<u>[0.2]</u> <u>0.9</u>	[ N ] I	0.0076	N	[0.3] 2	[ N ] I	0.00000194	N	43	X	300000	1,6,7	13100	15100	X	66	
THIOFANOX	39196-18-4	0.0003	H					0.022		5200	9						280	
THIRAM	137-26-8	0.005	I					1000		30	4						339	
TOLUENE	108-88-3	0.08	I			5	I	130	X	532.4	1,2,3,4	13100	15000	X			111	9.01
TOLUIDINE, M-	108-44-1			<u>[0.18]</u> <u>0.016</u>	S			0.000051	S	140	15030	6				X	203	
TOLUIDINE, O-	95-53-4			<u>[0.18]</u> <u>0.016</u>	[ C ] P			0.000051	C	410	15000	1,3,5				X	200	18.07
TOLUIDINE, P-	106-49-0	<u>0.004</u>	X	<u>[0.19]</u> <u>0.03</u>	[ H ] P			320		7410	1,2,3						200	
TOXAPHENE	8001-35-2	<u>0.0004</u>	M	1.1	I			0.00032	I	1500	3	2,4,5					432	
TRIALATE	2303-17-5	0.013	I					2,000		4	5					X	343	
TRIBROMOMETHANE (BROMOFORM)	75-25-2	0.02	I	0.0079	I			0.0000011	I	130	X	3050	1,2,3,4	13100	15100	X	149	0.69
TRICHLORO-1,2,2- TRIFLUOROETHANE, 1,1,2-	76-13-1	30	I			30	H	1,200	X	170	1	13100	15000	X			48	0.35
<b>TRICHLOROACETIC ACID</b>	<b>76-03-9</b>	<b>0.02</b>	<b>I</b>	<b>0.07</b>	<b>I</b>			<b>20</b>	<b>X</b>	<b>1200000</b>	<b>2,3,5,9</b>						<b>196</b>	
TRICHLOROBENZENE, 1,2,4-	120-82-1	0.01	I	<u>[0.0036]</u> <u>0.029</u>	[ C ] P	<u>[0.004]</u> <u>0.002</u>	P	1500		44.4	1,4,6,7					X	213	0.69
TRICHLOROBENZENE, 1,3,5-	108-70-3	0.006	M			<u>[0.004]</u> <u>0.002</u>	S	3100		5.8	5						208	
TRICHLOROETHANE, 1,1,1-	71-55-6	2	I			5	I	100	X	1495	1,4,5,6	13100	15000	X			74	0.05
TRICHLOROETHANE, 1,1,2-	79-00-5	0.004	I	0.057	I	<u>0.0002</u>	X	0.000016	I	76	X	4420	1	13100	15100	X	114	0.03

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)	CSFo (mg/kg-d) <sup>1</sup>	RfCi (mg/m <sup>3</sup> )	IUR (µg/m <sup>3</sup> ) <sup>1</sup>	Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )				
TRICHLOROETHYLENE (TCE)	79-01-6	[0.006] <u>0.0005</u>	[ N ] I	[0.011] <u>0.05</u>	[ N ] I	[0.5] <u>0.002</u>	[ D ] I	[0.0000017] <u>0.000004</u>	[ N ] I	93	X	1100	1	13100	15000	X	87	0.02
TRICHLOROPHENOL, 2,4,5-	95-95-4	0.1	I					2400		1000	1,2,4			246				0.14
TRICHLOROPHENOL, 2,4,6-	88-06-2	0.001	P	0.011	I			0.0000031	I	1100	850	1,2,4,5		246				0.14
TRICHLOROPHENOXYACE TIC ACID, 2,4,5- (2,4,5-T)	93-76-5	0.01	I					43		278	2,4,5			279				1.39
TRICHLOROPHENOXYPRO PIONIC ACID, 2,4,5- (2,4,5- TP)(SILVEX)	93-72-1	0.008	I					1700		140	2			353				
TRICHLOROPROPANE, 1,1,2-	598-77-6	0.005	I					24	X	2700	14	13100	15000	X	117			
TRICHLOROPROPANE, 1,2,3-	96-18-4	[0.006] <u>0.004</u>	I	[7] [ <del>169</del> ] <u>30</u>	[ H ] I	[0.005] <u>0.0003</u>	[ N ] I	280	X	1896	1,4,6	13100	15100	X	157			0.35
TRICHLOROPROPENE, 1,2,3-	96-19-5	[0.01] <u>0.003</u>	[ P ] X			[0.001] <u>0.0003</u>	P	190	X	2700	14	13100	15000	X	142			
TRIETHYLAMINE	121-44-8					0.007	I	51	X	55000	1,4	13100	15100	X	90			
<b>TRIETHYLENE GLYCOL</b>	<b>112-27-6</b>	<b>2</b>	<b>P</b>					<b>6</b>		<b>1000000</b>	<b>12</b>			<b>X</b>	<b>285</b>			
TRIFLURALIN	1582-09-8	0.0075	I	0.0077	I			720		4	2,5,6,7			382				
TRIMETHYLBENZENE, 1,3,4- (TRIMETHYLBENZENE, 1,2,4-)	95-63-6	[0.05]	[ P ]			0.007	P	2,200	X	56	1	13100	15000	X	169			4.50
TRIMETHYLBENZENE, 1,3,5-	108-67-8	[0.05] <u>0.01</u>	[ P ] X			[0.006]	[ P ]	660	X	48.9	1	13100	15100	X	165			

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**

**Appendix A**  
**Table 5 – Physical and Toxicological Properties**  
**A. Organic Regulated Substances**

Regulated Substance	CAS	RfDo (mg/kg-d)		CSFo (mg/kg-d) <sup>1</sup>		RfCi (mg/m <sup>3</sup> )		IUR (µg/m <sup>3</sup> ) <sup>1</sup>		Koc	VOC?	Aqueous Sol (mg/L)	Aqueous Sol Reference <sup>1</sup>	TF Vol from Surface Soil	TF Vol from SubSurface Soil	Organic Liquid	Boiling Point (degrees C)	Degradation Coefficient (K)(yr <sup>-1</sup> )
TRINITROGLYCEROL (NITROGLYCERIN)	55-63-0	0.0001	P	0.017	P					<b>116</b>	X	1800	2,3,5	13000	15000	X	190	18.07
TRINITROTOLUENE, 2,4,6-	118-96-7	0.0005	I	0.03	I					1		100	2				240	
VINYL ACETATE	108-05-4	1	H			0.2	I			2.8	X	20000	1	13200	15000	X	73	
VINYL BROMIDE (BROMOETHENE)	593-60-2					0.003	I	0.000032	H	150	X	4180	12	13100	15000	X	16	0.09
VINYL CHLORIDE	75-01-4	0.003	I	<b>[0.72]</b> <b>1.5</b>	I	0.1	I	<b>[0.0000044]</b> <b>0.000009</b>	I	10	X	2700	1	13200	15000	X	-13	0.09
WARFARIN	81-81-2	0.0003	I							910		17	4				356	4.50
XYLENES (TOTAL)	1330-20-7	0.2	I			0.1	I			350	X	175	13	13100	15000	X	140	0.69
ZINEB	12122-67-7	0.05	I							19		10	4				474	

<sup>1</sup>Aqueous solubility references are keyed to the numbered list found at §250.304(f). Where there are multiple sources cited. The table value is the median of the values in the individual references.

Toxicity Value Sources:

- C = California EPA Cancer Potency Factor
- D = ATSDR Minimal Risk Level
- H = Health Effects Assessment Summary Table (HEAST)
- I = Integrated Risk information System (IRIS)
- M = EPA Drinking Water Regulations and Health Advisories
- N = EPA NCEA Provisional Values
- P = EPA Provisional Peer-Reviewed Toxicity Value
- S = surrogate
- T = TEF
- TE = TERA ITER Peer-Reviewed Value
- X = EPA Provisional Peer-Reviewed Toxicity Value Appendix**